

International Journal of Pattern Recognition and Artificial Intelligence  
© World Scientific Publishing Company

## Robust face recognition providing the identity and its reliability degree combining sparse representation and multiple features

GIULIANO GROSSI  
RAFFAELLA LANZAROTTI  
JIANYI LIN

*Department of Computer Science, University of Milan, Via Comelico 39  
20135 Milan, Italy  
grossi@di.unimi.it, lanzarotti@di.unimi.it, lin@di.unimi.it  
http://dalab.di.unimi.it*

For decades face recognition (FR) has attracted a lot of attention, and several systems have been successfully developed to solve this problem. However, the issue deserves further research effort so as to reduce the still existing gap between the computer and human ability in solving it. Among the others, one of the human skills concerns his ability in naturally conferring a “degree of reliability” to the face identification he carried out. We believe that providing a FR system with this feature would be of great help in real application contexts, making more flexible and treatable the identification process. In this spirit, we propose a completely automatic FR system robust to possible adverse illuminations and facial expression variations that provides together with the identity the corresponding degree of reliability. The method promotes sparse coding of multi-feature representations with LDA projections for dimensionality reduction, and uses a multi-stage classifier. The method has been evaluated in the challenging condition of having few (3-5) images per subject in the gallery. Extended experiments on several challenging databases (frontal faces of Extended YaleB, BANCA, FRGC v2.0, and frontal faces of Multi-PIE) show that our method outperforms several state-of-the-art sparse coding FR systems, thus demonstrating its effectiveness and generalizability.

*Keywords:* Face recognition; Sparse representation; Multi features; Reliability degree

### 1. Introduction

The face recognition (FR) problem has received a great deal of attention in the last decades. This interest is motivated by the numerous applications it involves, such as human-computer interaction (HCI), content-based image retrieval (CBIR), security and access control systems<sup>15</sup>.

However, we are still far from having a system that can deal effectively with adverse conditions, such as sensor noise, poor illuminations, unfocused images, facial expression variations, and partial occlusions<sup>46</sup>. Nowadays the best system dealing with these challenges is still the human visual system (HVS)<sup>31</sup>. Thus it deserves further research effort so as to reduce the still existing gap between the computer and human ability in solving the problem. In this paper we propose a FR system

inspired by the HVS mainly in two aspects: first, it provides a degree of reliability together with the estimated identity, second it automatically deals with adverse illuminations and facial expression variations, founding the recognition on very few samples per subject.

More specifically, the first aspect is motivated by the consideration that HVS always tries to solve the FR task, even in adverse conditions, however not all the identifications have the same reliability, and humans are skilful in conferring a certain degree of reliability to each identification. Equipping a FR system with a similar measure of confidence<sup>3</sup>, namely reliability degree, would help in deciding to what extent one can trust in the identification produced by the system at hand, as humans do. To the best of our knowledge in literature the most similar concept is provided by the Cumulative Match Characteristic<sup>29,3</sup>, but with this measure high degrees of reliability are achieved only by augmenting the rank, thus introducing uncertainty on the estimated identity. To deal with this matter, in this paper we propose a multi-stage classifier in which each stage has its own level of reliability, the rationale being that the earlier stages guarantee higher reliability.

Concerning the second aspect, we observe that most of the existing methods behave very well under controlled circumstances and when having a great number of images per subject in the gallery, but their performances drop down significantly when dealing with uncontrolled conditions<sup>36,27</sup>. Concerning the HVS, we cannot assert it is invariant to all these adversities, but rather robust against them: humans always try to solve the FR problem, but both the recognition rate and the reliability degree are influenced by the vision conditions and the familiarity<sup>a</sup> with the face at hand. Following these considerations, here we propose a robust FR system, focusing on four main critical aspects: automatic face localization, adverse illuminations, expression variations, and small number of images per subject in gallery.

Without expecting to be exhaustive, we recall some recent works that have given a great impulse in dealing with uncontrolled conditions. First of all a distinction has to be done among the “deep” and the “shallow” methods. The first ones are methods based on deep architectures where the feature extraction and the classification process are carried out in a common framework. Representative methods of this category are the DeepFace<sup>33</sup> and its extensions proposed by Sung et al. in the series ended with DeepID3<sup>32</sup>. The second category concerns more directly the spirit of this paper. Shallow methods are generally based on hand-crafted local image descriptors (i.e. HOG, SIFT, LBP) opportunely referred in the classification stage. In this class we can find FR systems robust to possible misalignment<sup>43,39</sup>, methods tackling the illumination problem<sup>13,21,34</sup>, systems coping with expression variations<sup>22,4</sup>, and solutions dealing with the small sample size problem<sup>18,26</sup>. Other noteworthy works made the further effort of coping with several uncontrolled conditions simultaneously<sup>40,10,29,20</sup>. According to the classification stage,

<sup>a</sup>When humans see someone many times, they get familiar with him/her. The same concept is simulated in an automatic system giving many images in the gallery.

we focus on methods adopting the sparse representation paradigm<sup>6,40</sup> that has recently demonstrated its effectiveness in several fields such as multi-class feature selection<sup>48</sup>, image restoration<sup>11</sup>, data compression<sup>16</sup>, visual tracking<sup>45</sup>, image classification<sup>41</sup>, and not least face recognition systems, deepened in the follow.

The contribution of Wright et al.<sup>40</sup> was the seminal paper proposing a FR system based on Sparse Representation (SR). Briefly, given a dictionary with sufficient samples per subject, the sparsest linear representation of a test image is recovered efficiently via the  $\ell_1$ -minimization. Such representation discriminates among the various classes present in the dictionary by seeking the one that minimizes the reconstruction error, called *residual*. Since this work, several research efforts have been done in the SR framework. Efficient solutions have been attained replacing the SR, that requires the expensive  $\ell_1$ -minimization, with the collaborative representation, based on the faster  $\ell_2$ -norm<sup>30,44</sup>. Also the two stage approach in<sup>42</sup> aims at a greater efficiency by reducing the search space of sparse representation by firstly selecting in the training set the  $k$ -nearest neighbours of the test image. Another research line in this direction focuses on learning compact dictionaries to make the recognition stage computationally more efficient<sup>17,25</sup>. This last approach has also the advantage of requiring only a few images per subject in the training set. Concerning the robustness to noise, we mention the kernel-based methods<sup>12,14</sup> which relax the linear similarity condition, thus resulting in systems more robust to non Gaussian noise and possible misalignments.

In this paper we propose a method founded on the sparse representation paradigm, adopting the effective  $k$ -LIMAPS algorithm<sup>1,2</sup> as core for the sparse recovery. The method accepts as input automatically localized faces, thus dealing with possible misalignments. Face images are normalized by multi-illumination correction methods and described by a pool of multi-features, each one extracting different pieces of information in order to disclose robustly inter-personal variability. All these descriptions are managed by a multi stage classifier, requiring only few (3-5) images per subject in the dictionary construction, and producing both the identity and the corresponding reliability degree.

The remainder of this paper is organized as follows: in Section 2 after sketching the data preprocessing, we outline the feature extraction phase, discussing the strength of multi-feature representations and multi-illumination corrections. In Section 3 we briefly introduce the sparse representation paradigm, and then we describe the peculiar characteristics of the multi-stage classifier based on the  $k$ -LIMAPS algorithm. In Section 4 we report extended experiments and comparisons, demonstrating the effectiveness of our method in presence of both unregistered uncontrolled images and small dictionaries (i.e. with only few images per subject). Finally, in Section 5 we draw some conclusions.

## 2. Data preprocessing and feature representation

We call the proposed framework  $k$ -LiMAPS-MFI being based on the  $k$ -LiMAPS algorithm, and adopting both multiple Illumination Corrections (IC) and multiple Feature Extractors (FE). In the block diagram of Fig. 1 we outline it and in this section we give the insight into its first two phases.




Fig. 1. The proposed method consists of three modules. 1. *Data Preprocessing*: based on the Face Detection (FD) and the Illumination Corrections (IC). 2. *Feature Representation*: built on Feature Extraction (FE), projection in the LDA space, and the dictionary and test vector construction. 3. *Classification*: uses the  $k$ -LiMAPS SR method and the multi-stage Identity Recognition module; examples of ideal sparse solutions for  $k = 3, 6$  are depicted, where the blue positions, corresponding to the right subject, are very present in the support.

### 2.1. Face Detection

Given generic images, the very first step for an automatic FR system consists in determining in the most precise way the location and size of human faces, if any (FD in Fig.1). To this end, we apply to all the training and the test images the effective method presented in <sup>8</sup>. Briefly, this approach, inspired by the method presented in <sup>47</sup>, is a unified model for face detection and landmark estimation in cluttered images, with different illumination or face expressions. The approach consists in merging local and global information by a tree-shaped pictorial structure that characterizes and connects face landmarks. The distinctiveness of the approach presented in <sup>8</sup> concerns the patch characterization: while the seminal method in <sup>47</sup> relies on hand-crafted descriptors such as HoG responses <sup>9</sup>, the adopted method uses a representation learnt directly from example images, that is the histograms of sparse codes (HSC) <sup>28</sup>. This characterization allows to customize the feature description, making the method particularly reliable and adaptable to the variability of face appearance (Fig. 2) contrarily to more traditional FD such as Viola-Jones <sup>37</sup>.

For a quantitative evaluation, we measured the Root Mean Square Error (RMSE) on the landmark localization corresponding to 234 frontal images, multi




Fig. 2. Examples of FD applied to images with clutter background, affected by illumination and expression variations. First line: images of the Multi-PIE database, second line: images of the FRGC database.

expression and multi illumination, of the Multi-PIE database for which the ground truth is available. The error is normalized with respect to the face size, that is the mean of its height and width, revealing a localization error lower than the 5% of the face size on the 97% of the image set, and 100% of success accepting an error within the 10% of the face size. On all the other images referred in the experimental section (Sec. 4), we just verified that no face was missed, thus allowing the subsequent processing. All the localized faces are automatically cropped on the bases of the found landmarks, rescaled to a size of  $80 \times 70$  pixels, and passed to the next FR steps deputized to deal with possible misalignments, as it would happen in real applications.

## 2.2. Multi-Feature Extraction

A second aspect to tackle in designing a FR system is the choice of the image representation. Many FR systems adopt one single feature, however in such a complex task it has been proven that “it is often the case that no single class of features is rich enough to capture all of the available information”<sup>34</sup>. Here we extend this consideration on features to the illumination correction (IC in Fig.1) methods, being each one able to extract different discriminative information from images acquired in various illumination conditions (Fig. 3)<sup>7</sup>. Thus, *k*-LiMAPS-MFI takes into account a pool of demonstrably effective IC methods, and feature extractors (FE in Fig.1), and combines them together obtaining a rich feature pool that makes the system more robust to a variety of possible image disruptions. Of course some of these transformations could yield misleading information, however, this is fully overcome in the classification stage, because we experimentally observed that the most informative data give rise to the strongest classifiers.

6 *G. Grossi, R. Lanzarotti, J. Lin*




Fig. 3. Examples of IC and FE methods applied to four images of the YaleB database. Note that the MSQ adds artifacts on the first two images while enhances the last two. The two type of feature descriptions (HoG and Shearlet) are reported to highlight the different information extracted by each of them.

Formally, let IC be a set of illumination corrections and FE be a set of feature extractors, then we construct the pool  $\mathcal{F} = \text{IC} \times \text{FE}$  of combined transformations  $f^1, \dots, f^d \in \mathcal{F}$ ,  $d = |\mathcal{F}| = |\text{IC}| \cdot |\text{FE}|$ , each  $f^j$  mapping an image  $I$  to the corresponding illumination-corrected feature vector  $f^j(I) \in \mathbb{R}^{n_j}$ .

Given the face image gallery  $\mathcal{G} = \{I_1, \dots, I_m\} \subset \mathbb{R}^N$  corresponding to the subjects or classes  $\mathcal{C} = \{1, \dots, c\}$ , after the automatic cropping and normalization, we characterize each image according to the features  $f^j(I_i)$ . To perform dimensionality reduction while preserving as much as possible the class discriminative information, we apply the LDA projection  $\phi_i^j = W_{\text{LDA}}^j f^j(I_i)$ , where  $W_{\text{LDA}}^j$  is the standard LDA projection matrix constructed from the combined feature vectors  $f^j(I_i)$ ,  $i = 1, \dots, m$ . In summary, after the transformations  $f^j$  and  $W_{\text{LDA}}^j$  each image  $I_i$  is mapped into a  $(c-1)$ -dimensional space as shown in the diagram:

$$\begin{array}{ccc} \mathbb{R}^N & \xrightarrow{f^j} & \mathbb{R}^{n_j} & \xrightarrow{W_{\text{LDA}}^j} & \mathbb{R}^{c-1} \\ I_i & \longmapsto & f^j(I_i) & \longmapsto & \phi_i^j \end{array}$$

On the basis of the obtained data, we setup  $d$  distinct dictionaries,  $\Phi^j \in \mathbb{R}^{(c-1) \times m}$  by column-wise attaching the corresponding  $m$  feature vectors, that is

$$\Phi^j = [\phi_1^j | \dots | \phi_m^j], \quad j = 1, \dots, d.$$

The multi-feature extraction process and the dictionary construction are sketched in the following pseudo-code, maintaining the variable names used in the text.

---

**Algorithm 2.1:** DICTIONARYCONSTRUCTION( $\mathcal{G}$ )

---

```

procedure MULTIFEATUREEXTRACTION( $I$ )
   $I \leftarrow$  FaceDetection( $I$ )
   $I \leftarrow$  Crop&Normalization( $I$ )
  for  $j \leftarrow 1$  to  $d$ 
    do  $f^j \leftarrow$  ApplyFeature( $j, I$ )
  return  $(f^1, \dots, f^d)$ 

main
  for each  $I_i \in \mathcal{G}$ 
    do  $(f_i^1, \dots, f_i^d) \leftarrow$  MultiFeatureExtraction( $I_i$ )
  for  $j \leftarrow 1$  to  $d$ 
    do  $\begin{cases} \mathcal{F}^j \leftarrow (f_1^j, \dots, f_{|\mathcal{G}|}^j) \\ W_{\text{LDA}}^j \leftarrow \text{LinearDiscriminantAnalysis}(\mathcal{F}^j) \\ \Phi^j \leftarrow W_{\text{LDA}}^j \cdot \mathcal{F}^j \end{cases}$ 
   $\Phi \leftarrow (\Phi^1, \dots, \Phi^d)$ 
   $\mathcal{W}_{\text{LDA}} \leftarrow (W_{\text{LDA}}^1, \dots, W_{\text{LDA}}^d)$ 
  return  $(\Phi, \mathcal{W}_{\text{LDA}})$ 

```

---

### 3. Classification by sparse representation

This section is devoted to describe how the SR combined with a multi-stage classifier can effectively solve the FR problem (*Classification phase* in Fig. 1).

#### 3.1. Sparse representation

Let us first introduce the general paradigm <sup>6</sup>. Briefly, let us consider a column-vector  $y$  in the  $p$ -dimensional space  $\mathbb{R}^p$  representing a test sample and the matrix  $\Phi \in \mathbb{R}^{p \times m}$ , called *dictionary*, whose columns are a fixed collection of  $m$  samples, called *atoms*. Let us denote the *support* of a vector  $\alpha \in \mathbb{R}^m$  by  $\text{supp}(\alpha) = \{i : \alpha_i \neq 0\}$ . A vector  $\alpha$  is said to be  $k$ -sparse iff its  $\ell_0$ -norm  $\|\alpha\|_0 = |\text{supp}(\alpha)| \leq k$ . The problem of representing the sample  $y$  by the dictionary  $\Phi$  consists in solving  $\Phi\alpha = y$  for  $\alpha$ . In general, when  $p \ll m$  the problem is underdetermined and the dictionary  $\Phi$  is said to be *overcomplete*, so that there may exist infinitely-many solutions. In the sparse paradigm, one expects to represent  $y$  with the least number of columns in  $\Phi$ , and hence this leads to the central problem of noiseless sparse representation, defined as

$$\underset{\alpha \in \mathbb{R}^m}{\text{argmin}} \|\alpha\|_0 \quad \text{subject to} \quad \Phi\alpha = y.$$

This is a well-known NP-hard optimization problem<sup>23</sup>, therefore in many application contexts it is very common to introduce the following variant, called the sparse approximation problem, where a fixed sparsity level  $k$  is guaranteed while minimizing the reconstruction error  $\|\Phi\alpha - y\|$ , i.e.,

$$\operatorname{argmin}_{\alpha \in \mathbb{R}^m} \|\Phi\alpha - y\| \quad \text{subject to} \quad \|\alpha\|_0 \leq k. \quad (1)$$

Within this framework, in<sup>1</sup> we proposed a new sparse solver, called  $k$ -LIMAPS, that adopts the  $\ell_0$ -norm optimization, and is based on a suitable parametric family of Lipschitzian type mappings providing an easy and fast iterative scheme. In<sup>2</sup> we applied  $k$ -LIMAPS to the FR problem: projecting the raw images in the LDA space and replacing the original simplex method used in<sup>40</sup> with  $k$ -LIMAPS, the classification became much faster, and achieved higher performances than SRC. Here we extend this technique to a *multi-feature* and *multi-stage* classification system in order to make it more accurate and enriched with the reliability degree.

Specifically, given an automatically cropped and normalized test image  $T \in \mathbb{R}^N$ , the corresponding  $d$  feature vectors are computed as  $y^j = W_{\text{LDA}}^j f^j(T)$ , that is projecting  $f^j(T)$  through the same LDA mapping matrix defined for the  $j^{\text{th}}$  dictionary  $\Phi^j$ . According to the original paradigm, the problem of recognizing the identity of  $T$  among the subjects in  $\mathcal{C}$  is recast into the problem of finding the  $k$ -sparse solutions  $\hat{\alpha}^j$  of the  $d$  feature vectors  $y^j$  so that

$$\hat{\alpha}^j = \operatorname{argmin}_{\alpha \in \mathbb{R}^m} \|\Phi^j \alpha - y^j\| \quad \text{subject to} \quad \|\alpha\|_0 \leq k, \quad j = \{1 \dots d\}.$$

This process gives rise to the pool  $A_k = \{\hat{\alpha}^1, \dots, \hat{\alpha}^d\}$  ( $k$ -sparse solutions in Fig. 1) that is further processed by the multi-stage classifier that we propose and describe in the next section.

### 3.2. Multi-stage classifier

Given the pool  $A_k$  of  $d$  sparse solutions, the new classifier adopted in the  $k$ -LIMAPS-MFI method relies on the *supports*,  $\operatorname{supp}(\hat{\alpha}^j)$ , of all sparse solutions  $\hat{\alpha}^j$ , instead of using the standard residual measure as in<sup>40</sup>. This classification approach overcomes the weakness of Euclidean norm-based measure (at the base of the residual measure) when dealing with noisy images, improving the global recognition rates.

In this regard, the sparsity level  $k$  plays a key role since it strongly influences the discriminative power of the system. Let  $\bar{n}$  be the number of samples per subject in the gallery. Experimentally we observed two scenarios. On the one hand, in case of *non ambiguous* images, it is convenient to set a small value of sparsity, i.e.  $k = \bar{n}$ , producing a very efficient and precise identification. On the other hand, when even with small values of  $k$  the support is scattered over different subjects (*ambiguous* cases), larger values of  $k$  ( i.e.  $k = 3 \cdot \bar{n}$  ) leads to a bigger chance of having a significant presence of the right subject in the selected pool.



On the basis of these considerations, we build up a cascading *multi-stage* model (*Identity Recognition* in Fig. 1), where both the required sparsity  $k$  and the decision rules are progressively relaxed. This allows us to attribute a reliability degree to each estimated identity according to the stage that solved it, meaning that the earlier the identification is solved the more reliable it is. Specifically, we propose a 3-stage voting system based on the sparsity promotion worked out on the multi-feature dictionaries, where the sparsity level  $k$  is fixed, case by case, equal to a multiple  $q \cdot \bar{n}$  (being,  $\bar{n}$  the number of images per subject in the dictionary).

**STAGE I** This stage aims at solving the less ambiguous cases guaranteeing both a high reliability degree of the classifications carried out, and low computational costs. To this end, we choose a small integer  $q_I$  in order to require a quite high sparsity, i.e.,  $k = q_I \cdot \bar{n}$  and we derive the  $k$ -sparse solution set  $A_k$  by applying the  $k$ -LIMAPS algorithm to each dictionary  $\Phi^j$ . Let  $\mathcal{L} : \{1, \dots, m\} \rightarrow \mathcal{C}$  be the mapping from the column-index  $i$  of  $\Phi^j$  to the corresponding subject  $\mathcal{L}(i) \in \mathcal{C}$ , and let

$$V_I = \{\mathcal{L}(i) \in \mathcal{C} : i \in \text{supp}(\hat{\alpha}), \hat{\alpha} \in A_k\}$$

be the multiset of votes collected from all members of  $A_k$ . Given  $u$  distinct subjects  $s_1, \dots, s_u$  in  $V_I$  ordered according to their relative frequencies  $fr(s_i)$  such that  $fr(s_1) \geq fr(s_2) \geq \dots \geq fr(s_u)$ , then the identity is provided by the statement

$$\text{ID}(T) = s_1 \quad \Leftrightarrow \quad \frac{fr(s_2)}{fr(s_1)} < \sigma_I, \quad (2)$$

where  $\sigma_I \in (0, 1)$  is a suitable threshold (see Sec. 4.1 for the statistical analysis set up to derive  $\sigma_I$ ). If the condition is not satisfied, the decision process passes to the next stage.

**STAGE II** This stage aims at classifying the unsolved cases of STAGE I, even if both reliability and efficiency may deteriorate. Specifically, in this stage we compute a pool of sparse solutions denoted by  $\mathcal{A} = \bigcup_{k \in K} A_k$ , being  $K = [q_I \bar{n}, \dots, q_{II} \bar{n}]$  a set of integers equally distributed, defined on the basis of the two parameters  $q_I$  and  $q_{II}$ . Analogously to STAGE I, we collect the votes

$$V_{II} = \{\mathcal{L}(i) \in \mathcal{C} : i \in \text{supp}(\hat{\alpha}), \hat{\alpha} \in \mathcal{A}\},$$

and we apply the rule (2) with a weaker threshold, namely  $\sigma_{II} \in (0, 1)$ , to determine the subject identity of the test image. If a decision is not taken here, the process goes on to the next stage.

**STAGE III** In this last stage we refer to the votes collected in  $V_{II}$  and apply a further relaxed version of rule (2), setting  $\sigma_{III} = 1$ , thus accepting any identity  $s_1$  as long as it has the highest relative frequency  $fr(s_1)$ :

$$\text{ID}(T) = s_1 \quad \Leftrightarrow \quad fr(s_1) > fr(s_2) \quad (3)$$

10 *G. Grossi, R. Lanzarotti, J. Lin*

This stage leaves unclassified only the rare cases ( $< 0.1\%$  of the tested images) where the previous inequality is not satisfied, implying that there is an *ex aequo*, that is a misclassification.

The overall method is sketched in the Algorithm 3.1, adopting when possible the same variable names used in the text.

### **3.3. *Reliability and Consistency***

Having defined a 3-stage classifier, we attribute to each stage a confidence level defining a reliability and a consistency degree with the following meaning.

**Reliability:** denoted by  $\rho$ , is the ratio between the number of correct classifications and the number of test images classified by the stage (quality measure).

**Consistency:** denoted by  $\gamma$ , is the percentage of images classified by the stage (quantitative measure).

The reliability of any test image classification is then set equal to the reliability of the stage that produced it. This approach provides a more fine-grained decisional tool with respect to that provided by the solely total recognition rate, usually adopted.

Naturally, reliability and consistency vary according to both the properties of the referred gallery (n. of subjects, image quality, etc), and to the parameter settings

as investigated in the next section.

---

**Algorithm 3.1:**  $k$ -LiMAPS-MFI( $T, \mathcal{G}, K, \sigma_I, \sigma_{II}$ )

---

**comment:** the following procedure is computed offline

$\{\Phi, W_{LDA}\} \leftarrow \text{DictionaryConstructon}(\mathcal{G})$

**comment:** sparsification of the image  $T$

$(f_T^1, \dots, f_T^d) \leftarrow \text{MultiFeatureExtraction}(T)$

**for**  $j \leftarrow 1$  **to**  $d$

**do**  $T_{LDA}^j \leftarrow W_{LDA}^j \cdot f_T^j$

**comment:** multi-stages classification of the image  $T$

**for**  $j \leftarrow 1$  **to**  $d$

**do**  $\hat{\alpha}^j \leftarrow k\text{-LiMAPS}(\Phi^j, T_{LDA}^j, K(1))$

$A_k \leftarrow (\hat{\alpha}^1, \dots, \hat{\alpha}^d)$

$V_I \leftarrow \{\mathcal{L}(i) \in \mathcal{C} : i \in \text{supp}(\hat{\alpha}), \hat{\alpha} \in A_k\}$

$\{fr, sbj\} \leftarrow \text{SortDescent}(V_I)$

**if**  $fr(2)/fr(1) < \sigma_I$

**then**  $\begin{cases} \text{ID} \leftarrow \text{First}(sbj) \\ \text{STAGE} \leftarrow 1 \end{cases}$

**for**  $i \leftarrow 1$  **to**  $|K|$

$k \leftarrow K(i)$

**for**  $j \leftarrow 1$  **to**  $d$

**do**  $\hat{\alpha}_k^j \leftarrow k\text{-LiMAPS}(\Phi^j, T_{LDA}^j, k)$

$A_k \leftarrow (\hat{\alpha}_k^1, \dots, \hat{\alpha}_k^d)$

**else**  $\begin{cases} \mathcal{A} \leftarrow \bigcup_{k \in K} A_k \\ V_{II} \leftarrow \{\mathcal{L}(i) \in \mathcal{C} : i \in \text{supp}(\hat{\alpha}), \hat{\alpha} \in \mathcal{A}\} \\ \{fr, sbj\} \leftarrow \text{SortDescent}(V_{II}) \\ \text{ID} \leftarrow \text{First}(sbj) \\ \text{if } fr(2)/fr(1) < \sigma_{II} \\ \quad \text{then } \text{STAGE} \leftarrow 2 \\ \quad \text{else } \text{STAGE} \leftarrow 3 \end{cases}$

**return** (ID, STAGE)

---

#### 4. Experiments

In order to test the  $k$ -LiMAPS-MFI algorithm against various combinations of uncontrolled conditions (e.g. different illuminations, backgrounds, expressions, and poses), we take into account several public databases: frontal faces of Extended YaleB, BANCA Controlled and Adverse, FRGC v2.0 Controlled and Uncontrolled, and frontal faces of Multi-PIE (in Table 1 we synthesize their peculiar characteristics).

The images are preprocessed according to Sec. 2.1, rescaled to 80x70 pixels, and transformed applying a pool of IC and FE on them. In particular we correct the illumination adopting the linear stretching, the MSQ (Multi-Scale Quotient) and

Table 1. Databases and their characteristics: **N. subj**, **N. Images**, **Background**, **Illumination** (*varies*: oriented light, over or underexposure, *good*: homogeneous light), **Expression** (*neutral*, *varies*: neutral, smiling, screaming, or angry. *reading*: subjects who are reading), **Timing** (*no*: single acquisition section, *yes*: several sessions spanning over several months), **Img Quality** (*good*: high resolution, focused images; *bad*).

Database	N. subj	N. Images	Background	Ill.	Expr.	Timing	Quality
Ext. YaleB (frontal)	38	2432	homogeneous	varies	neutral	no	good
BANCA Contr.	52	2.080	homogeneous	good	reading	yes	good
BANCA Adv.	52	2.080	clutter	varies	reading	yes	bad
FRGC v.2 Contr.	394	5.726	homogeneous	good	varies	yes	good
FRGC v.2 Uncontr.	384	5.248	clutter	varies	varies	yes	bad
Multi-PIE (frontal)	337	$\approx 50.000$	homogeneous	varies	varies	yes	good

ASSR (Adaptive Single-Scale Retinex) techniques<sup>38</sup>, and subsequently we extract the HoG (Histogram of Oriented Gradients)<sup>9</sup>, Shearlet<sup>5</sup> and MSLBP (Multi-Scale Local Binary Pattern) features<sup>24</sup>, resulting in nine combined-feature spaces. In Fig. 3 some examples of image preprocessing and feature extractions are shown.

We run 50 trials on every above mentioned datasets, where in each trial we randomly select  $\bar{n}$  images per subject to form the dictionaries and split the remaining ones into validation and test sets. We emphasize that, as it could happen in real applications, no particular constraint is given for the gallery construction, where any illumination or expression are accepted.

#### 4.1. Settings

On the basis of a tuning session, the parameters used in illumination correction and feature extraction have been set as follows. In MSQ we adopt Gaussian filters with four standard deviations in the range  $\sigma \in (1, 1.6)$ . In ASSR the number of iterative convolutions is set to 10 and the weights needed for the filter are  $\delta = 10e^{-\mathbb{E}_{x,y}[\|\nabla I(x,y)\|]/10}$  (that is based on the expected value of the image gradient), and  $h = 0.1e^{-10\tau}$ , with  $\tau$  being the normalized average of local intensity differences. Concerning the HoG features, we refer to  $15 \times 15$  patches, concatenating the obtained 8-bin histograms. In MSLBP we maintain the same window and histogram sizes as in HoG, setting the circle radius equal to 1, 3, 5, respectively. The shearlet feature has been implemented using the Meyer-type filter, and adding together the detail coefficients, while excluding the first scale (low frequencies).

Regarding the parameters involved in the classification phase, we set them as follows.

- Aiming at testing the system in the challenging case of small sample size dictionaries, we set  $\bar{n} = 3$  or  $\bar{n} = 5$ .
- We set  $q_1$  and the values of  $K$  (defined in the previous section) directly proportional to the number of subjects  $c$  in the dictionary, so that, when

processing large dictionaries, the system has a greater chance of selecting the correct subject. This is motivated by the fact that the more populous the dictionary is, the more the support of  $k$ -LiMAPS solution scatters over different subjects. Specifically, for all experiments we set  $q_I = \lceil c/50 \rceil$ ,  $q_{II} = \lceil c/10 \rceil$  obtaining a  $K$  with values equally distributed with step  $q_I \bar{n}$ .

- In order to set adequate values for the thresholds  $\sigma_I$  and  $\sigma_{II}$ , we refer to the validation sets of each considered database and conduct an empirical analysis based on the ratios  $fr(s_2)/fr(s_1)$  as defined in rule (2). Regarding  $\sigma_I$ , we report the average ratios in the two cases, corresponding to whether  $s_1$  is or is not the correct identity (see column group  $V_I$  in Table 2). It should be noted that the correct and wrong identifications are very well separated in all the datasets, allowing us to say that  $\sigma_I$  is not a critical threshold. We hence set it to a trade-off value between Avg+Std of the correct case and Avg-Std of the wrong case, referring to the last row of Table 2, that is  $\sigma_I = 0.4$ . Once  $\sigma_I$  is fixed, we can establish which test images fall in STAGE II applying rule (2), and carry out the same analysis as the previous one, leading to the average ratios we report in Table 2, column group  $V_{II}$ . Notice that in this case, the averages are closer to each other, but still quite separated. According to this analysis, we set  $\sigma_{II} = \text{Avg} + \text{Std}$  of the correct case, capturing most of the correct classifications, that is  $\sigma_{II} = 0.8$ .

Table 2. Averages and standard deviations of  $fr(s_2)/fr(s_1)$  in STAGES I and II when  $s_1$  is the correct identity and when it is not. Tests were run for all DBs with  $\bar{n} = 3$ , over 50 trial validation sets.

DB	$V_I$				$V_{II}$			
	$s_1$ correct		$s_1$ wrong		$s_1$ correct		$s_1$ wrong	
	Avg	Std	Avg	Std	Avg	Std	Avg	Std
Ext. YaleB (frontal)	0.10	0.15	0.70	0.24	0.68	0.16	0.79	0.15
BANCA Contr.	0.05	0.10	0.70	0.24	0.70	0.15	0.79	0.12
BANCA Adv.	0.06	0.10	0.68	0.23	0.71	0.17	0.83	0.14
FRGC Contr.	0.24	0.12	0.81	0.16	0.63	0.13	0.85	0.12
FRGC Uncontr.	0.34	0.20	0.78	0.19	0.68	0.15	0.84	0.13
Multi-PIE (frontal)	0.32	0.18	0.79	0.18	0.67	0.15	0.84	0.12
<b>Averages</b>	0.19	0.14	0.74	0.21	0.68	0.15	0.82	0.13

#### 4.2. Results

In Table 3 we report the average reliability and consistency degrees obtained running the  $k$ -LiMAPS-MFI over the 50 validation sets.

Notice that the reliability degree reached in STAGE I is very high, near to the

Table 3. For each database and for each stage we report the degrees of reliability,  $\rho$ , and consistency,  $\gamma$ , expressed as:  $\rho\%$  (on  $\gamma\%$ ).

DBs	$\bar{n}$	STAGE I	STAGE II	STAGE III
Extended YaleB (frontal)	3	<b>99.53</b> (on 92.06)	77.34 (on 5.19)	52.91 (on 2.74)
	5	<b>99.88</b> (on 97.74)	74.12 (on 1.56)	48.01 (on 0.69)
BANCA Controlled	3	<b>99.82</b> (on 97.33)	65.58 (on 1.62)	37.94 (on 1.05)
	5	<b>99.91</b> (on 98.61)	50.56 (on 0.77)	40.0 (on 0.62)
BANCA Adverse	3	<b>99.85</b> (on 96.86)	72.21 (on 1.81)	41.34 (on 1.33)
	5	<b>99.93</b> (on 98.68)	63.89 (on 0.75)	32.22 (on 0.58)
FRGC v.2 Controlled	3	<b>99.91</b> (on 80.52)	94.30 (on 14.99)	53.04 (on 4.50)
	5	<b>99.98</b> (on 89.36)	95.85 (on 8.64)	58.72 (on 2.01)
FRGC v.2 Uncontrolled	3	<b>98.64</b> (on 56.08)	75.66 (on 26.08)	35.81 (on 17.84)
	5	<b>99.45</b> (on 70.51)	83.44 (on 18.82)	41.56 (on 10.67)
Multi-PIE (frontal)	3	<b>99.29</b> (on 60.33)	75.82 (on 23.05)	30.58 (on 16.62)
	5	<b>99.73</b> (on 73.85)	80.44 (on 15.73)	32.54 (on 10.43)

certainty, and it is guaranteed for a consistent part of the test images ( $\gamma > 86\%$  on average). STAGE II, and even more STAGE III, are invoked rarely on datasets with few subjects, while they are of great help in case of uncontrolled images, solving the most ambiguous cases. These refinements entail higher computational costs and lower reliability. In practical applications, depending on the reliability required, the end user will decide which stage to consider satisfactory, implying that images solved by the others should require further process.

Unlike the reliability which is invariably high in all datasets, consistency variability is more noticeable, showing that its level in STAGE I decreases with the increase of the number of subjects in the gallery, above all in presence of uncontrolled conditions. This happens because in these cases the point scattering in the LDA space remains too high, resulting in badly-separated clusterings, and also because high dimensionality of the linear system (1) diminishes the chance of achieving high discriminative sparse solutions, as required in STAGE I.

In test phase, we run the  $k$ -LiMAPS-MFI on the test sets, producing the average<sup>b</sup> recognition rates reported in Table 4. For comparison in the sparse recognition domain, we report the performances obtained on the same data by well known SR methods such as SRC<sup>40</sup>, CRC<sup>44</sup>, and LASSO<sup>35</sup>. In addition, we run a method using the LDA combined with SVM<sup>19</sup>, aiming at investigating the contribute of the LDA independently from the  $k$ -LiMAPS algorithm. We also run the  $k$ -LiMAPS on raw images as in<sup>2</sup>, and report the results in Table 4, column LDA+ $k$ -LiMAPS-RAW; this allows us to investigate the enhancement given by both multi-FE, multi-IC and the support-based criterion adopted in our  $k$ -LiMAPS-MFI classifier. To set a fair comparison, we report the best performances of the competitor algorithms

<sup>b</sup>The standard deviation is always very low, indicating a good stability of the system.

obtained correcting the images with either the linear normalization, the MSQ, or the ASSR method. In addition, for the CRC and  $k$ -LIMAPS-RAW we run several tests in order to tune, case by case, the optimal feature space dimensionality.

Table 4. Face recognition rates (%) produced on several databases, and averaging over 50 trials.

DB	$\bar{n}$	SRC	CRC	LASSO	LDA+ SVM	LDA+ $k$ -LiMapS-RAW	LDA+ $k$ -LiMapS-MFI
Extended YaleB (frontal)	3	45.7	84.6	83.9	74.4	92.8	<b>97.1</b>
	5	79.7	94.0	93.7	82.4	95.9	<b>99.1</b>
BANCA Controlled	3	81.1	90.0	91.3	87.3	89.6	<b>98.6</b>
	5	93.8	96.0	96.1	94.2	94.7	<b>99.2</b>
BANCA Adverse	3	77.4	84.8	85.3	85.0	84.9	<b>98.6</b>
	5	91.9	93.0	91.6	93.6	92.7	<b>99.3</b>
FRGC v.2 Controlled	3	87.8	90.0	84.3	72.7	93.2	<b>96.9</b>
	5	94.4	95.0	92.8	85.9	96.3	<b>98.8</b>
FRGC v.2 Uncontrolled	3	65.6	73.1	65.5	40.1	77.1	<b>81.4</b>
	5	75.1	82.8	79.6	53.5	87.2	<b>90.2</b>
Multi-PIE (frontal)	3	63.2	68.4	63.1	21.5	65.6	<b>82.4</b>
	5	75.9	80.6	76.2	29.6	78.3	<b>89.6</b>

Analyzing the results, we observe that, independently of the database, the  $k$ -LIMAPS-MFI system obtains the best global performances in terms of recognition rates in all the experiments. Comparing the  $k$ -LIMAPS performances over the different DBs, we observe that the most challenging DBs (last two in Table 4) achieve the lowest performances, and they are more influenced by the number of images per subject, yielding a significant gap between the case  $\bar{n} = 3$  and  $\bar{n} = 5$ . This result is expected since we observed lower consistency on STAGE I as shown in Table 3.

As final note on the recognition ability, according to the experimental results reported in Table 4, we can assert that combining multi-FE and multi-IC data in LDA spaces, together with the support-based criterion is an effective strategy. Indeed, this approach leads to significant performance improvements with respect to both other standard sparse coding FR systems (SRC, CRC, and LASSO), and to other methods applied on raw data and relying on LDA projection, such as LDA + SVM, and LDA +  $k$ -LIMAPS with the residual criterion.

In regard to the computational time, we observe that it varies according to the gallery cardinality, the number of images per subject, and the stage that solves the subject identity. In particular, with regard to the average execution time of the classification phase only, STAGE I ranges from 0.002s (on the ext. YaleB database with  $\bar{n} = 3$  images per subject in the dictionaries) up to 0.03s (on the FRGC v.2 Controlled database with  $\bar{n} = 5$  images per subject in the dictionaries). Concerning STAGE II it requires from 2.3 (on the smallest dictionaries) up to 8.6 (on the most populous dictionaries) times the computational time of the corresponding STAGE I.

All the experiments were executed in MATLAB R2012a on an Intel Core i5 3.5GHz machine with 8GB RAM.

## 5. Conclusions

Despite the face recognition task has seen great breakthroughs in the last years, the problem is still open, and a big effort is yet devoted to tackle it in the most adverse conditions. In this paper we focus on two challenge conditions that hinder most of the FR systems: the small sample size problem, that is small number of images per subject in the gallery, and uncontrolled conditions, concerning simultaneously pose, lighting, expressions and image quality. Moreover, inspired by the HVS we equipped our FR system with a reliability degree, that is a measure of confidence that helps in deciding to what extent one can trust in the identification obtained by the system at hand, as humans do.

The proposed framework, namely  $k$ -LIMAPS-MFI method, is based on the well established sparse representation paradigm. It takes into account a pool of demonstrably effective illumination correction methods and feature extractors, to obtain a rich feature pool that makes the system more robust to a variety of possible image disruptions. The multi-features are then projected in the highly discriminative LDA space, where the classification phase is realized by a cascading multi-stage scheme.

This approach provides *i*) an overall very good performance compared to other experimented methods, and *ii*) a high reliability recognition rate for the most part of the tested images, which can be very informative in real-world applications.

Experiments conducted over different public databases show that the multi-feature representation in the LDA spaces, together with the sparse representation is an effective strategy. Indeed, in all the experiments,  $k$ -LIMAPS-MFI system obtains the best global performances in terms of recognition rates with respect to both other standard sparse coding FR systems (SRC, CRC, and LASSO), and other methods relying on LDA projection, such as LDA + SVM, and LDA +  $k$ -LIMAPS with the residual criterion.

## References

1. A. Adamo and G. Grossi. A fixed-point iterative schema for error minimization in  $k$ -sparse decomposition. In *Proc. of the IEEE Inter'l Symposium on Signal Processing and Information Technology (ISSPIT '11)*, pages 167–172, 2011.
2. A. Adamo, G. Grossi, and R. Lanzarotti. Sparse representation based classification for face recognition by  $k$ -limaps algorithm. In *Image and Signal Processing - 5th Int'l Conf., ICISP 2012*, volume 7340 of *Lecture Notes in Computer Science*, pages 245–252. Springer, 2012.
3. S. Arca, P. Campadelli, R. Lanzarotti, G. Lipori, F. Cervelli, and A. Mattei. Improving automatic face recognition with user interaction. *Journal Forensic Sci*, 57(3):765–771, 2012.
4. K. Ayarpadi, E. Kannan, R. R. Nair, T. Anitha, R. Srinivasan, and P. Scholar. Face Recognition under Expressions and Lighting Variations using Masking and Synthesiz-



- ing. *Int'l Journal of Engineering Research and Applications (IJERA)*, 2(1):758–763, 2012.
5. M. Borgi, D. Labate, M. E. Arbi, and C. Amar. Shearlet network-based sparse coding augmented by facial texture features for face recognition. *LNCS of Proc of ICIAP Conference*, 8157:611–620, 2013.
  6. E. Candes, J. Romberg, and T. Tao. Stable signal recovery from incomplete and inaccurate measurements. *Comm. Pure Appl. Math*, 59(8):1207–1223, 2005.
  7. H. Chen, P. Belhumeur, and D. Jacobs. In search of illumination invariants. *Proc. Int'l Conf on Computer Vision and Pattern Recognition (CVPR)*, 1:254–261, 2000.
  8. V. Cuculo, R. Lanzarotti, and G. Boccignone. Using sparse coding for landmark localization in facial expressions. In *Proc. of Int'l Conf. EUVIP*. IEEE, 2014.
  9. N. Dalal and B. Triggs. Histograms of oriented gradients for human detection. *Proc. of IEEE Conference on Computer Vision and Pattern Recognition*, 1:886 – 893, 2005.
  10. W. Deng, J. Hu, J. Guo, W. Cai, and D. Feng. Emulating biological strategies for uncontrolled face recognition. *Pattern Recognition*, 43(6):2210–2223, 2010.
  11. W. Dong, L. Zhang, G. Shi, and X. Wu. Image deblurring and super-resolution by adaptive sparse domain selection and adaptive regularization. *IEEE Transactions on Image Processing*, 20(7):1838 – 57, 2011.
  12. S. Gao, I. Tsang, and L. Chia. Sparse representation with kernels. *IEEE Transactions on Image Processing*, 22(2):423–434, 2013.
  13. R. Gopalan and D. Jacobs. Comparing and combining lighting insensitive approaches for face recognition. *Computer Vision and Image Understanding*, 114(1):135–145, 2010.
  14. R. He, W. Zheng, and B. Hu. Maximum correntropy criterion for robust face recognition. *IEEE. Trans. Pattern Analysis and Machine Intelligence*, 33(8):1561–1576, 2011.
  15. T. Huang, Z. Xiong, and Z. Zhang. Face recognition applications. In S. Z. Li and A. K. Jain, editors, *Handbook of Face Recognition*, pages 617–638. 2011.
  16. C. Huo, R. Zhang, D. Yin, Q. Wu, and D. Xu. Hyperspectral data compression using sparse representation. In *Hyperspectral Image and Signal Processing: Evolution in Remote Sensing (WHISPERS)*, 2012.
  17. Z. Jiang, G. Zhang, and L. Davis. Submodular dictionary learning for sparse coding. *Proc. of IEEE Conference on Computer Vision and Pattern Recognition*, pages 3418–3425, 2012.
  18. M. Koç and A. Barkana. A new solution to one sample problem in face recognition using FLDA. *Applied Mathematics and Computation*, 217(24):10368–10376, 2011.
  19. J. Li, B. Zhao, H. Zhang, and J. Jiao. Face recognition system using svm classifier and feature extraction by pca and lda combination. In *Int'l Conf. on Computational Intelligence and Software Engineering, 2009. CiSE 2009*, pages 1–4. IEEE, 2009.
  20. C. Lu and X. Tang. Surpassing human-level face verification performance on LFW with gaussianface. *AAAI*, 2015.
  21. A. Nabatchian, E. Abdel-Raheem, and M. Ahmadi. Illumination invariant feature extraction and mutual-information-based local matching for face recognition under illumination variation and occlusion. *Pattern Recognition*, 44(10-11):2576–2587, 2011.
  22. P. Nagesh and B. Li. A compressive sensing approach for expression-invariant face recognition. *Proc. Int'l Conf. on Computer Vision and Pattern Recognition*, pages 1518–1525, 2009.
  23. B. K. Natarajan. Sparse Approximate Solutions to Linear Systems. *SIAM Journal on Computing*, 24:227–234, 1995.
  24. T. Ojala, M. Pietikainen, and T. Maenpaa. Multiresolution gray-scale and rotation

18 G. Grossi, R. Lanzarotti, J. Lin

- invariant texture classification with local binary patterns. *IEEE Transactions on pattern recognition and Machine Intelligence*, 24(7):971–987, 2002.
25. V. Patel, T. Wu, S. Biswas, P. Phillips, and R. Chellappa. Dictionary-based face recognition under variable lighting and pose. *IEEE Transactions on information forensics and security*, 7(3):954–965, 2012.
26. L. Qiao, S. Chen, and X. Tan. Sparsity preserving discriminant analysis for single training image face recognition. *Pattern Recognition Letters*, 31(5):422–429, 2010.
27. J. Rabia and R. Hamid. A survey of face recognition techniques. *Journal of Information Processing Systems*, 5:41–68, 2009.
28. X. Ren and D. Ramanan. Histograms of sparse codes for object detection. In *Proc. of CVPR*. IEEE, 2013.
29. W. Schwartz, H. Guo, J. Choi, and L. Davis. Face identification using large feature sets. *IEEE transactions on image processing*, 21(4):2245–2255, 2012.
30. Q. Shit, A. Eriksson, A. van den Hengel, and C. Shen. Is face recognition really a compressive sensing problem? *Proc. of IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, pages 553 – 560, 2011.
31. P. Sinha, B. Balas, Y. Ostrovsky, and R. Russell. Face recognition by humans: 20 results all computer vision researchers should know about. *MIT Press Cambridge*, 2005.
32. Y. Sun, D. Liang, X. Wang, and X. Tang. DeepID3: Face recognition with very deep neural networks. *CoRR*, abs/1502.00873, 2015.
33. Y. Taigman, M. Yang, M. Ranzato, and L. Wolf. DeepFace: Closing the gap to human-level performance in face verification. In *The IEEE Conference on Computer Vision and Pattern Recognition (CVPR)*, June 2014.
34. X. Tan and B. Triggs. Enhanced local texture feature sets for face recognition under difficult lighting conditions. *Trans. on Image Processing*, 19:1635–1650, 2010.
35. R. Tibshirani. Regression shrinkage and selection via the lasso. *Journal of the Royal Statistical Society Series B (Methodological)*, 58, 1996.
36. A. Tolba, A. El-Baz, and A. El-Harby. Face recognition: A literature review. *Int. J. Signal Process.*, 2:88–103, 2006.
37. P. Viola and M. Jones. Rapid object detection using a boosted cascade of simple features. *Proc. IEEE Conf. Computer Vision and Pattern Recognition*, 1:511–518, 2001.
38. V. Štruc and N. Pavešić. *Photometric normalization techniques for illumination invariance*, pages 279–300. IGI-Global, 2011.
39. A. Wagner and J. Wright. Toward a practical face recognition system: Robust alignment and illumination by sparse representation. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 34(2):372–386, 2012.
40. J. Wright, A. Y. Yang, A. Ganesh, S. S. Sastry, and Y. Ma. Robust face recognition via sparse representation. *IEEE Trans. Pattern Analysis and Machine Intelligence*, 31(2):210–27, 2008.
41. J. Xu, G. Yang, Y. Yin, H. Man, and H. He. Sparse-representation-based classification with structure-preserving dimension reduction. *Cognitive Computation*, 6(3):608–621, 2014.
42. Y. Xu, D. Zhang, J. Yang, and J. Yang. A two-phase test sample sparse representation method for use with face recognition. *EEE Transactions on Circuits and Systems for Video Technology*, 21(9):1255–1262, 2011.
43. S. Yan, H. Wang, J. Liu, X. Tang, and T. Huang. Misalignment-robust face recognition. *IEEE transactions on image processing*, 19(4):1087–96, 2010.
44. L. Zhang, M. Yang, and X. Feng. Sparse representation or collaborative representa-

- tion: Which helps face recognition? *Proc. IEEE Int. Conf. on Computer Vision*, pages 471–478, 2011.
45. S. Zhang, H. Yao, H. Zhou, X. Sun, and S. Liu. Robust visual tracking based on online learning sparse representation. *Neurocomputing*, 100:31 – 40, 2013.
  46. W. Zhao, R. Chellappa, P. Phillips, and A. Rosenfeld. Face recognition: A literature survey. *ACM, Computing Surveys*, 35(4):399–458, 2003.
  47. X. Zhu and D. Ramanan. Face detection, pose estimation, and landmark localization in the wild. In *Proc. of CVPR*, pages 2879–2886. IEEE, 2012.
  48. L. Zini, N. Noceti, G. Fusco, and F. Odone. Structured multi-class feature selection with an application to face recognition. *Pattern Recognition Letters*, 55:35–41, 2015.
-