



Abstracts of the 5th IGCP-649 Diamonds and Recycled Mantle Workshop and Field Trip in Oman

13th-22nd November, 2019



Organized by IGCP-649 Project

Sultan Qaboos University

**Abstracts of the 5th IGCP-649 Diamonds and Recycled Mantle Workshop
and Field Trip in Oman, 13-22, November, 2019**

CONTENTS

| | | |
|---|---|----|
| <u>Metallogeny of Serpentinite-Hosted Magnetite Deposits: Hydrothermal Overgrowth on Chromite or Metamorphic Transformation of Chromite?</u> | Alireza ESLAMI, Ali KANANIAN, Giovanni GRIECO, G. Diego GATTA, Nicola ROTIROTI | 1 |
| <u>Early Paleozoic Ocean in the North Qaidam: Constraints from Kaipinggou Ophiolite</u> | CHEN Danling, ZHU Xiaohui, REN Yunfei and TUO Yu | 2 |
| <u>The Character and Petrogenetic Model of the Permian Tarim Large Igneous Province</u> | CHEN Hanlin, YANG Shufeng, LI Zilong, YU Xing and LI Yinqi | 3 |
| <u>Structural evolution of the western Makran</u> | CHU Yang, CHEN Lin, WAN Bo, LIN Wei and Morteza TALEBIAN | 6 |
| <u>New Caledonia Ophiolite, marginal rifting to fore-arc evolution</u> | Dominique CLUZEL, Jonathan AITCHISON, Arianna SECCHIARI, Alessandra MONTANINI, Delphine BOSCH | 7 |
| <u>Mesorif Gabbros (External Rif, North Morocco): Ophiolitic suture witness or a “Newly Discovered” Manifestation of the Central Atlantic Magmatic Province?</u> | Faouziya HAISSSEN, Oriol GIMENO-Vives, Geoffroy MOHN, Valérie BOSSE, Mohamed Najib ZAGHLOUL, Achraf ATOUABAT, Dominique FRIZON DE LAMOTTE | 9 |
| <u>Geochemistry and Geochronology of OIB-type Early Jurassic Magmatism in the Zhangguangcai Range, NE China, as A Result of Continental Back-arc Extension</u> | FENG Guangying, Yildirim DILEK, NIU Xiaolu, LIU Fei, and YANG Jingsui | 11 |
| <u>Remnants of Earth’s Oldest Continental Crust Formed by Subduction</u> | GE Rongfeng, ZHU Wenbin, Simon A. WILDE, WU Hailin | 12 |
| <u>Peperites associated pillow lavas within ophiolites and new insight to tectonic setting: Comparative study between Oman and West Junggar of China</u> | GUO Zhaojie | 13 |
| <u>Formation of the Rifting Depression Groups in the Neoproterozoic of the Tarim Basin: Responded to the Initial Opening of the Proto-Tethy Ocean</u> | HE Bizhu, JIAO Cunli, HUANG Taizhu, CAI Zhihui, CAO Zicheng, JIANG Zhongzheng, ZHOU Xingui, CUI Junwen, LIU Ruohan, YUN Xiaorui, YU Zhuoying, CHEN Weiwei, HAO Guangming | 14 |
| <u>Iron Isotope Compositions of Podiform Chromitites from Dazhuqu and Luobusha Ophiolites, Southern Tibet</u> | HE Yuan, ZHU Xiangkun, SHE Yuwei | 15 |
| <u>Late Cretaceous high-Sr/Y granitic rocks in the South Qiangtang terrane, Tibetan Plateau: crustal thickening during continental collision</u> | HU Peiyuan, ZHAI Qingguo, Wang Jun | 17 |
| <u>Magmatic processes at the Oman ophiolite paleoridge – perspectives on the role of water</u> | Juergen KOEPKE and Sandrin T. FEIG | 19 |
| <u>Vanadium Isotope Composition of the Bulk Silicate Earth: Constraints from Peridotites and Komatiites</u> | QI Yuhan, WU Fei, Dmitri IONOV, P UCHTEL Igor, Richard W. CARLSEN, Robert W. NIKLAS, YU Huimin, KANG Jinting, LI Chunhui, HUANG Fang | 21 |
| <u>Peridotites and chromitites from the Dingqing ophiolite in the eastern segment of Bangong - Nuijiang suture zone, Tibet: Occurrence characteristics and classifications</u> | LIGuanlong, | |

| | |
|---|----|
| YANG Jingsui, BO Rongzhong, LIU Fei, RUI Huichao, XIONG Fahui, GUO Tengfei | 22 |
| <u>Mantle Response to Slab Breakoff in the North Qaidam Tectonic Belt: Geochemical Constraints from Syn-subduction Mafic Igneous Rocks</u>LI Xiucui, | |
| NIU Manlan, CAI Qianru, WU Qi, SUN Yi, YUAN Xiaoyu, LI Chen | 26 |
| <u>Magnetic signature of serpentinization at Zedang in the south Tibetan ophiolite belt</u> | |
|LI Zhiyong, XIONG Qing and ZHENG Jianping | 28 |
| <u>Fingerprints of the Kerguelen mantle plume in Southern Tibet: Evidence from early Cretaceous magmatism in the Tethyan Himalaya</u> | |
|LIAN Dongyang, YANG Jingsui, LIU Fei, WU Weiwei, XU Zhiqin | 30 |
| <u>Tectonic Evolution of Neotethys Ocean: Evidences of Ophiolites and Ocean Plate Stratigraphy from the Northern and Southern belts in western Yarlung Zangbo Suture Zone, Tibet</u> ..LIU Fei, YANG Jingsui, LIAN Dongyang, NIU Xiaolu and FENG Guangying | 31 |
| <u>Petrology, Geochronology and Geochemistry of the Xar Moron River Ophiolite: Implications for the Tectonic Evolution of the Paleo-Asian Ocean</u>LIU Jianfeng, | |
| LI Jinyi, ZHANG Wenlong and YIN Dongfang | 32 |
| <u>The Minimum Stable Pressure and Geological Significants of Supersilic Garnet in Continental Felsic Rocks: Constraints from HT-HP Experiments</u>LIU Liang, | |
| CHEN Danling, ZHANG Junfeng, KANG Lei, YANG Wenqiang, LIAO Xiaoying, MA Tuo | 33 |
| <u>Middle Triassic ophiolitic mélange in the western Yarlung Zangbo suture zone, southern Tibet</u>LIU Qiang, LIU Feng, LI Hualiang, ZONG Keqing, XIANG Shuyuan | 35 |
| <u>Tectonic-sedimentary evolution during Late Triassic-Jurassic period in the eastern part of the Qiangtang basin, Tibet</u> | |
|LIU Ruohan, HE Bizhu, | |
| ZHENG Menglin, PENG Yang, CHEN Weiwei, YU Zhuoying, YUN Xiaorui | 36 |
| <u>Reconsideration of Neo-Tethys Evolution Constrained from the Nature of the Dazhuqu Ophiolitic Mantle, Southern Tibet</u> | |
|LIU Tong, WU Fuyuan, LIU Chuanzhou, ZHANG Chang, JI Wenbin, XU Yang | 37 |
| <u>The characteristics and significance of Peng Co peridotites in the middle segment of Bangong Co-Nujiang suture in Tibet</u> | |
|LU Yuxiao, YANG Jingsui, | |
| DONG Yufei, XIONG Fahui, CHEN Xiaojian, LI Guanlong, BO Rongzhong | 38 |
| <u>Discovery and Geological Significance of Early Carboniferous High-Mg Diorite in the Balikun Area, Eastern Tianshan</u> | |
|LUO Jinglan, WANG Chong | 40 |
| <u>A Red-corundum-bearing Vein in the Rai-Iz Ultramafic Rocks, Polar Urals, Russia: the Product of Fluid Activity in a Subduction Zone</u> | |
|MENG Fancong, Vladimir R. SHMELEV, Ksenia V. KULIKOVA, REN Yufeng | 42 |
| <u>Compositional Variations and Tectonic Settings of Podiform Chromitites Associated with Ultramafic Rocks of the Pan-African Proterozoic Ophiolites from south Eastern Desert, Egypt</u> | |
|Mohamed Metwaly ABU ANBAR, Fernando GERVILLA | 43 |
| <u>Textural Insights on Significance of Ophiolitic Chromitites, with Special Reference to Oman</u> | |
|Adolphe NICOLAS and Françoise BOUDIER | 47 |
| <u>Early Devonian Ultrapotassic Magmatism in the North China Craton: Geochemical and Isotopic Evidence for Subcontinental Lithospheric Mantle Metasomatism by Subducted Sediment-Derived Fluid</u> | |
|NIU Xiaolu, Yildirim DILEK, | |
| LIU Fei, FENG Guangying, YANG Jingsui | 48 |
| <u>Evidence in Oman for Mantle Excavating Hypervelocity Impact at the Cenomanian-</u> | |

| | | |
|--|---|----|
| <u>Turonian Boundary?</u> | Peter OLDS | 49 |
| <u>Southward Extension of the Bangonghu–Nujiang Suture: Evidence from Early Cretaceous Intermediate and Felsic Magmatism in the Gaoligong Orogen, China</u> | | |
| | QI Xuexiang, WEI Cheng, ZHANG Chao, ZHANG Shiqi, JI Fengbao | 50 |
| <u>Distribution of the Pan-African domains in East Antarctica and adjacent areas</u> | | |
| | REN Liudong, ZONG Shi, WANG Yanbin, LI Chong | 52 |
| <u>Geochronology and Geochemistry of Gabbros from Moa-Baracoa Ophiolitic Massif, Eastern Cuba: Implication for Early Cretaceous SSZ Magmatism</u> | RUI Huichao, YANG Jingsui, WU Weiwei, LIAN Dongyang, QIU Tian | 54 |
| <u>Neoproterozoic Trench-arc System in the Western Segment of Jiangnan Orogenic Belt, South China</u> | | |
| | SHU Liangshu | 56 |
| <u>Evaluating the precise ³⁹Ar/⁴⁰Ar dating of multiple mineral potassic phases in ultra-alkaline rocks: applications to mantle systematics</u> | | |
| | Simon A. WILDE, Fred JOURDAN, Lynda FREWER and Monika A. KUSIAK | 57 |
| <u>SSZ Semail Ophiolite vs MORB Masirah Ophiolite: A perspective from Podiform Chromitites</u> | | |
| | Sobhi NASIR | 58 |
| <u>From Mantle Transition zone with Microstructures: A New Paradigm in Ophiolite Studies</u> | | |
| | Souvik DAS | 61 |
| <u>Lajishan Avishan Formation Rhyolites: Implications for the Closure Time of the Proto-Tethys Ocean</u> | | |
| | SUN Yi, NIU Manlan, LI Xiucui | 63 |
| <u>The Ren Co MOR-type ophiolite in the north-central Tibetan plateau: a fast-spreading ridge segment of the Meso-Tethys Ocean?</u> | | |
| | TANG Yue, ZHAI Qingguo, HU Peiyuan, XIAO Xuchang | 65 |
| <u>Ultramafic Zoned Complexes of the Urals and Siberia: New Geochemical Evidence of Magmatic Origin</u> | | |
| | Vladimir SHMELEV, Maria CHERVYAKOVSKAYA | 66 |
| <u>An experimental study of melt-peridotite reaction in the upper mantle: effect of water in reacting melt</u> | | |
| | WANG Chunguang, YAN Liang and XU Wenliang | 68 |
| <u>A New Understanding on the Emplacement of Ophiolitic Mélanges and Its Tectonic Significance: Insights from the Structural Analysis of the Remnant Oceanic Basin-Type Ophiolitic Mélanges</u> | | |
| | WANG Guocan, ZHANG Pan | 69 |
| <u>Rock Assemblages and Formation Ages of the Baishuijiang Group in the Southwest Qinling Orogenic belt, Northwest China</u> | | |
| | WANG Tao, WANG Zongqi, WANG Dongsheng, WANG MingQian | 71 |
| <u>Origin of the Diamonds within Chromitite from the Mirdita Ophiolite (Albania) and its Geological Significance</u> | | |
| | WU Weiwei, YANG Jingsui, ZHENG Jianping, LIAN Dongyang, QIU Tian, RUI Huichao | 72 |
| <u>Potential New Titanium Minerals in Corundum from the Cr-11 Chromitite orebody, Luobusa ophiolite, Tibet, China: Evidence for Super-reduced Mantle-derived Fluids?</u> | | |
| | XIONG Fahui, XU Xiangzhen, MUGNAIOLI Enrico, GEMMI Mauro, WIRTH Richard, GREW Edward, Paul T ROBINSON and YANG Jingsui | 75 |
| <u>Sulfide Aggregation in Ophiolitic Dunite Channels Explains Os-Isotope Mismatch between Oceanic Crust and Mantle</u> | | |
| | XIONG Qing, XU Yong, José M. GONZÁLEZ-JINÉNEZ, LIU Jingao, Olivier ALARD, ZHENG Jian-Ping, William L. GRIFFIN, Suzanne Y. O'REILLY | 76 |
| <u>Mantle Partial Melting and Melt-peridotite Interaction: A Case Study of Peridotite Xenoliths</u> | | |

| | | |
|--|--|-----|
| <u>in Cenozoic Basalt of Nanjing, SE China</u> | XU Haijin, SONG Yanru, XIONG Zhiwu | 77 |
| <u>Late Jurassic to early Early Cretaceous strike-slip tectonics on the NE Asian continental margin: Constraints from Mesozoic accretionary complexes</u> ··· | XU Wenliang and LI Yu | 79 |
| <u>Petrology and Geochemistry of the Dangqiong Ophiolite, Western Yarlung-Zangbo Suture Zone, Tibet</u> | XU Xiangzhen, YANG Jingsui, XIONG Fahui and GUO Guolin | 80 |
| <u>Formation Age and Tectonic Setting of the Muli Arc-Ophiolite Complex in the South Qilian Belt, NW China</u> | YAN Zhen, FU Changlei, Jonathan C. AITCHISON, NIU Manlan, Solomon BUCKMAN, CAO Bo | 81 |
| <u>Geological Evidence does not Support a Shallow Origin for Diamonds in Ophiolite</u> | ..YANG Jingsui, LIAN Dongyang, Paul T ROBINSON, QIU Tian, XIONG Fahui, WU Weiwei | 82 |
| <u>The Boninite-like Dolerites in the Xigaze Ophiolites, Tibet: Similar to the MORB-like Dolerites</u> | YANG Shengbiao, YANG Jingsui, Li Yuan and Li Ruibao | 86 |
| <u>Neotethyan Ophiolites and Their Geodynamic Evolution During the Mesozoic: A Global Overview</u> | Yildirim DILEK | 89 |
| <u>Geochronological and Geochemical Study of Mafic-intermediate Dykes from the Northern West Junggar, NW China: Source, Petrogenesis and Tectonic Implications</u> | YIN Jiyuan, CHEN Wen, XIAO Wenjiao | 91 |
| <u>Arc-trench System of the Paleo-Tethys Ocean: Inferred from Ophiolite in the Southern Lancangjiang Belt, SW China</u> | ZHAI Qingguo, TANG Yue, HU Peiyuan, JIN Xiaochi, WANG Jun and WANG Haitao | 92 |
| <u>Subduction Re-initiation at Dying Ridge of Neo-Tethys: Insights from Mafic and Metamafic Rocks in Lhaze Ophiolitic Mélange, Yarlung-Tsangbo Suture Zone</u> | ZHANG Chang, LIU Chuanzhou, XU Yang, JI Wenbin, WANG Jiamin, WU Fuyuan, LIU Tong, ZHANG Zhenyu, ZHANG Weiqi | 93 |
| <u>Magma Dynamics of Axial Melt Lens at Fast-Spreading Mid-Ocean Ridges</u> | ZHANG Chao and Juergen KOEPKE | 95 |
| <u>Late Paleozoic Mantle Source Nature of Tianshan Orogen, Northwest China: Evidence from the Geochemistry, Zircon U-Pb Dating, Hf and whole rock Sr-Nd-Pb Isotopes of the Mafic Dyke</u> | ZHANG Chengli, XU Xueyi, WANG Hongliang, MA Zhongping, GAO Xiaofeng, CHEN Junlu | 96 |
| <u>Metamorphic evolution and exhumation processes of the newly discovered Xilang eclogite in Tibet—constraints from phase equilibrium modeling and Raman microspectroscopy</u> | ZHANG Cong, CHEN Jing and LI Yang | 99 |
| <u>Multiple Deformation in the Northeastern Alxa Block: Implications for the Southern Central Asian Orogeny and Its Subsequent Intraplate evolution</u> | ZHANG Jin, QU Junfeng, ZHANG Beihang, ZHAO Heng, ZHENG Rongguo | 100 |
| <u>Ultrahigh pressure metamorphism and tectonic evolution of southwestern Tianshan orogenic belt, China: a comprehensive review</u> | ZHANG Lifei, WANG Yang, ZHANG Lijuan, LV Zeng | 102 |
| <u>Scientific Drilling - to Construct the Telescopes that Inserting to the Earth Interior</u> | ZHANG Xiaoxi and ZHANG Hui | 103 |
| <u>Composition and Seismic Properties of the Oceanic Lithosphere: A Synthesis of Ophiolites and Core Samples of the IODP</u> | ZHAO Jiabin and WANG Qin | 105 |
| <u>The Metamorphism and Its Tectonic Implications of Indosinian High Pressure Granulites from the Badu Complex of the Cathaysia Block, Southwestern Zhejiang Province, South</u> | | |

China..... ZHENG Changqing, XU Xuechun, ZHOU Xiwen,
ZHOU Xiao, GUO Tengda, YANG Yan, HU Pengyue 107

Episodic Melt Percolating and Chromite Mineralization in Yushigou Peridotite, North Qilian Suture Zone.....ZHOU Xiang, ZHENG Jianping, ZHU Hui and Li Yibing 108

Comparison of Redox States between the Ultramafic Bodies of Xigaze and Luobusha Ophiolites, Tibet, China.....ZHU Xiangkun, HE Yuan, SHE Yuwei, WAN Hongqing 109

Metallogeny of Serpentine-Hosted Magnetite Deposits: Hydrothermal Overgrowth on Chromite or Metamorphic Transformation of Chromite?

Alireza ESLAMI^{1,2,*}, Ali KANANIAN¹, Giovanni GRIECO³, G. Diego GATTA³, Nicola ROTIROTTI³

¹ School of Geology, College of Science, University of Tehran, Tehran, 1417614418, Iran

² ISTerre, Maison des Géosciences, Université de Grenoble-Alpes, CNRS, F-38041 Grenoble, France

³ Dipartimento di Scienze della Terra, Università degli Studi di Milano, via Botticelli 23, 20133, Milan, Italy

Corresponding author's E-mail: alireza.eslami@ut.ac.ir; alirezaesl@live.com

Abstract: Peculiar and rare occurrences of serpentine-hosted magnetite deposits with mineable sizes are found in the Mesozoic ophiolites of Greece (Skyros), Iran (Nain and Sabzevar) and Oman (Aniba). These deposits have diverse thickness (from a few centimeters up to 50 m) and length (2 to >500 m). Magnetite ores show variable textures, including massive, nodular and banded ores, veins, net and fine-grained disseminations in serpentinites. Intriguingly, the investigated magnetite deposits can be mistaken for chromitite pods. Serpentine-hosted magnetite deposits show three modes of occurrences including: (i) boulders strewn across the serpentinites (i.e. Skyros Island) (ii) ore bodies along the nonconformity contacts between serpentinites and limestones (i.e. Aniba); (iii) irregular and discontinuous trails of massive and semi-massive ore bodies within highly sheared serpentine masses (i.e. Nain; Sabzevar). In all of these magnetite ore bodies, relicts of chromian spinel grains are occasionally enclosed in magnetite crystals. The chemistry of Cr-spinel relicts found in these magnetite bodies are comparable to those of accessory Cr-spinels in the surrounding serpentinized peridotites. BSE images and elemental mapping revealed that magnetite occurs as a nucleation on chromian spinels but not being involved in reaction either with chromite or ferritchromite. Low-grade metamorphic transformation of chromite into Fe-chromite is documented along the cracks and fractures of a few chromite grains. Generally, magnetite has typical hydrothermal compositions, characterized by low Cr, V and Ti and high Mg and Mn. It is crucial to note that a few magnetite grains with metamorphic origin are characterized by high Cr and low Ti and Ni. The potential source of iron is essentially the Fe-rich olivine. We believe that multi-episodic serpentinization of peridotite systems at high fluid-rock ratios is the main process responsible for precipitation of magnetite at ore levels whereas low-grade metamorphic transformation of chromite to magnetite has minor contribution. Cumulative factors in generation of these deposits are modal volume of mantle olivine, peridotite composition, fluid chemistry, fluid-rock ratio, mechanisms of transportation and precipitation, structural controls such as cracks and shear zones.

Key words: serpentine-hosted magnetite deposit, multi-episodic serpentinization, metamorphic transformation

Acknowledgments: This work is granted by the Iran National Science Foundation (Grant No. 98000178) and the Iranian Ministry of Science, Research and Technology.

About the first author

Alireza Eslami is a PhD student in the universities of Tehran, School of Geology and Grenoble-Alpes, ISTerre. He received his M.S. in Economic Geology at Tarbiat Modares University (Iran). His current research is on the behavior of the iron and other ore-forming elements during hydrothermal processes in serpentinized peridotites from Tethyan ophiolites.

About the corresponding author

Alireza Eslami is a PhD student in the universities of Tehran, School of Geology and Grenoble-Alpes, ISTerre. He received his M.S. in Economic Geology at Tarbiat Modares University (Iran). His current research is on the behavior of the iron and other ore-forming elements during hydrothermal processes in serpentinized peridotites from Tethyan ophiolites. Email: alireza.eslami@ut.ac.ir; alirezaesl@live.com; phone: 0039 349 468 2547.