



Publisher Correction to: Criteria for Personalised Choice of a Continuous Glucose Monitoring System: An Expert Opinion

Sergio Di Molfetta · Antonio Rossi · Federico Boscarì · Concetta Irace ·
Luigi Laviola · Daniela Bruttomesso

© The Author(s) 2024

Publisher Correction to:
Diabetes Ther 15(11):2263–2278 (2024)
<https://doi.org/10.1007/s13300-024-01654-y>

The original version of this article unfortunately contained a mistake. The affiliation for Daniela Bruttomesso was incorrect. The correct affiliation is “Unit of Metabolic Diseases, University Hospital of Padua, 35128 Padua, Italy.”

The original article can be found online at <https://doi.org/10.1007/s13300-024-01654-y>.

S. Di Molfetta · L. Laviola
Department of Precision and Regenerative Medicine and Ionian Area, Section of Internal Medicine, Endocrinology, Andrology and Metabolic Diseases, University of Bari Aldo Moro, 70124 Bari, Italy

A. Rossi
IRCCS Ospedale Galeazzi-Sant’Ambrogio, Department of Biomedical and Clinical Sciences, University of Milan, 20157 Milan, Italy

F. Boscarì · D. Bruttomesso
Unit of Metabolic Diseases, University Hospital of Padua, 35128 Padua, Italy

C. Irace (✉)
Department of Health Science, University Magna Græcia Catanzaro, Viale Europa Località Germaneto, 88100 Catanzaro, Italy
e-mail: irace@unicz.it

The original article has been corrected.

Open Access. This article is licensed under a Creative Commons Attribution-NonCommercial 4.0 International License, which permits any non-commercial use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons licence, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons licence, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons licence and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this licence, visit <http://creativecommons.org/licenses/by-nc/4.0/>.