

## CLIMATIC CHAMBER TEST TO EVALUATE THE CATALYTIC ACTION OF HEAVY METALS IN THE SULPHATION PROCESS

Comite Valeria <sup>(a)</sup>, Cristina Della Pina <sup>(a)</sup>, Andrea Bergomi <sup>(a)</sup>, Carlo Castellano <sup>(a)</sup>, Mauro Francesco La Russa <sup>(b)</sup>, Cecilia Cavaterra <sup>(c)</sup> & Paola Fermo <sup>(a)</sup>

<sup>(a)</sup> Dipartimento di Chimica, Università degli Studi di Milano

<sup>(b)</sup> Dipartimento di Biologia, Ecologia e Scienze della Terra (DiBEST), Università della Calabria

<sup>(c)</sup> Dipartimento di Matematica Federico Enriques, Università degli Studi di Milano

e-mail address [valeria.comite@unimi.it](mailto:valeria.comite@unimi.it)

### 1. Introduction

Research conducted on the degradation of cultural and architectural heritage caused by the deposition of air pollutants indicates that both sulfur dioxide and particulate matter produced by the combustion of fossil fuels are the main agents responsible for the deterioration of carbonate materials (marble, limestone, etc.). The main chemical degradation process is the sulphation of the substrate and consists in the initial conversion of sulphur dioxide into sulphuric acid (H<sub>2</sub>SO<sub>4</sub>) and the subsequent reaction of sulphuric acid (SO<sub>2</sub>) with calcium carbonate. This leads to the formation of dark heterogenous encrustations known as black crusts [1], which are composed of gypsum inside which particulate matter is embedded. Heavy metals adsorbed on the carbonaceous particles enable the sulphation of the substrate by acting as catalysts in both stages of the process. Despite the presence of numerous studies related to black crusts formation [2-3], a specific role of the single metals is still unclear. Aiming to unveil the catalytic action of different metals, a series of experimental tests was carried out in specific climatic chambers for accelerated aging.

### 2. Results and Discussion

Accordingly, several Carrara marble specimens were prepared for exposure in the chambers by treatment with particulate matter, metal ion solutions, or mixtures of metal ion solutions. Graphitic carbon was also added into the samples (except for the ones covered with particulate matter) to simulate the behaviour of elemental carbon present in polluted outdoor environments. The simulation of the aging process was carried out with the use of a two climatic chambers for corrosion tests in a humid atmosphere with sulphur dioxide (fig.1a) and exposure cycles simulating solar irradiation (xenon arc climatic chamber) (fig.1b). The exposure of the specimens was performed for four consecutive weeks and, after each week, a portion of the samples was retrieved for analysis. The chemical characterisation was carried out before and after the accelerated aging tests by means of a multi-analytical approach involving different techniques. Colorimetric analysis was used to evaluate the variation of the chromatic coordinate L (brightness), which is related to the formation of gypsum on the surface. Scanning Electron Microscopy coupled with Energy Dispersive X-ray spectroscopy (SEM-EDX) was employed to study the elemental composition and morphology of the surface and degradation products. Moreover, X-Ray Diffraction (XDR) was used to identify the mineralogical composition of the degradation layer and Ion Chromatography (IC) was performed to identify and quantify soluble salts, with particular focus on the sulphate ions. Finally, Thermogravimetric Analysis (TGA) was carried out to quantify the amount of gypsum formed, along with organic and elemental carbon present in the black crusts.

Some metal cations have been observed to activate the catalytic process faster than others, which appear to activate later. The different combinations of metal mixtures, with which some specimens have been treated, show a synergistic action that is greater in terms of gypsum formation (mainly in the subsequent weeks of experimentation). The samples treated with PM 2.5, after the fourth week of exposure, show gypsum concretions that resemble those of real black crusts (fig.1c). The formation of gypsum over time affects the degradation of the stone substrate and this is greater for some samples. Finally, from the analyses carried out on the untreated "blank" specimens it is possible to observe the development of a slowed down sulfation compared to the treated samples.

### 3. Conclusions

This first phase of experimentation has highlighted the complexity of the sulfation process. At the moment, there is no univocal evidence on the role of these catalysts in this process, but some considerations have been


**Commentato [LR1]:** These instructions should not be removed

**Commentato [LR2]:** To introduce subscripts and superscripts, please copy the selected letter/number/etc from this website (<https://unicode-table.com/en/sets/superscript-and-subscript-letters/>) and paste it in the text

**Commentato [LR3]:** Authorship format: M. Rossi<sup>1\*</sup>, F. Bianchi<sup>2</sup> and G. Verdi<sup>3</sup> (\* for presenting/corresponding authors - must coincide)

**Commentato [LR4]:** Affiliation format: <sup>1</sup>Department of Chemistry, Università degli Studi di Torino, Via Pietro Giuria 7, 10125, Torino

hypothesized. In fact, it will be essential to carry out further tests in climatic chambers as these results will be useful in the next stage of a project to create a predictive mathematical model. This will help predict the formation of black crusts on carbonate surfaces based on the outdoor pollution present in a given site. In fact, this research work is part of the interdepartmental SEED 2019 project of the University of Milan entitled SciCult.



*a) climatic chambers for corrosion tests; b) exposure of the samples; c) sample PM exposed at 4 weeks*

**Commentato [LR5]:** To add your image, please click at the symbol inside the blue box

## References

- [1]Comite, V. et al., 2020. A multi-analytical approach for the characterization of black crusts on the facade of an historical cathedral. *Microchem. J.* 158, 1–12
- [2]Grgic I., et al.,1991. Aqueous S(IV) oxidation-I. Catalytic effects of some metal ions. *Atmos. Environ.*, 25A, 1591-1597
- [3]Grgic I., et al.,1992. Aqueous S(IV) oxidation-II. Synergistic effects of some metal ions. *Atmos. Environ.*, 26, 4, 571-577