informa healthcare

LETTER TO THE EDITOR

Graves' Orbitopathy and Oxidative Stress

Cristina Novembrino¹, Rachele De Giuseppe¹, Fabrizia Bamonti¹, Paolo D Pigatto², and Gianpaolo Guzzi³

¹Dipartimento Scienze Mediche, Università degli Studi di Milano, Fondazione IRCCS Ca' Granda Ospedale Maggiore Policlinico, Milan, Italy.

²Department of Technology for Health, Dermatological Clinic, IRCCS Galeazzi Hospital, University of Milan, Milan, Italy.

³Italian Association for Metals and Biocompatibility Research—AIRMEB, Milan, Italy.

KEYWORDS: Autoimmune disease; Grave's disease; Hyperthyroidism; Mercury; Thyrotoxicosis

To the Editor:

The article by Kaur et al.¹ presents an interesting new finding and their approach is very encouraging. The authors showed that patients with Graves' ophthalmopathy, as defined in the study, had an oxidative stress profile as well as antioxidant capacity directly related to thyroid status. A normalization of thyroid hormone levels has led to reduced oxidative stress and the concomitant, parallel, re-establishment of blood antioxidant activity.1 However, they state that "...activity of Superoxide Dismutase (SOD), Catalase (CAT), Glutathione reductase (GSHR), Glutathione peroxidise (GPx) showed decrease which could be attributed to altered metabolism and already prevalent deficiency of essential micronutrients like zinc, copper, mercury, and selenium in the Indian population."1 As physicians treating mercury-induced thyroid disorders,^{2,3} we would like to point out that mercury is a nonessential element in humans.^{4,5} Furthermore, there is evidence that inorganic and organic mercury may be a remarkable source of oxidative stress.⁶ Also, exposure to mercury may cause thyroid dysfunction and may alter serum thyroid hormone levels,7-10 both in humans and animals.

Declaration of interest: The authors declared no conflict of interest.

REFERENCES

- [1] Kaur A, Pandey S, Kumar S, Mehdi AA, Mishra A. Oxidative stress profile in graves' ophthalmopathy in Indian patients. *Orbit* 2010;29:97–101.
- [2] Minoia C, Ronchi A, Pigatto P, Guzzi G. Effects of mercury on the endocrine system. *Crit Rev Toxicol* 2009;39:627.
- [3] Pigatto P.D., Marsili C., Brambilla L., Guzzi G. Cutaneous Manifestations, Thyroid Disease, and Dental Amalgam.
 18th Congress of the European Academy of Dermatology and Venereology – Berlin 7–11 October 2009 [Abstract] P1388.
- [4] Magos L. Mercury: an environmental and dietary hazard. J Hum Nutr 1978;32:179–186.
- [5] Clarkson T. Health effects of metals: a role for evolution? Environ Health Perspect 1995;103 Suppl 1:9–12.
- [6] Migdal C, Foggia L, Tailhardat M et al. Sensitization effect of thimerosal is mediated in vitro via reactive oxygen species and calcium signalling. *Toxicology* 2010; e-pub ahead of print 7 May 2010.
- [7] Soldin OP, O'Mara DM, Aschner M. Thyroid hormones and methylmercury toxicity. *Biol Trace Elem Res* 2008;126:1–12.
- [8] Ellingsen DG, Efskind J, Haug E et al. Effects of low mercury vapour exposure on the thyroid function in chloralkali workers. J Appl Toxicol 2000;20:483–489.
- [9] Karpathios T, Zervoudakis A, Theodoridis C et al. Mercury vapor poisoning associated with hyperthyroidism in a child. *Acta Paediatr Scand* 1991;80:551–552.
- [10] McCann M, Sheckner S. Hyperthyroidism associated with mercury poisoning. *Clin Pharm* 1991;10:742–743.

Received 20 May 2010; accepted 22 May 2010



Correspondence: Dr. Gianpaolo Guzzi, Italian Association for Metals and Biocompatibility Research—A.I.R.M.E.B., (not-forprofit organization), Via A. Banfi, 4, 0122 Milan—Italy. E-mail: gianpaolo_guzzi@fastwebnet.it