

REVIEW

Open Access



# Guidance to 2018 good practice: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma

J. Bousquet<sup>1,2,3,4\*</sup> , A. Bedbrook<sup>1</sup>, W. Czarlewski<sup>5</sup>, G. L. Onorato<sup>1</sup>, S. Arnavielhe<sup>6</sup>, D. Laune<sup>6</sup>, E. Mathieu-Dupas<sup>6</sup>, J. Fonseca<sup>7</sup>, E. Costa<sup>8</sup>, O. Lourenço<sup>9</sup>, M. Morais-Almeida<sup>10</sup>, A. Todo-Bom<sup>11</sup>, M. Illario<sup>12</sup>, E. Menditto<sup>13</sup>, G. W. Canonica<sup>14</sup>, L. Cecchi<sup>15</sup>, R. Monti<sup>16</sup>, L. Napoli<sup>17</sup>, M. T. Ventura<sup>18</sup>, G. De Feo<sup>19</sup>, W. J. Fokkens<sup>20</sup>, N. H. Chavannes<sup>21</sup>, S. Reitsma<sup>20</sup>, A. A. Cruz<sup>22</sup>, J. da Silva<sup>23</sup>, F. S. Serpa<sup>24,25</sup>, D. Larenas-Linnemann<sup>26</sup>, J. M. Fuentes Perez<sup>27</sup>, Y. R. Huerta-Villalobos<sup>27</sup>, D. Rivero-Yeverino<sup>28</sup>, E. Rodriguez-Zagal<sup>28</sup>, A. Valiulis<sup>29,30</sup>, R. Dubakiene<sup>31</sup>, R. Emuzyte<sup>32</sup>, V. Kvedariene<sup>33</sup>, I. Annesi-Maesano<sup>34</sup>, H. Blain<sup>35,36</sup>, P. Bonniaud<sup>37</sup>, I. Bosse<sup>38</sup>, Y. Dauvilliers<sup>39,40</sup>, P. Devillier<sup>41</sup>, J. F. Fontaine<sup>42</sup>, J. L. Pépin<sup>43,44</sup>, N. Pham-Thi<sup>45</sup>, F. Portejoie<sup>1</sup>, R. Picard<sup>46</sup>, N. Roche<sup>47</sup>, C. Rolland<sup>48</sup>, P. Schmidt-Grendelmeier<sup>49</sup>, P. Kuna<sup>50</sup>, B. Samolinski<sup>51</sup>, J. M. Anto<sup>52,53,54,55</sup>, V. Cardona<sup>56</sup>, J. Mulloj<sup>57,58</sup>, H. Pinnock<sup>59</sup>, D. Ryan<sup>60</sup>, A. Sheikh<sup>61</sup>, S. Walker<sup>62</sup>, S. Williams<sup>63</sup>, S. Becker<sup>64</sup>, L. Klimek<sup>65</sup>, O. Pfaar<sup>66</sup>, K. C. Bergmann<sup>67,68</sup>, R. Mösges<sup>69,70</sup>, T. Zuberbier<sup>67,68</sup>, R. E. Roller-Wirnsberger<sup>71</sup>, P. V. Tomazic<sup>72</sup>, T. Haahtela<sup>73</sup>, J. Salimäki<sup>74</sup>, S. Toppila-Salmi<sup>73</sup>, E. Valovirta<sup>75</sup>, T. Vasankari<sup>76</sup>, B. Gemicioğlu<sup>77</sup>, A. Yorgancioglu<sup>78</sup>, N. G. Papadopoulos<sup>79,80</sup>, E. P. Prokopakis<sup>81</sup>, I. G. Tsiligianni<sup>61,82</sup>, S. Bosnic-Anticevich<sup>83</sup>, R. O'Hehir<sup>84,85</sup>, J. C. Ivancevich<sup>86</sup>, H. Neffen<sup>87</sup>, M. E. Zernotti<sup>88</sup>, I. Kull<sup>89,90</sup>, E. Melén<sup>90</sup>, M. Wickman<sup>91</sup>, C. Bachert<sup>92</sup>, P. W. Hellings<sup>3,93,94</sup>, G. Brusselle<sup>95</sup>, S. Palkonen<sup>96</sup>, C. Bindslev-Jensen<sup>97</sup>, E. Eller<sup>97</sup>, S. Wasserman<sup>98</sup>, L. P. Boulet<sup>99</sup>, J. Bouchard<sup>100</sup>, D. K. Chu<sup>101</sup>, H. J. Schünemann<sup>101</sup>, M. Sova<sup>102</sup>, G. De Vries<sup>103,104</sup>, M. van Eerd<sup>103,104</sup>, I. Agache<sup>105</sup>, I. J. Ansotegui<sup>106</sup>, M. Bewick<sup>107</sup>, T. Casale<sup>108</sup>, M. Dykewick<sup>109</sup>, M. Ebisawa<sup>110</sup>, R. Murray<sup>111,112</sup>, R. Naclerio<sup>113</sup>, Y. Okamoto<sup>114</sup>, D. V. Wallace<sup>115</sup> and The MASK study group

## Abstract

**Aims:** Mobile Airways Sentinel Network (MASK) belongs to the Fondation Partenariale MACVIA-LR of Montpellier, France and aims to provide an active and healthy life to rhinitis sufferers and to those with asthma multimorbidity across the life cycle, whatever their gender or socio-economic status, in order to reduce health and social inequities incurred by the disease and to improve the digital transformation of health and care. The ultimate goal is to change the management strategy in chronic diseases.

**Methods:** MASK implements ICT technologies for individualized and predictive medicine to develop novel care pathways by a multi-disciplinary group centred around the patients.

**Stakeholders:** Include patients, health care professionals (pharmacists and physicians), authorities, patient's associations, private and public sectors.

**Results:** MASK is deployed in 23 countries and 17 languages. 26,000 users have registered.

\*Correspondence: jean.bousquet@orange.fr

<sup>1</sup> MACVIA-France, Fondation Partenariale FMC VIA-LR, CHU Arnaud de Villeneuve, 371 Avenue du Doyen Gaston Giraud, 34295 Montpellier Cedex 5, France

Full list of author information is available at the end of the article



**EU grants (2018):** MASK is participating in EU projects (POLLAR: impact of air POLLution in Asthma and Rhinitis, EIT Health, DigitalHealthEurope, Euriphi and Vigour).

**Lessons learnt:** (i) Adherence to treatment is the major problem of allergic disease, (ii) Self-management strategies should be considerably expanded (behavioural), (iii) Change management is essential in allergic diseases, (iv) Education strategies should be reconsidered using a patient-centred approach and (v) Lessons learnt for allergic diseases can be expanded to chronic diseases.

**Keywords:** App, Asthma, Care pathways, MASK, mHealth, Rhinitis, DG Santé

## Introduction

In all societies, the burden and cost of allergic and chronic respiratory diseases (CRDs) is increasing rapidly. Most economies are struggling to deliver modern health care effectively. There is a need to support the transformation of the health care system for integrated care with organizational health literacy. MASK (Mobile Airways Sentinel Network) [1] is a new development of the ARIA (Allergic Rhinitis and its Impact on Asthma) initiative [2, 3]. It works closely with POLLAR (Impact of Air POLLution on Asthma and Rhinitis, EIT Health) [4], and collaborates with professional and patient organizations in the field of allergy and airway diseases. MASK proposes real-life care pathways (ICPs) centred around the patient with rhinitis and/or asthma multimorbidity. It uses mHealth monitoring of environmental exposure and considers biodiversity. With the help of three EU projects (DigitalHealthEurope, Eurifi and Vigour) recently accepted on the digital transformation of health, MASK proposes a second change management strategy. The first one was the ARIA change management associated with the recognition and wide acceptance by all stakeholders of the essential links between rhinitis and asthma. The second one deals with change management of care pathways for rhinitis and asthma [5].

In the context of implementing communication on the digital transformation of health and care, specifically in relation to chapter 5 of the document “Digital tools for citizen empowerment and for person-centred care”, DG SANTE has taken steps towards supporting the scaling-up and wider implementation of good practices in the field of digitally-enabled, integrated, person-centred care. This work was carried out in collaboration with the newly-established Commission Expert Group, the “Steering Group on Health Promotion, Disease Prevention and Management of Non-Communicable Diseases”.

For this purpose, DG SANTE—in collaboration with the Commission’s Joint Research Centre—organized a “marketplace” workshop with the Joint Research Centre in Ispra, the third biggest European Commission site after Brussels and Luxembourg. The aim of this workshop was for representatives from Member States and other

countries participating in the 3rd Health Programme to learn more about the 10 good practices and key policy initiatives in the domain of digitally-enabled, integrated, person-centred care, with a view to possible transfer and replication of the presented practices.



The current paper reviews the questions raised during the workshop concerning the good practice on allergic rhinitis and asthma: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma multimorbidity using real-world evidence [1]. This practice is a GARD (Global Alliance against Chronic Respiratory Diseases) demonstration project.

## The practice

The practice includes the care pathways defined in 2014 [6–8] (Fig. 1) as well as ICT (Information and Communication Technology) solutions (cell phones for patients, inter-operable tablets for health care professionals and a web-based questionnaire for physicians) [1, 9] (Fig. 2). The aim is to develop a change management strategy for chronic diseases [5].

MASK is a patient-centred ICT system [8]. A mobile phone app (the *Allergy Diary*, now called MASK-air), central to MASK, is available in 23 countries. It has been validated [10] and found to be an easy and effective method of assessing the symptoms of allergic rhinitis (AR) and work productivity [10–13]. MASK follows the checklist for the evaluation of Good Practices developed by the European Union Joint Action JA-CHRODIS (Joint Action on Chronic Diseases and Promoting Healthy Ageing across the Life Cycle) [14]. One of the major aims of MASK is to provide care pathways [15] in rhinitis and asthma multimorbidity [16] including a sentinel network using the geolocation of users [17]. It can also inform the App users of the pollen and/or pollution risk level in their area, by means of geolocation (Table 1).

The practice has been developed for allergic rhinitis (and asthma multimorbidity), being the most common chronic disease globally [18, 19] and affecting all age groups from early childhood to old age. There are several unmet needs that should be addressed in an ICP. Moreover, the lessons learnt will benefit all chronic



diseases since rhinitis is considered as a mild disease although it impairs social life, school and work productivity considerably [20]. It is estimated that, in the EU,

work loss accounts for 30–100 b€ annually. Moreover, it is essential to consider mild chronic diseases and to establish health promotion and management strategies

**Table 1 The ICT solution**


---

App (MASK-air) deployed in 23 countries: TRL9 (Technology Readiness level), Electronic clinical decision support system (ARIA e-CDSS): TRL 7, e-physician questionnaire deployed in 16 countries: TRL9

MASK-air good practice [1, 14]

5-year work

App: 26,000 users, 23 countries, 17 languages

GDPR including geolocation [105]

GP of the EIP on AHA, follows CHRODIS [14]

Based on 11 EU grants (MeDALL [106], GA<sup>2</sup>LEN [107]) including—in 2018—POLLAR [4], VIGOUR, DigitalHealthEurope and Euriphi

From a validated “research” tool (2004–2018) to large scale deployment (2019–)

Validation with COSMIN guidelines [40]

Baseline characteristics [12]

Work productivity [41, 42]

EQ-5D [43]

Novel phenotypes of allergic diseases [44]

Adherence to treatment and novel approaches to inform the efficacy of treatment [45].

Patient’s organizations and scientific societies involved

GARD (WHO alliance)

Presented during WHO and EU ministerial meetings

Next-generation care pathways meeting (Dec 3, 2018) with the EIP on AHA, POLLAR (EIT Health) and GARD

47 MASK papers in 12 languages [99, 108, 109]

Dissemination according to the EIP on AHA [26]

Transfer of innovation (TWINNING [110])

Interoperable platform with MASK

25 RS plus Argentina, Australia, Brazil, Canada, Mexico [99, 108, 109]

700 patients enrolled

GDPR solutions being solved

ARIA e-CDSS [9, 111]

Interoperable platform with MASK

Based on an expert meeting

Electronic version available

GDPR solutions being solved

Developments

App for home services

App for sleep

App for COPD

App for other chronic diseases

---

early in life in order to prevent a severe outcome and to promote healthy ageing [21].

#### **Level of care integration**

MASK is used for the integration of primary and specialist care, of primary-secondary-tertiary health care, as well as of health and social care for disease management.

#### **Deployment**

Many of the GPs that are developed in one region (country) take into account health systems, availability of treatments and legal considerations which makes it difficult to scale up the practice without customization. MASK has taken the opposite direction starting with a tool immediately available in 10 languages and 14 countries and regularly scaled up. Moreover, the tool is included in a generic ICP (Fig. 2) that can be customized easily in any country globally.

#### **Geographical scope of the practice**

MASK was developed in English and is currently available in 23 countries and 17 languages (Table 2).

#### **New countries**

Deployment is in process in Bolivia, Colombia, Japan and Peru. The involvement of developing countries is needed to offer a practice for middle- and low-income countries that will benefit poverty areas of developed countries and that will be in line with the mission of GARD. Deployment to the US is being discussed with the National Institute for Allergy and Infectious diseases (NIH).

#### **Transfer of innovation of allergic rhinitis and asthma multimorbidity in the elderly (MASK Reference Site Twinning, EIP on AHA)**

The EIP on AHA includes 74 Reference Sites. The aim of this TWINNING is to transfer innovation from the MASK App to other reference sites. The phenotypic characteristics of rhinitis and asthma multimorbidity in adults and the elderly have been compared using validated mHealth tools (i.e. the Allergy Diary and CARAT [22]) in 23 Reference Sites or regions across Europe, Argentina, Australia, Brazil and Mexico [23].

#### **Individuals/institutions reached**

ARIA has been implemented in over 70 countries globally [3], and several governments use the practice. Approximately 26,000 users have registered to the MASK database. 700 patients have been enrolled in the Twinning. Due to privacy, there is no possibility of assessing users who have reported data.

#### **Timeframe**

The project was initiated in 1999 during a World Health Organization (WHO) workshop (ARIA) and undergoes continuous developments. The ARIA initiative, commenced during a WHO workshop in 1999 [2], has been further developed by the WHO Collaborating Center

**Table 2 List of countries using MASK-air**

Total downloads of the Allergy Diary-MASK-air app, worldwide in 2018													
Country/	Dec	Nov	Oct	Sep	Aug	July	June	May	April	March	Feb	Jan	
AR	233	229	219	187	133	131	127	122	110	102	85	6	
AT	874	869	863	861	856	850	844	795	749	739	727	714	
AU	368	357	326	310	294	288	284	269	257	244	232	215	
BE	286	281	276	263	255	251	242	217	192	185	179	170	
BR	2967	2915	2853	2799	2726	2682	2645	2568	2514	2449	2377	2297	
CA	68	68	66	66	60	58	57	51	47	44	42	38	
CH	1765	1756	1751	1745	1738	1733	1729	1646	1075	947	930	915	
CZ	73	71	67	66	65	63	59	51	25	16	8	5	
DE	1515	1476	1447	1415	1367	1340	1296	1172	1001	943	884	849	
DK	198	196	195	194	192	189	185	173	164	161	160	156	
ES	1341	1313	1264	1230	1180	1151	1105	1015	940	885	834	777	
FI	642	627	614	605	597	595	581	555	514	503	492	468	
FR	1779	1755	1729	1697	1668	1644	1607	1476	1146	1089	1074	1049	
GB	1435	1399	1363	1333	1297	1281	1239	1157	1087	1060	1029	988	
GR	465	453	432	420	410	406	396	374	353	330	298	282	
IT	2617	2570	2522	2490	2463	2445	2419	2348	2222	2159	2114	2057	
LT	740	726	711	695	679	675	657	611	533	474	460	424	
MX	1566	1537	1497	1461	1357	1324	1285	1234	1175	1135	1050	975	
NL	1755	1741	1717	1707	1683	1665	1626	1442	735	677	650	621	
PL	1745	1711	1673	1637	1594	1550	1489	1333	1127	1075	1044	1006	
PT	2704	2683	2661	2642	2615	2597	2570	2497	2452	2353	2323	2284	
SE	272	265	252	249	237	232	231	214	199	197	190	183	
TR	498	477	469	453	435	431	424	408	376	363	331	291	
<b>Total</b>	<b>25906</b>	<b>25475</b>	<b>24967</b>	<b>24525</b>	<b>23901</b>	<b>23581</b>	<b>23097</b>	<b>21728</b>	<b>18993</b>	<b>18130</b>	<b>17513</b>	<b>16770</b>	

AR Argentina, AT Austria, AU Australia, Be Belgium, BR Brazil, CA Canada, CH Switzerland, CZ Czech Republic, DE Germany, DK Denmark, ES Spain, FI Finland, FR France, GB Great Britain, GR Greece, IT Italy, LT Lithuania, MX Mexico, NL The Netherlands, PL Poland, PT Portugal, SE Sweden, TR Turkey

for Asthma and Rhinitis (2002–2013). The initial goals (Phase 1) were (1) to propose a new AR classification, (2) to promote the concept of multimorbidity in asthma and rhinitis and (3) to develop guidelines with all stakeholders that could be used globally for all countries and all populations. ARIA has been disseminated and implemented in over 70 countries [3, 19, 24–32]. It was developed as a guideline [19] using the GRADE approach [33–39].

MASK, the Phase 3 ARIA initiative, is focusing on (1) the implementation of multi-sectoral care pathways (2) using emerging technologies (3) with real world data (4) for individualized and predictive medicine (5) in rhinitis and asthma multimorbidity (6) by a multi-disciplinary group or by patients themselves (self-care) using the AIRWAYS ICPs algorithm (7) across the life cycle [8, 17]. It will be scaled up using the EU EIP on AHA strategy [26].

Phase 4 began in 2018. It concerns “change management” and includes the impact of air pollution in asthma and rhinitis (EIT Health 2018–2019: POLLAR, Impact of Air POLLution in Asthma and Rhinitis) [4] as well as the digital transformation of health and care (DigitalHealthEurope, Euriphi and Vigour).

Developments for 2019 include a multimorbidity App and the deployment of an app for home services.

The MASK project is intended to be sustainable and a business plan has been initiated.

The medium-term future is to develop care pathways for the prevention and control of chronic diseases to sustain planetary health. A symposium during the Finnish Presidency of the EU Council is planned for October 2019.

#### Scientific evidence and conceptual framework for configuring the practice

The scientific evidence is based on a validated “research” tool (The Allergy Diary, –2018) that has led to large scale deployment (MASK-air, 2019–):

- Validation of the app using COSMIN guidelines [40].
- Baseline characteristics informed [12].
- Work productivity associated with the control of allergic diseases [41, 42].
- EQ-5D is available and has been found to correlate to baseline characteristics [43].
- Novel phenotypes of allergic diseases have been discovered [44].

- Adherence to treatment is extremely low and novel approaches to inform the efficacy of treatment have been proposed [45] leading to novel studies for a better understanding of guidelines [46, 47].

### Evidence of impact

MASK has identified novel phenotypes of allergic diseases [44] that have been confirmed in classical epidemiologic studies by re-analyzing them [48–51]. One of the studies used the MASK baseline characteristics [49]. These phenotypes allowed the re-classification of allergic multimorbidity and the discovery of a new extreme phenotype of allergic diseases that need to be considered in the stratification of patients.

MASK has shown real-life mHealth data for the first time in allergy treatment in 9,950 users [1, 45]. This led to next-generation care pathways for allergic diseases (meeting co-organized by POLLAR, a member of EIT Health, EIP on AHA and GARD (WHO alliance): 3-12-2018) and proposed a change management strategy [5].

MASK is involved in an EIT Health project (POLLAR) which assesses the interactions between air pollution, asthma and rhinitis [4].

With the EIP on AHA, MASK is involved in 3 EU projects on the digital transformation of health and care (DigiHealthEurope, Euriphi and Vigour).

MASK is also involved in a large project on Planetary Health in a side event which will take place during the Presidency of the EU council (Finland). This event will gather researchers, academic leaders and other experts from European institutions as well as other stakeholders and will discuss Planetary Health global challenges and their scientific solutions. Experts on human health as well as on effects of climate change, urbanization and food production will be invited to prepare a European initiative to promote effective and sustainable research on planetary health issues. The event similarly aims at raising political awareness about the need for multidisciplinary and systemic approaches to Planetary Health issues globally and in the EU. The multimorbid App developed by MASK may be used in the project.

### Contextual relevance

#### *The practice addresses a public health priority*

Chronic respiratory diseases (CRDs) are major non-communicable diseases (NCDs) [18]. Rhinitis and asthma multimorbidity is common and the two diseases should be considered jointly [19]. Asthma is the most common NCD in children and rhinitis is the most common chronic disease in Europe. They often start early in life, persist across the life cycle and cause a high disease

burden in all age groups [19]. By 2020, rhinitis will affect at least 20% of the old age population [52–56]. These diseases represent an enormous burden associated to medical and social costs and they impact health and social inequalities.

#### *The practice is based on a local/regional/national strategic action plan*

The Polish Presidency of the EU Council (3051st Council Conclusions) made the prevention, early diagnosis and treatment of asthma and allergic diseases a priority to reduce health inequalities [57, 58]. The 3206th Cyprus Council Conclusions [59] recommended that the diagnosis and treatment of chronic diseases should be initiated as early as possible to improve AHA. Debates at the European Parliament recommended the early diagnosis and management of CRDs in order to promote active and healthy ageing (AHA) [60–62].

The practice is also a WHO-associated project: Initial workshop (1999), WHO Collaborating Center for rhinitis and asthma (2004–2014), Global Alliance against Chronic Respiratory Diseases (GARD) [63, 64] demonstration project (2015–).

#### Unmet needs

Several unmet needs have been identified in allergic diseases. They include (1) suboptimal rhinitis and asthma control due to medical, cultural and social barriers [65, 66], (2) better understanding of endotypes [67], phenotypes and multimorbidities, (3) assessment of allergen and pollutants as risk factors to promote sentinel networks in care pathways, (4) stratification of patients for optimized care pathways [68] and (5) promotion of multidisciplinary teams within integrated care pathways, endorsing innovation in clinical trials and encouraging patient empowerment [17, 69].

#### Overall goal

The general objective of AIRWAYS-ICPs [6–8] is to develop multi-sectoral ICPs for CRDs used across European countries and regions in order to (1) reduce the burden of the diseases in a patient-centred approach, (2) promote AHA, (3) create a care pathways simulator tool which can be applied across the life cycle and in older adults, (4) reduce health and social inequalities, (5) reduce gender inequalities, (6) use the lessons learned in CRDs for chronic diseases and (7) promote SDG3 (more specifically 3.4) (<https://www.who.int/sdg/targets/en/>). In September 2015, the UN General Assembly established the Sustainable Development Goals (SDGs), a set of global goals for fair and sustainable health at every level from planetary biosphere to

local community [70, 71], essential for sustainable development. SDG 3 prioritizes health and well-being for all ages.

The aim of AIRWAYS-ICPs is also to generalise the approach of the uniform definition of severity, control and risk of severe asthma presented to WHO [66] and allergic diseases [72] in order to develop a uniform risk stratification usable for chronic diseases in most situations.

MASK further refined AIRWAYS ICPs using mobile technology to promote the digital transformation of health and care in developed and developing countries for all age groups.

### Target population

In the initial phase, the target population included all patients with allergic rhinitis and asthma multimorbidity. Rhinitis and asthma are considered as a model for all chronic diseases and the project is being extended to chronic diseases.

All patients able to use a smartphone ( $\geq 12$  years) represent the target population. A special effort is being placed in underserved populations from developing countries as the practice is a GARD (Global Alliance against Chronic Respiratory Diseases, WHO alliance) demonstration project.

### Stakeholders involved

#### *Involvement in the design, implementation (including the creation of ownership), evaluation, continuity/sustainability*

As from the very first workshop in 1999, the ARIA initiative has included all stakeholders required to develop a WHO programme on CRDs (GARD). In particular, patient's organizations were involved. All health care professionals were also involved (physicians, primary care, pharmacists, other health care professionals). Another important component of ARIA was the deployment to developing countries [73]. Moreover, policy makers were also actively involved.

ARIA has grown regularly over the past 20 years and an ARIA chapter is ongoing in over 70 countries in all continents with a very active scaling up strategy [26]. MASK has used the ARIA working group to scale up the practice.

#### *All stakeholders were highly receptive*

The ARIA and now the MASK community is very cohesive and all members are extremely reactive. They have been particularly active in deploying MASK in the 23

countries and we have received requests from many other countries in which MASK-air is not yet available.

#### **Resistance or conflict of interest: None**

#### **Implementation methodology/strategy**

We used the scaling up strategy of the European Innovation Partnership on Active and Healthy Ageing and proposed a 5-step framework for developing an individual: (1) what to scale up: (1-a) databases of good practices, (1-b) assessment of viability of the scaling up of good practices, (1-c) classification of good practices for local replication and (2) how to scale up: (2-a) facilitating partnerships for scaling up, (2-b) implementation of key success factors and lessons learnt, including emerging technologies for individualized and predictive medicine. This strategy has already been applied to the chronic respiratory disease action plan of the European Innovation Partnership on Active and Healthy Ageing [26].



#### **Consistency in the pace of delivery**

For the past 20 years, ARIA has been a success story in over 72 countries [3, 8, 19, 24, 25, 27, 28, 30–32, 38, 46, 74–100]. A Pocket Guide has been translated into 52 languages. MASK is following ARIA with the same group and the same strategy.

#### **Main outcomes and evaluation of the practice**

The ARIA strategy was to change management in the treatment of asthma and rhinitis since nasal symptoms—often the most troublesome—were not considered in most asthmatics. Over 85% of asthma in children and adolescents is associated with rhinitis, suggesting common pathways, whereas only 20–30% of rhinitis patients have asthma, suggesting rhinitis-specific genes. There is a link between asthma severity and rhinitis multimorbidity. Asthma is more severe in patients with rhinitis [101]. The strategy at all levels of care indicates that it is essential to consider multimorbidity in the management of asthma for the benefit of the patient and the satisfaction of the treatment as shown in many surveys (Fig. 3). Some studies have found that the ARIA strategy is more effective than free treatment choice [102]. Moreover, EMA has used the ARIA recommendations for the approval of a house dust mite immunotherapy tablet including asthma and rhinitis multimorbidity [103].

The change management strategy of MASK has not yet been evaluated. However, the results of the first studies indicate that the vast majority of patients are not adherent to treatment [45] and that next-generation care pathways are needed (Figs. 4 and 5).



Next-generation care pathways were initiated in Paris, December 3, 2018, as part of POLLAR, MASK and GARD.


**Additional (secondary) outcomes assessed**

Work productivity and school performance are measured. When rhinitis and/or asthma are not well controlled, work productivity is impaired [1, 41, 43].

**Sustainability of the practice**

The MASK App, The *Allergy Diary*, was used to demonstrate the scientific value of the project [1]. It has been replaced by the commercial App, MASK-air, which is version 3.0 and which includes questionnaires (e.g. tobacco and allergens) and sleep (VAS and Epworth questionnaire [104]) (Fig. 6). A business plan is in place for the sustainability of the practice.





### MASK Version 3

- Profile complement (tobacco)
- Complement of daily survey-sleep and sleepiness questions added
- Complement questionnaires (Epworth)

**eit Health**

**Fig. 6** From *The Allergy Diary* to MASK-air

**Communication about the practice and dissemination of results**

A communication strategy has been set up [1] and includes a website (mask-air.com), media coverage, leaflets and newsletters, publications in scientific journals and lay press, partners’ networks and events. The MASK community includes over 300 members in all countries in which MASK is deployed.

**Budget required to implement the practice**

The budget required to implement the MASK strategy is around 1.5 M€. It will be provided by the private sector (1 M€) and from EU grants, in particular a Structural and Development Fund. POLLAR has an additive budget of 2 M€ to embed outdoor air pollution and aerobiology data in the ICP using artificial intelligence.

It is difficult to estimate human resources since many physicians worked in the 23 countries for the translation,



**Fig. 7** Sponsors of the meeting (Paris, December 3, 2018). POLLAR: Impact of Air POLLution in Asthma and Rhinitis, EIT Health: European Institute for Innovation and Technology, ARIA: Allergic Rhinitis and its Impact on Asthma, Euforea: European Forum for Research and Education in Allergy and Airways Diseases GA2LEN: Global Allergy and Asthma European Network, CEmPac: Centre for Empowering Patients and Communities, EAACI: European Academy of Allergy and Clinical Immunology, EFA: European Federation of Allergy and Airways Diseases Patients' Associations, ERS: European Respiratory Society, ERS: European Rhinologic Society, GARD: Global Alliance against Chronic Respiratory Diseases (WHO Alliance), GINA: Global Initiative for Asthma, MACVIA: Fondation VIA-LR, SPLF: Société de Pneumologie de Langue Française, SFA: Société française d'Allergologie, WAO: World Allergy Organization

adaptation of the practice and its implementation. It can be proposed that 50–100 h have been spent working in each country.

The practice has been presented to multiple national and international meetings.

Sustainability has been carefully evaluated and a business plan is in place.

### Main lessons learned

- Adherence to treatment is the major problem of allergic disease.
- Self-management strategies should be considerably expanded (behavioural).
- Change management is essential in allergic diseases.
- Education strategies should be reconsidered using a patient-centred approach.
- Lessons learned for allergic diseases can be expanded to chronic diseases.

### Improvement and expansion of the practice

An expert meeting took place at the Pasteur Institute in Paris, December 3, 2018, to discuss next-generation care pathways and lessons learnt (Fig. 7, Annex 1): (1) patient participation, health literacy and self-care through technology-assisted “patient activation”, (2) implementation of care pathways by pharmacists and (3) next-generation guidelines assessing

the recommendations of GRADE guidelines in rhinitis and asthma using real-world evidence (RWE) assessed by mobile technology. The meeting was organized by POLLAR and MASK in collaboration with GARD, patient's organizations and all European scientific societies in the field.

### Abbreviations

AHA: active and healthy ageing; AIRWAYS ICPS: integrated care pathways for airway diseases; AR: allergic rhinitis; ARIA: allergic rhinitis and its impact on asthma; CDSS: clinical decision support system; CRD: chronic respiratory disease; DG CONNECT: directorate general for communications networks, content and technology; DG Santé: directorate general for health and food safety; EIP on AHA: European innovation partnership on AHA; EIP: European innovation partnership; EQ-5D: euroqol; Euforea: European forum for research and education in allergy and airways diseases; GARD: global alliance against chronic respiratory diseases; GP: good practice; HCP: health care professional; ICP: integrated care pathway; JA-CHRODIS: joint action on chronic diseases and promoting healthy ageing across the life cycle; MACVIA-LR: contre les MALadies chroniques pour un Vieillissement Actif (Fighting chronic diseases for AHA); MASK: Mobile airways sentinel network; MeDALL: Mechanisms of the development of ALLergy (FP7); mHealth: mobile health; NCD: non-communicable disease; POLLAR: impact of air POLLution on Asthma and Rhinitis; QOL: quality of life; TRL: technology readiness level; VAS: visual analogue scale; WHO: World Health Organization; WPAL-AS: Work Productivity and Activity questionnaire.

### Authors' contributions

All authors are MASK members and have contributed to the design of the project. Many authors also included users and disseminated the project in their own country. All authors read and approved the final manuscript.

### Author details

<sup>1</sup> MACVIA-France, Fondation Partenariale FMC VIA-LR, CHU Arnaud de Villeneuve, 371 Avenue du Doyen Gaston Giraud, 34295 Montpellier Cedex 5, France. <sup>2</sup> INSERM U 1168, VIMA: Ageing and Chronic Diseases Epidemiological

- and Public Health Approaches, Villejuif, Université Versailles St-Quentin-en-Yvelines, UMR-S 1168, Montigny Le Bretonneux, France. <sup>3</sup> Euforea, Brussels, Belgium. <sup>4</sup> Humboldt-Universität zu Berlin, Berlin Institute of Health, Comprehensive Allergy Center, Department of Dermatology and Allergy, Charité, Universitätsmedizin Berlin, Berlin, Germany. <sup>5</sup> Medical Consulting Czarlewski, Levallois, France. <sup>6</sup> KYomed INNOV, Montpellier, France. <sup>7</sup> Center for Research in Health Technology and Information Systems, Faculdade de Medicina da Universidade do Porto, Medida, Lda Porto, Portugal. <sup>8</sup> UCIBIO, REQUINTE, Faculty of Pharmacy and Competence Center on Active and Healthy Ageing, University of Porto (Porto4Ageing), Porto, Portugal. <sup>9</sup> Faculty of Health Sciences and CICS – UBI, Health Sciences Research Centre, University of Beira Interior, Covilhã, Portugal. <sup>10</sup> Allergy Center, CUF Descobertas Hospital, Lisbon, Portugal. <sup>11</sup> Imunoalergologia, Centro Hospitalar Universitário de Coimbra and Faculty of Medicine, University of Coimbra, Coimbra, Portugal. <sup>12</sup> Division for Health Innovation, Campania Region and Federico II University Hospital Naples (R&D and DISMET), Naples, Italy. <sup>13</sup> CIRFF, Federico II University, Naples, Italy. <sup>14</sup> Personalized Medicine Clinic Asthma and Allergy, Humanitas Research Hospital, Humanitas University, Rozzano, Milan, Italy. <sup>15</sup> SOS Allergy and Clinical Immunology, USL Toscana Prato, Prato, Italy. <sup>16</sup> Department of Medical Sciences, Allergy and Clinical Immunology Unit, University of Torino & Mauriziano Hospital, Turin, Italy. <sup>17</sup> Consortium of Pharmacies and Services COSAFER, Salerno, Italy. <sup>18</sup> Unit of Geriatric Immunoallergy, University of Bari Medical School, Bari, Italy. <sup>19</sup> Department of Medicine, Surgery and Dentistry “Scuola Medica Salernitana”, University of Salerno, Salerno, Italy. <sup>20</sup> Department of Otorhinolaryngology, Amsterdam University Medical Centre (AMC), Amsterdam, The Netherlands. <sup>21</sup> Department of Public Health and Primary Care, Leiden University Medical Center, Leiden, The Netherlands. <sup>22</sup> ProAR – Nucleo de Excelencia em Asma, Federal University of Bahia, Vitória da Conquista, Brazil. <sup>23</sup> WHO GARD Planning Group, Salvador, Brazil. <sup>24</sup> Department of Internal Medicine and Allergic Clinic of Professor Polydoro Ernani de Sao, Thiago University Hospital, Federal University of Santa Catarina (UFSC), Florianópolis, Brazil. <sup>25</sup> Asthma Reference Center, Escola Superior de Ciências da Santa Casa de Misericórdia de Vitória, Vitória, Espírito Santo, Brazil. <sup>26</sup> Center of Excellence in Asthma and Allergy, Médica Sur Clinical Foundation and Hospital, Mexico City, Mexico. <sup>27</sup> Hospital General Regional 1 “Dr Carlos Mc Gregor Sanchez Navarro” IMSS, Mexico City, Mexico. <sup>28</sup> Allergist, Mexico City, Mexico. <sup>29</sup> Clinic of Children’s Diseases, and Institute of Health Sciences Department of Public Health, Vilnius University Institute of Clinical Medicine, Vilnius, Lithuania. <sup>30</sup> European Academy of Paediatrics (EAP/UEMS-SP), Brussels, Belgium. <sup>31</sup> Clinic of Infectious, Chest Diseases, Dermatology and Allergy, Vilnius University, Vilnius, Lithuania. <sup>32</sup> Clinic of Children’s Diseases, Faculty of Medicine, Vilnius University, Vilnius, Lithuania. <sup>33</sup> Faculty of Medicine, Vilnius University, Vilnius, Lithuania. <sup>34</sup> Epidemiology of Allergic and Respiratory Diseases, Department Institute Pierre Louis of Epidemiology and Public Health, INSERM, Sorbonne Université, Medical School Saint Antoine, Paris, France. <sup>35</sup> Department of Geriatrics, Montpellier University Hospital, Montpellier, France. <sup>36</sup> EA 2991, Euromov, University Montpellier, Montpellier, France. <sup>37</sup> CHU Dijon, Dijon, France. <sup>38</sup> Allergist, La Rochelle, France. <sup>39</sup> Sleep Unit, Department of Neurology, Hôpital Gui-de-Chauliac Montpellier, Montpellier, France. <sup>40</sup> Inserm U1061, Montpellier, France. <sup>41</sup> UPRES EA220, Pôle des Maladies des Voies Respiratoires, Hôpital Foch, Université Paris-Saclay, Suresnes, France. <sup>42</sup> Allergist, Reims, France. <sup>43</sup> Laboratoire HP2, Grenoble, INSERM, U1042, Université Grenoble Alpes, Grenoble, France. <sup>44</sup> CHU de Grenoble, Grenoble, France. <sup>45</sup> Allergy Department, Pasteur Institute, Paris, France. <sup>46</sup> Conseil Général de l’Economie Ministère de l’Economie, de l’Industrie et du Numérique, Paris, France. <sup>47</sup> Pneumologie et Soins Intensifs Respiratoires, Hôpitaux Universitaires Paris, Centre Hôpital Cochin, Paris, France. <sup>48</sup> Association Asthme et Allergie, Paris, France. <sup>49</sup> Allergy Unit, Department of Dermatology, University Hospital of Zurich, Zurich, Switzerland. <sup>50</sup> Division of Internal Medicine, Asthma and Allergy, Barlicki University Hospital, Medical University of Lodz, Lodz, Poland. <sup>51</sup> Department of Prevention of Environmental Hazards and Allergology, Medical University of Warsaw, Warsaw, Poland. <sup>52</sup> ISGlobAL, Centre for Research in Environmental Epidemiology (CREAL), Barcelona, Spain. <sup>53</sup> IMIM (Hospital del Mar Research Institute), Barcelona, Spain. <sup>54</sup> CIBER Epidemiología y Salud Pública (CIBERESP), Barcelona, Spain. <sup>55</sup> Universitat Pompeu Fabra (UPF), Barcelona, Spain. <sup>56</sup> Allergy Section, Department of Internal Medicine, Hospital Vall d’Hebron & ARADYAL Research Network, Barcelona, Spain. <sup>57</sup> Rhinology Unit and Smell Clinic, ENT Department, Hospital Clinic, University of Barcelona, Barcelona, Spain. <sup>58</sup> Clinical and Experimental Respiratory Immunoallergy, IDIBAPS, CIBERES, University of Barcelona, Barcelona, Spain. <sup>59</sup> Asthma UK Centre for Applied Research, The Usher Institute of Population Health Sciences and Informatics, The University of Edinburgh, Edinburgh, UK. <sup>60</sup> Honorary Clinical Research Fellow, Allergy and Respiratory Research Group, Usher Institute of Population Health Sciences and Informatics, Medical School, University of Edinburgh, Edinburgh, UK. <sup>61</sup> The Usher Institute of Population Health Sciences and Informatics, The University of Edinburgh, Edinburgh, UK. <sup>62</sup> Asthma UK, Mansell Street, London, UK. <sup>63</sup> International Primary Care Respiratory Group IPCRG, Aberdeen, Scotland, UK. <sup>64</sup> Department of Otolaryngology, Head and Neck Surgery, University of Mainz, Mainz, Germany. <sup>65</sup> Center for Rhinology and Allergy, Wiesbaden, Germany. <sup>66</sup> Department of Otorhinolaryngology, Head and Neck Surgery, Section of Rhinology and Allergy, University Hospital Marburg, Philipps-Universität Marburg, Marburg, Germany. <sup>67</sup> Corporate Member of Freie Universität Berlin, Humboldt-Universität zu Berlin, Charité - Universitätsmedizin Berlin, Berlin, Germany. <sup>68</sup> Berlin Institute of Health, Comprehensive Allergy-Centre, Department of Dermatology and Allergy, Member of GA2LEN, Berlin, Germany. <sup>69</sup> Institute of Medical Statistics, and Computational Biology, Medical Faculty, University of Cologne, Cologne, Germany. <sup>70</sup> CRI-Clinical Research International-Ltd, Hamburg, Germany. <sup>71</sup> Department of Internal Medicine, Medical University of Graz, Graz, Austria. <sup>72</sup> Department of ENT, Medical University of Graz, Graz, Austria. <sup>73</sup> Skin and Allergy Hospital, Helsinki University Hospital, University of Helsinki, Helsinki, Finland. <sup>74</sup> Association of Finnish Pharmacies, Helsinki, Finland. <sup>75</sup> Department of Lung Diseases and Clinical Immunology, Terveystalo Allergy Clinic, University of Turku, Turku, Finland. <sup>76</sup> FILHA, Finnish Lung Association, Helsinki, Finland. <sup>77</sup> Department of Pulmonary Diseases, Cerrahpasa Faculty of Medicine, Istanbul University-Cerrahpasa, Istanbul, Turkey. <sup>78</sup> Department of Pulmonary Diseases, Faculty of Medicine, Celal Bayar University, Manisa, Turkey. <sup>79</sup> Division of Infection, Immunity and Respiratory Medicine, Royal Manchester Children’s Hospital, University of Manchester, Manchester, UK. <sup>80</sup> Allergy Department, 2nd Pediatric Clinic, Athens General Children’s Hospital “P&A Kyriakou”, University of Athens, Athens, Greece. <sup>81</sup> Department of Otorhinolaryngology, University of Crete School of Medicine, Heraklion, Greece. <sup>82</sup> Health Planning Unit, Department of Social Medicine, Faculty of Medicine, University of Crete, Crete, Greece. <sup>83</sup> University of Sydney and Woolcock Emphysema Centre and Local Health District, Woolcock Institute of Medical Research, Glebe, NSW, Australia. <sup>84</sup> Department of Allergy, Immunology and Respiratory Medicine, Alfred Hospital and Central Clinical School, Monash University, Melbourne, VIC, Australia. <sup>85</sup> Department of Immunology, Monash University, Melbourne, VIC, Australia. <sup>86</sup> Servicio de Alergia e Inmunología, Clínica Santa Isabel, Buenos Aires, Argentina. <sup>87</sup> Director of Center of Allergy, Immunology and Respiratory Diseases, Santa Fe, Argentina Center for Allergy and Immunology, Santa Fe, Argentina. <sup>88</sup> Universidad Católica de Córdoba, Córdoba, Argentina. <sup>89</sup> Department of Clinical Science and Education, Södersjukhuset, Karolinska Institutet, Stockholm, Sweden. <sup>90</sup> Sachs’ Children and Youth Hospital, Södersjukhuset, Stockholm and Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden. <sup>91</sup> Centre for Clinical Research Sörmalund, Uppsala University, Eskilstuna, Sweden. <sup>92</sup> Upper Airways Research Laboratory, ENT Dept, Ghent University Hospital, Ghent, Belgium. <sup>93</sup> Department of Otorhinolaryngology, Univ Hospitals Leuven, Louvain, Belgium. <sup>94</sup> Academic Medical Center, Univ of Amsterdam, Amsterdam, The Netherlands. <sup>95</sup> Department of Respiratory Medicine, Ghent University Hospital, Ghent, Belgium. <sup>96</sup> EFA European Federation of Allergy and Airways Diseases Patients’ Associations, Brussels, Belgium. <sup>97</sup> Department of Dermatology and Allergy Centre, Odense University Hospital, Odense Research Center for Anaphylaxis (ORCA), Odense, Denmark. <sup>98</sup> Department of Medicine, Clinical Immunology and Allergy, McMaster University, Hamilton, ON, Canada. <sup>99</sup> Quebec Heart and Lung Institute, Laval University, Québec City, QC, Canada. <sup>100</sup> Clinical Medicine, Laval’s University, Québec City, Canada. <sup>101</sup> Medicine Department, Hôpital de la Malbaie, Québec, Canada. <sup>102</sup> Department of Health Research Methods, Evidence and Impact, Division of Immunology and Allergy, McMaster University, Hamilton, ON, Canada. <sup>103</sup> Department of Respiratory Medicine, University Hospital Olomouc, Olomouc, Czech Republic. <sup>104</sup> Peer-code BV, Geldermalsen, The Netherlands. <sup>105</sup> Faculty of Medicine, Transylvania University, Brasov, Romania. <sup>106</sup> Department of Allergy and Immunology, Hospital Quirón Bizkaia, Erandio, Spain. <sup>107</sup> iQ4U Consultants Ltd, London, UK. <sup>108</sup> Division of Allergy/Immunology, University of South Florida, Tampa, USA. <sup>109</sup> Section of Allergy and Immunology, Saint Louis University School of Medicine, Saint Louis, MO, USA. <sup>110</sup> Clinical Research Center for Allergy and Rheumatology, Sagami National Hospital, Sagami, Japan. <sup>111</sup> Medical Communications Consultant, MedScript Ltd (Ireland & New

Zealand), Dundalk, Ireland. <sup>112</sup> Honorary Research Fellow, OPC, Cambridge, UK. <sup>113</sup> Johns Hopkins School of Medicine, Baltimore, MD, USA. <sup>114</sup> Department of Otorhinolaryngology, Chiba University Hospital, Chiba, Japan. <sup>115</sup> Nova Southeastern University, Fort Lauderdale, FL, USA.

## Acknowledgements

Practice presented during the Steering Group on Promotion and Prevention marketplace workshop on "digitally-enabled, integrated, person-centred care" best practices on 12–13 December 2018 in the premises of the Joint Research Centre in Ispra, Italy.

## Mask Study Group

J Bousquet<sup>1-3</sup>, PW Hellings<sup>4</sup>, W Aberer<sup>5</sup>, I Agache<sup>6</sup>, CA Akdis<sup>7</sup>, M Akdis<sup>7</sup>, MR Aliberti<sup>8</sup>, R Almeida<sup>9</sup>, F Amat<sup>10</sup>, R Angles<sup>11</sup>, I Annesi-Maesano<sup>12</sup>, IJ Ansotegui<sup>13</sup>, JM Anto<sup>14-17</sup>, S Arnauvielle<sup>18</sup>, E Asayag<sup>19</sup>, A Asarjoo<sup>20</sup>, H Arshad<sup>21</sup>, F Avolio<sup>22</sup>, E Bacci<sup>23</sup>, C Bachert<sup>24</sup>, I Baiardini<sup>25</sup>, C Barbara<sup>26</sup>, M Barbagallo<sup>27</sup>, I Baroni<sup>28</sup>, BA Barreto<sup>29</sup>, X Basagana<sup>14</sup>, ED Bateman<sup>30</sup>, M Bedolla-Barajas<sup>31</sup>, A Bedbrook<sup>2</sup>, M Bewick<sup>32</sup>, B Beghé<sup>33</sup>, EH Bel<sup>34</sup>, KC Bergmann<sup>35</sup>, KS Bennoor<sup>36</sup>, M Benson<sup>37</sup>, L Bertorello<sup>23</sup>, AZ Białoszewski<sup>38</sup>, T Bieber<sup>39</sup>, S Bialek<sup>40</sup>, C Bindslev-Jensen<sup>41</sup>, L Bjerner<sup>42</sup>, H Blain<sup>43,44</sup>, F Blasi<sup>45</sup>, A Blua<sup>46</sup>, M Bochenska Marciniak<sup>47</sup>, I Bogus-Buczynska<sup>47</sup>, AL Boner<sup>48</sup>, M Bonini<sup>49</sup>, S Bonini<sup>50</sup>, CS Bosnic-Anticevich<sup>51</sup>, I Bosse<sup>52</sup>, J Bouchard<sup>53</sup>, LP Boulet<sup>54</sup>, R Bourret<sup>55</sup>, PJ Bousquet<sup>12</sup>, F Braido<sup>25</sup>, V Briedis<sup>56</sup>, CE Brightling<sup>57</sup>, J Brozek<sup>58</sup>, C Bucca<sup>59</sup>, R Buhl<sup>60</sup>, R Buonaiuto<sup>61</sup>, C Panaitescu<sup>62</sup>, MT Burgette Cabañas<sup>63</sup>, E Burte<sup>3</sup>, A Bush<sup>64</sup>, F Caballero-Fonseca<sup>65</sup>, D Caillaud<sup>67</sup>, D Caimmi<sup>68</sup>, MA Calderon<sup>69</sup>, PAM Camargos<sup>70</sup>, T Camuzat<sup>71</sup>, G Canfora<sup>72</sup>, GW Canonica<sup>25</sup>, V Cardona<sup>73</sup>, KH Carlsen<sup>74</sup>, P Carreiro-Martins<sup>75</sup>, AM Carriazo<sup>76</sup>, W Carr<sup>77</sup>, C Cartier<sup>78</sup>, T Casale<sup>79</sup>, G Castellano<sup>80</sup>, L Cecchi<sup>81</sup>, AM Cepeda<sup>82</sup>, NH Chavannes<sup>83</sup>, Y Chen<sup>84</sup>, R Chiron<sup>85</sup>, T Chivato<sup>85</sup>, E Chkharishvili<sup>86</sup>, AG Chuchalin<sup>87</sup>, KF Chung<sup>88</sup>, MM Ciaravolo<sup>89</sup>, A Ciceran<sup>90</sup>, C Cingi<sup>91</sup>, G Ciprandi<sup>92</sup>, AC Carvalho Coehlo<sup>93</sup>, L Colas<sup>94</sup>, E Colgan<sup>95</sup>, J Coll<sup>96</sup>, D Conforti<sup>97</sup>, J Correia de Sousa<sup>98</sup>, RM Cortés-Grimaldo<sup>99</sup>, F Corti<sup>100</sup>, E Costa<sup>101</sup>, MC Costa-Dominguez<sup>102</sup>, AL Courbis<sup>103</sup>, L Cox<sup>104</sup>, M Crescenzo<sup>105</sup>, AA Cruz<sup>106</sup>, A Custovic<sup>107</sup>, W Czarlewski<sup>108</sup>, SE Dahlen<sup>109</sup>, G D'Amato<sup>381</sup>, C Dario<sup>110</sup>, J da Silva<sup>111</sup>, Y Dauvilliers<sup>112</sup>, U Darsow<sup>113</sup>, F De Blay<sup>114</sup>, G De Carlo<sup>115</sup>, T Dedeu<sup>116</sup>, M de Fátima Emerson<sup>117</sup>, G De Feo<sup>118</sup>, G De Vries<sup>119</sup>, B De Martino<sup>120</sup>, NP Motta Rubina<sup>121</sup>, D Deleau<sup>122</sup>, P Demoly<sup>126,88</sup>, JA Denburg<sup>123</sup>, P Devillier<sup>124</sup>, S Di Capua Ercolano<sup>125</sup>, N Di Carlucio<sup>66</sup>, A Didier<sup>126</sup>, D Dokic<sup>127</sup>, MG Dominguez-Silva<sup>128</sup>, H Douagui<sup>129</sup>, G Dray<sup>103</sup>, R Dubakiena<sup>130</sup>, SR Durham<sup>131</sup>, G Du Toit<sup>132</sup>, MS Dykewicz<sup>133</sup>, Y El-Gamal<sup>134</sup>, P Eklund<sup>135</sup>, E Eller<sup>41</sup>, R Emuzyte<sup>136</sup>, J Farrell<sup>95</sup>, A Farsi<sup>81</sup>, J Ferreira de Mello Jr<sup>137</sup>, J Ferrero<sup>138</sup>, A Fink-Wagner<sup>139</sup>, A Fiocchi<sup>140</sup>, WJ Fokkens<sup>141</sup>, JA Fonseca<sup>142</sup>, JF Fontaine<sup>143</sup>, S Forti<sup>97</sup>, JM Fuentes-Perez<sup>144</sup>, JL Gálvez-Romero<sup>145</sup>, A Gamkrelidze<sup>146</sup>, J Garcia-Aymerich<sup>14</sup>, CY Garcia-Cobas<sup>147</sup>, MH Garcia-Cruz<sup>148</sup>, B Gemicioğlu<sup>149</sup>, S Genova<sup>150</sup>, G Christoff<sup>151</sup>, JE Gereda<sup>152</sup>, R Gerth van Wijk<sup>153</sup>, RM Gomez<sup>154</sup>, J Gómez-Vera<sup>155</sup>, S González Díaz<sup>156</sup>, M Gotua<sup>157</sup>, I Grisle<sup>158</sup>, M Guidacci<sup>159</sup>, NA Guldemand<sup>160</sup>, Z Gutter<sup>161</sup>, MA Guzmán<sup>162</sup>, T Haahela<sup>163</sup>, J Hajjam<sup>164</sup>, L Hernández<sup>165</sup>, JO'B Hourihane<sup>166</sup>, YR Huerta-Villalobos<sup>167</sup>, M Humbert<sup>168</sup>, G Iaccarino<sup>169</sup>, M Illario<sup>170</sup>, Z Ispayeva<sup>380</sup>, JC Ivancevich<sup>171</sup>, EJ Jares<sup>172</sup>, E Jasse<sup>173</sup>, SL Johnston<sup>174</sup>, G Joos<sup>175</sup>, KS Jung<sup>176</sup>, J Just<sup>10</sup>, M Jutel<sup>177</sup>, I Kaidashev<sup>178</sup>, O Kalayci<sup>179</sup>, AF Kalyoncu<sup>180</sup>, J Karjalainen<sup>181</sup>, P Kardas<sup>182</sup>, T Keil<sup>183</sup>, PK Keith<sup>184</sup>, M Khaitov<sup>185</sup>, N Khaltaev<sup>186</sup>, J Kleine-Tebbe<sup>187</sup>, L Klimek<sup>188</sup>, ML Kowalski<sup>189</sup>, M Kuitunen<sup>190</sup>, I Kull<sup>191</sup>, P Kuna<sup>47</sup>, M Kupczyk<sup>47</sup>, V Kvedariene<sup>192</sup>, E Krzych-Falta<sup>193</sup>, P Lacwik<sup>47</sup>, D Larenas-Linnemann<sup>194</sup>, D Laune<sup>18</sup>, D Lauri<sup>195</sup>, J Lavrut<sup>196</sup>, LTT Le<sup>197</sup>, M Lessa<sup>198</sup>, G Levato<sup>199</sup>, J Li<sup>200</sup>, P Lieberman<sup>201</sup>, A Lipiec<sup>193</sup>, B Lipworth<sup>202</sup>, KC Lodrup Carlsen<sup>203</sup>, R Louis<sup>204</sup>, O Lourenço<sup>205</sup>, JA Luna-Pech<sup>206</sup>, A Magnan<sup>94</sup>, B Mahboub<sup>207</sup>, D Maier<sup>208</sup>, A Mair<sup>209</sup>, I Majer<sup>210</sup>, J Malva<sup>211</sup>, E Mandajieva<sup>212</sup>, P Manning<sup>213</sup>, E De Manuel Keenoy<sup>214</sup>, GD Marshall<sup>215</sup>, MR Masjedj<sup>216</sup>, JF Maspero<sup>217</sup>, EMathieu-Dupas<sup>18</sup>, JJ Matta Campos<sup>218</sup>, AL Matos<sup>219</sup>, M Maurer<sup>220</sup>, S Mavale-Manuel<sup>221</sup>, O Mayora<sup>97</sup>, MA Medina-Avalos<sup>222</sup>, E Melén<sup>223</sup>, E Melo-Gomes<sup>26</sup>, EO Meltzer<sup>224</sup>, E Menditto<sup>225</sup>, J Mercier<sup>226</sup>, N Miculinic<sup>227</sup>, F Mihaltan<sup>228</sup>, B Milenkovic<sup>229</sup>, G Moda<sup>230</sup>, MD Mogica-Martinez<sup>231</sup>, Y Mohammad<sup>232</sup>, I Momas<sup>233</sup>, S Montefort<sup>235</sup>, R Monti<sup>236</sup>, D Mora Bogado<sup>237</sup>, M Morais-Almeida<sup>238</sup>, FF Morato-Castro<sup>239</sup>, R Mösges<sup>240</sup>, A Mota-Pinto<sup>241</sup>, P Moura Santo<sup>242</sup>, J Mullol<sup>243</sup>, L Münter<sup>244</sup>, A Muraro<sup>245</sup>, R Murray<sup>246</sup>, R Naclerio<sup>247</sup>, R Nadjif<sup>248</sup>, M Nalin<sup>248</sup>, L Napoli<sup>248</sup>, L Namazova-Baranova<sup>249</sup>, H Neffen<sup>250</sup>, V Niederberger<sup>251</sup>, K Nekam<sup>252</sup>, A Neou<sup>253</sup>, A Nieto<sup>254</sup>, L Nogueira-Silva<sup>255</sup>, M Noguez<sup>256</sup>, E Novellino<sup>257</sup>, TD Nyembue<sup>258</sup>, RE O'Hehir<sup>259</sup>, C Odzhakova<sup>260</sup>, K Ohta<sup>261</sup>, Y Okamoto<sup>262</sup>, K Okubo<sup>263</sup>, GL Onorato<sup>2</sup>, M Ortega Cisneros<sup>264</sup>, S Ouedraogo<sup>265</sup>, I Pali-Schöll<sup>266</sup>, S Palkonen<sup>115</sup>, P Panzner<sup>267</sup>, NG Papadopoulos<sup>268</sup>, HS Park<sup>269</sup>, A Papi<sup>270</sup>, G Passalacqua<sup>271</sup>, E Paulino<sup>272</sup>, R Pawanka<sup>273</sup>, S Pedersen<sup>274</sup>, JL Pépin<sup>275</sup>, AM

Pereira<sup>276</sup>, M Persico<sup>277</sup>, O Pfaar<sup>278</sup>, J Phillips<sup>280</sup>, R Picard<sup>281</sup>, B Pigearias<sup>282</sup>, I Pin<sup>283</sup>, C Pitsios<sup>284</sup>, D Plavec<sup>285</sup>, W Pohl<sup>286</sup>, TA Popov<sup>287</sup>, F Portejoie<sup>2</sup>, P Potter<sup>288</sup>, AC Pozzi<sup>289</sup>, D Price<sup>290</sup>, EP Prokopoulos<sup>291</sup>, R Puy<sup>259</sup>, B Pugin<sup>292</sup>, RE Pulido Ross<sup>293</sup>, M Przemacka<sup>47</sup>, KF Rabe<sup>294</sup>, F Raciborski<sup>193</sup>, R Rajabian-Soderlund<sup>295</sup>, S Reitsma<sup>141</sup>, I Ribeirinho<sup>296</sup>, J Rimmer<sup>297</sup>, D Rivero-Yeverino<sup>298</sup>, JA Rizzo<sup>299</sup>, MC Rizzo<sup>300</sup>, C Robalo-Cordeiro<sup>301</sup>, F Rodenas<sup>302</sup>, X Rodo<sup>14</sup>, M Rodriguez Gonzalez<sup>303</sup>, L Rodriguez-Mañas<sup>304</sup>, C Rolland<sup>305</sup>, S Rodrigues Valle<sup>306</sup>, M Roman Rodriguez<sup>307</sup>, A Romano<sup>308</sup>, E Rodriguez-Zagal<sup>309</sup>, G Rolla<sup>310</sup>, RE Roller-Wirnsberger<sup>311</sup>, M Romano<sup>28</sup>, J Rosado-Pinto<sup>312</sup>, N. Rosario<sup>313</sup>, M Rottem<sup>314</sup>, D Ryan<sup>315</sup>, H Sagara<sup>316</sup>, J Salimäki<sup>317</sup>, B Samolinski<sup>193</sup>, M Sanchez-Borges<sup>318</sup>, J Sastre-Dominguez<sup>319</sup>, GK Scadding<sup>320</sup>, HJ Schunemann<sup>58</sup>, N Scichilone<sup>321</sup>, P Schmid-Grendelmeier<sup>322</sup>, FS Serpa<sup>323</sup>, S Shamai<sup>240</sup>, A Sheikh<sup>324</sup>, G Sierra<sup>36</sup>, FER Simons<sup>325</sup>, V Siroux<sup>326</sup>, JC Sisul<sup>327</sup>, I Skrinko<sup>378</sup>, D Solé<sup>328</sup>, D Somekh<sup>329</sup>, M Sondermann<sup>330</sup>, T Sooronbaev<sup>331</sup>, M Sova<sup>332</sup>, M Sorensen<sup>333</sup>, M Sorlini<sup>334</sup>, O Spranger<sup>139</sup>, C Stellato<sup>118</sup>, R Stelmach<sup>335</sup>, R Stukas<sup>336</sup>, J Sunyer<sup>14-17</sup>, J Strozek<sup>193</sup>, A Szyling<sup>193</sup>, JN Tebyriça<sup>337</sup>, M Thibaudon<sup>338</sup>, T To<sup>339</sup>, A Todo-Bom<sup>340</sup>, PV Tomazic<sup>341</sup>, S Toppila-Salmi<sup>163</sup>, U Trama<sup>342</sup>, M Triggiani<sup>118</sup>, C Suppli Ulrik<sup>343</sup>, M Urrutia-Pereira<sup>344</sup>, R Valenta<sup>345</sup>, A Valero<sup>346</sup>, A Valiulis<sup>347</sup>, E Valovirta<sup>348</sup>, M van Eerd<sup>119</sup>, E van Ganse<sup>349</sup>, M van Hage<sup>350</sup>, O Vandenplas<sup>351</sup>, MT Ventura<sup>352</sup>, G Vezzani<sup>353</sup>, T Vasanari<sup>354</sup>, A Vatrella<sup>118</sup>, MT Verissimo<sup>211</sup>, F Viart<sup>78</sup>, G Viegi<sup>355</sup>, D Vicheva<sup>356</sup>, T Vontetsianos<sup>357</sup>, M Wagenmann<sup>358</sup>, S Walker<sup>359</sup>, D Wallace<sup>360</sup>, DY Wang<sup>361</sup>, S Wasserman<sup>362</sup>, T Werfel<sup>363</sup>, M Westman<sup>364</sup>, M Wickman<sup>191</sup>, DM Williams<sup>365</sup>, S Williams<sup>366</sup>, N Wilson<sup>379</sup>, J Wright<sup>367</sup>, P Wroczyński<sup>40</sup>, P Yankovliev<sup>368</sup>, BP Yawn<sup>369</sup>, PK Yiallourou<sup>370</sup>, A Yorgancioğlu<sup>371</sup>, OM Yusuf<sup>372</sup>, HJ Zar<sup>373</sup>, L Zhang<sup>374</sup>, N Zhong<sup>200</sup>, ME Zernotti<sup>375</sup>, I Zhanat<sup>380</sup>, M Zidarn<sup>376</sup>, T Zuberbier<sup>35</sup>, C Zuberich<sup>259</sup>, A Zurkühlen<sup>377</sup>

<sup>1</sup>University Hospital, Montpellier, France. <sup>2</sup>MACVIA-France, Fondation partenariale FMC VIA-LR, Montpellier, France. <sup>3</sup>VIMA. INSERM U 1168, VIMA: Ageing and chronic diseases Epidemiological and public health approaches, Villejuif, Université Versailles St-Quentin-en-Yvelines, UMR-S 1168, Montigny le Bretonneux, France and Euforea, Brussels, Belgium. <sup>4</sup>Laboratory of Clinical Immunology, Department of Microbiology and Immunology, KU Leuven, Leuven, Belgium. <sup>5</sup>Department of Dermatology, Medical University of Graz, Graz, Austria. <sup>6</sup>Transylvania University Brasov, Brasov, Romania. <sup>7</sup>Swiss Institute of Allergy and Asthma Research (SIAF), University of Zurich, Davos, Switzerland. <sup>8</sup>Project Manager, Chairman of the Council of Municipality of Salerno, Italy. <sup>9</sup>Center for Health Technology and Services Research- CINTESIS, Faculdade de Medicina, Universidade do Porto; and Medida, Lda Porto, Portugal. <sup>10</sup>Allergology department, Centre de l'Asthme et des Allergies Hôpital d'Enfants Armand-Trousseau (APHP); Sorbonne Université, UPMC Univ Paris 06, UMR\_S 1136, Institut Pierre Louis d'Epidémiologie et de Santé Publique, Equipe EPAR, Paris, France. <sup>11</sup>Innovación y nuevas tecnologías, Salud Sector sanitario de Barbastro, Barbastro, Spain. <sup>12</sup>Epidemiology of Allergic and Respiratory Diseases, Department Institute Pierre Louis of Epidemiology and Public Health, INSERM and Sorbonne Université, Medical School Saint Antoine, Paris, France. <sup>13</sup>Department of Allergy and Immunology, Hospital Quirón Bizkaia, Erandio, Spain. <sup>14</sup>ISGloBA, Centre for Research in Environmental Epidemiology (CREAL), Barcelona, Spain. <sup>15</sup>MIM (Hospital del Mar Research Institute), Barcelona, Spain. <sup>16</sup>CIBER Epidemiología y Salud Pública (CIBERESP), Barcelona, Spain. <sup>17</sup>Universitat Pompeu Fabra (UPF), Barcelona, Spain. <sup>18</sup>Kyomed INNOV, Montpellier, France. <sup>19</sup>Argentine Society of Allergy and Immunopathology, Buenos Aires, Argentina. <sup>20</sup>Clinical Immunology and Allergy Unit, Department of Medicine Solna, Karolinska Institutet, Stockholm, and Astrid Lindgren Children's Hospital, Department of Pediatric Pulmonology and Allergy, Karolinska University Hospital, Stockholm, Sweden. <sup>21</sup>David Hide Asthma and Allergy Research Centre, Isle of Wight, United Kingdom. <sup>22</sup>Regione Puglia, Bari, Italy. <sup>23</sup>Regione Liguria, Genoa, Italy. <sup>24</sup>Upper Airways Research Laboratory, ENT Dept, Ghent University Hospital, Ghent, Belgium. <sup>25</sup>Allergy and Respiratory Diseases, Ospedale Policlinico San Martino, University of Genoa, Italy. <sup>26</sup>PNDR, Portuguese National Programme for Respiratory Diseases, Faculdade de Medicina de Lisboa, Lisbon, Portugal. <sup>27</sup>Director of the Geriatric Unit, Department of Internal Medicine (DIBIMIS), University of Palermo, Italy. <sup>28</sup>Telbios SRL, Milan, Italy. <sup>29</sup>Universidade do Estado do Pará, Belem, Brazil. <sup>30</sup>Department of Medicine, University of Cape Town, Cape Town, South Africa. <sup>31</sup>Hospital Civil de Guadalajara Dr Juan I Menchaca, Guadalajara, Mexico. <sup>32</sup>iQ4U Consultants Ltd, London, UK. <sup>33</sup>Section of Respiratory Disease, Department of Oncology, Haematology and Respiratory Diseases, University of Modena and Reggio Emilia, Modena, Italy. <sup>34</sup>Department of Respiratory Medicine, Academic Medical Center (AMC), University of Amsterdam, The Netherlands. <sup>35</sup>Charité - Universitätsmedizin Berlin, corporate member of Freie Universität Berlin, Humboldt-Universität zu Berlin, and Berlin

Institute of Health, Comprehensive Allergy Center, Department of Dermatology and Allergy, Global Allergy and Asthma European Network (GA<sup>2</sup>LEN), Berlin, Germany. <sup>36</sup>Dept of Respiratory Medicine, National Institute of Diseases of the Chest and Hospital, Dhaka, Bangladesh. <sup>37</sup>Centre for Individualized Medicine, Department of Pediatrics, Faculty of Medicine, Linköping, Sweden. <sup>38</sup>Department of Prevention of Environmental Hazards and Allergology, Medical University of Warsaw, Poland. <sup>39</sup>BIEBER. Department of Dermatology and Allergy, Rheinische Friedrich-Wilhelms-University Bonn, Bonn, Germany. <sup>40</sup>Dept of Biochemistry and Clinical Chemistry, University of Pharmacy with the Division of Laboratory Medicine, Warsaw Medical University, Warsaw, Poland. <sup>41</sup>Department of Dermatology and Allergy Centre, Odense University Hospital, Odense Research Center for Anaphylaxis (ORCA), Odense, Denmark. <sup>42</sup>Department of Respiratory Medicine and Allergology, University Hospital, Lund, Sweden. <sup>43</sup>Department of Geriatrics, Montpellier University Hospital, Montpellier, France. <sup>44</sup>EA 2991, Euroinov, University Montpellier, France. <sup>45</sup>Department of Pathophysiology and Transplantation, University of Milan, IRCCS Fondazione CàGranda Ospedale Maggiore Policlinico, Milan, Italy. <sup>46</sup>Argentine Association of Respiratory Medicine, Buenos Aires, Argentina. <sup>47</sup>Division of Internal Medicine, Asthma and Allergy, Barlicki University Hospital, Medical University of Lodz, Poland. <sup>48</sup>Pediatric Department, University of Verona Hospital, Verona, Italy. <sup>49</sup>UOC Pneumologia, Istituto di Medicina Interna, F. Policlinico Gemelli IRCCS, Università Cattolica del Sacro Cuore, Rome, Italy, and National Heart and Lung Institute, Royal Brompton Hospital & Imperial College London, UK. <sup>50</sup>Second University of Naples and Institute of Translational Medicine, Italian National Research Council. <sup>51</sup>Woolcock Institute of Medical Research, University of Sydney and Woolcock Emphysema Centre and Local Health District, Glebe, NSW, Australia. <sup>52</sup>Allergist, La Rochelle, France. <sup>53</sup>Associate Professor of Clinical medicine, Laval's University, Quebec city, Head of medicine department, Hôpital de la Malbaie, Quebec, Canada. <sup>54</sup>Quebec Heart and Lung Institute, Laval University, Québec City, Quebec, Canada. <sup>55</sup>Centre Hospitalier Valenciennes, France. <sup>56</sup>Head of Department of Clinical Pharmacy of Lithuanian University of Health Sciences, Kaunas, Lithuania. <sup>57</sup>Institute of Lung Health, Respiratory Biomedical Unit, University Hospitals of Leicester NHS Trust, Leicestershire, UK; Department of Infection, Immunity and Inflammation, University of Leicester, Leicester, UK. <sup>58</sup>Department of Health Research Methods, Evidence and Impact, Division of Immunology and Allergy, Department of Medicine, McMaster University, Hamilton, ON, Canada. <sup>59</sup>Chief of the University Pneumology Unit- AOU Molinette, Hospital City of Health and Science of Torino, Italy. <sup>60</sup>Universitätsmedizin der Johannes Gutenberg-Universität Mainz, Mainz, Germany. <sup>61</sup>Pharmacist, Municipality Pharmacy, Sarno, Italy. <sup>62</sup>University of Medicine and Pharmacy Victor Babes, Timisoara, Romania. <sup>63</sup>Instituto de Pediatría, Hospital Zambrano Hellion Tec de Monterrey, Monterrey, Mexico. <sup>64</sup>Imperial College and Royal Brompton Hospital, London, UK. <sup>65</sup>Centro Medico Docente La Trinidad, Caracas, Venezuela. <sup>66</sup>Regional Director Assofarm Campania and Vice President of the Board of Directors of Cofaser, Salerno, Italy. <sup>67</sup>Service de pneumologie, CHU et université d'Auvergne, Clermont-Ferrand, France. <sup>68</sup>Department of Respiratory Diseases, Montpellier University Hospital, France. <sup>69</sup>Imperial College London - National Heart and Lung Institute, Royal Brompton Hospital NHS, London, UK. <sup>70</sup>Federal University of Minas Gerais, Medical School, Department of Pediatrics, Belo Horizonte, Brazil. <sup>71</sup>Assitant Director General, Montpellier, Région Occitanie, France. <sup>72</sup>Mayor of Sarno and President of Salerno Province, Director, Anesthesiology Service, Sarno "Martiri del Villa Malta" Hospital, Italy. <sup>73</sup>Allergy Section, Department of Internal Medicine, Hospital Vall d'Hebron & ARADyAL Spanish Research Network, Barcelona, Spain. <sup>74</sup>Department of Paediatrics, Oslo University Hospital and University of Oslo, Oslo, Norway. <sup>75</sup>CEDOC, Integrated Pathophysiological Mechanisms Research Group, Nova Medical School, Campo dos Martires da Patria, Lisbon, and Serviço de Imunoalergologia, Centro Hospitalar de Lisboa Central, EPE, Lisbon, Portugal. <sup>76</sup>Regional Ministry of Health of Andalusia, Seville, Spain. <sup>77</sup>Allergy and Asthma Associates of Southern California, Mission Viejo, CA, USA. <sup>78</sup>ASA - Advanced Solutions Accelerator, Clapiers, France. <sup>79</sup>Division of Allergy/Immunology, University of South Florida, Tampa, Fla, USA. <sup>80</sup>Celentano pharmacy, Massa Lubrense, Italy. <sup>81</sup>SOS Allergology and Clinical Immunology, USL Toscana Centro, Prato, Italy. <sup>82</sup>Allergy and Immunology Laboratory, Metropolitan University Hospital, Branquillá, Columbia. <sup>83</sup>Department of Public Health and Primary Care, Leiden University Medical Center, Leiden, The Netherlands. <sup>84</sup>Capital Institute of Pediatrics, Chaoyang district, Beijing, China. <sup>85</sup>School of Medicine, University CEU San Pablo, Madrid, Spain. <sup>86</sup>David Tvidiani Medical University - Aieti Highest Medical School, David Tatishvili Medical Center Tbilisi, Georgia. <sup>87</sup>Pulmonology Research Institute FMBA, Moscow, Russia and GARD Executive Committee, Moscow, Russia. <sup>88</sup>National Heart & Lung Institute, Imperial College, London, UK. <sup>89</sup>Specialist social worker, Sorrento, Italy. <sup>90</sup>Argentine Federation of Otorhinolaryngology Societies, Buenos Aires, Argentina. <sup>91</sup>Eskisehir Osmangazi University, Medical Faculty, ENT Department, Eskisehir, Turkey. <sup>92</sup>Medicine Department, IRCCS-Azienda Ospedaliera Universitaria San Martino, Genoa, Italy. <sup>93</sup>Universidade Federal da Bahia, Escola de Enfermagem, Brazil. <sup>94</sup>Plateforme Transversale d'Allergologie, Institut du Thorax, CHU de Nantes, Nantes, France. <sup>95</sup>LANUA International Healthcare Consultancy, Northern Ireland, UK. <sup>96</sup>Innovación y nuevas tecnologías, Salud Sector sanitario de Barbastro, Barbastro, Spain. <sup>97</sup>Innovation and Research Office, Department of Health and Social Solidarity, Autonomous Province of Trento, Italy. <sup>98</sup>Lifeand Health Sciences Research Institute (ICVS), School of Medicine, University of Minho, Braga, Portugal; ICVS/3B's, PT Government Associate Laboratory, Braga/Guimarães, Portugal. <sup>99</sup>Servicio de Allergologia, Hospital Angeles del Carmen, Guadalajara, Mexico. <sup>100</sup>FIMMG (Federazione Italiana Medici di Medicina Generale), Milan, Italy. <sup>101</sup>UCIBIO, REQUINTE, Faculty of Pharmacy and Competence Center on Active and Healthy Ageing of University of Porto (Porto4Ageing), Porto, Portugal. <sup>102</sup>Allergologo, Mexico City, Mexico. <sup>103</sup>IMT Mines Alès, Université Montpellier, Alès, France. <sup>104</sup>Department of Medicine, Nova Southeastern University, Davie, University of Miami Dept of Medicine, Miami, Florida, USA. <sup>105</sup>Regional Director Assofarm Campania and Vice President of the Board of Directors of Cofaser, Salerno, Italy. <sup>106</sup>ProAR - Nucleo de Excelencia em Asma, Federal University of Bahia, Brasil and WHO GARD Planning Group, Brazil. <sup>107</sup>Centre for Respiratory Medicine and Allergy, Institute of Inflammation and Repair, University of Manchester and University Hospital of South Manchester, Manchester, UK. <sup>108</sup>Medical Consulting Czarlewski, Levallois, France. <sup>109</sup>The Centre for Allergy Research, The Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden. <sup>110</sup>Azienda Provinciale per i Servizi Sanitari di Trento (APSS-Trento), Italy. <sup>111</sup>Department of Internal Medicine and Allergy Clinic of Professor Polydoro Ernani de São Thiago University Hospital, Federal University of Santa Catarina (UFSC), Florianópolis, Santa Catarina, Brazil. <sup>112</sup>Sleep Unit, Department of Neurology, Hôpital Gui-de-Chauliac Montpellier, Inserm U1061, France. <sup>113</sup>Department of Dermatology and Allergy, Technische Universität München, Munich, Germany; ZAUM-Center for Allergy and Environment, Helmholtz Center Munich, Technische Universität München, Munich, Germany. <sup>114</sup>Allergy Division, Chest Disease Department, University Hospital of Strasbourg, Strasbourg, France. <sup>115</sup>EFA European Federation of Allergy and Airways Diseases Patients' Associations, Brussels, Belgium. <sup>116</sup>AQUAS, Barcelona, Spain & EUREGHA, European Regional and Local Health Association, Brussels, Belgium. <sup>117</sup>Policlínica Geral do Rio de Janeiro, Rio de Janeiro - Brasil. <sup>118</sup>Department of Medicine, Surgery and Dentistry "Scuola Medica Salernitana", University of Salerno, Salerno, Italy. <sup>119</sup>Peercod BV, Geldermalsen, The Netherlands. <sup>120</sup>Social workers coordinator, Sorrento, Italy. <sup>121</sup>Federal University of the State of Rio de Janeiro, School of Medicine and Surgery, Rio de Janeiro, Brazil. <sup>122</sup>Allergology and Immunology Discipline, "Liliu Hatieganu" University of Medicine and Pharmacy, Cluj-Napoca, Romania. <sup>123</sup>Department of Medicine, Division of Clinical Immunology and Allergy, McMaster University, Hamilton, Ontario, Canada. <sup>124</sup>Laboratoire de Pharmacologie Respiratoire UPRES EA220, Hôpital Foch, Suresnes, Université Versailles Saint-Quentin, Université Paris Saclay, France. <sup>125</sup>Farmacie Dei Golfi Group, Massa Lubrense, Italy. <sup>126</sup>Rangueil-Larrey Hospital, Respiratory Diseases Department, Toulouse, France. <sup>127</sup>University Clinic of Pulmology and Allergy, Medical Faculty Skopje, Republic of Macedonia. <sup>128</sup>Allergologo, Mexico City, Mexico. <sup>129</sup>Service de Pneumo-Allergologie, Centre Hospitalo-Universitaire de Béni-Messous, Algiers, Algeria. <sup>130</sup>Clinic of infectious, chest diseases, dermatology and allergology, Vilnius University, Vilnius, Lithuania. <sup>131</sup>Allergy and Clinical Immunology National Heart and Lung Institute, Imperial College London, UK. <sup>132</sup>Guy's and St Thomas' NHS Trust, Kings College London, UK. <sup>133</sup>Section of Allergy and Immunology, Saint Louis University School of Medicine, Saint Louis, Missouri, USA. <sup>134</sup>Pediatric Allergy and Immunology Unit, Children's Hospital, Ain Shams University, Cairo, Egypt. <sup>135</sup>Department of Computing Science, Umeå University, Sweden and Four Computing Oy, Finland. <sup>136</sup>Clinic of Children's Diseases, Faculty of Medicine, Vilnius University, Vilnius, Lithuania. <sup>137</sup>University of São Paulo Medical School, Sao Paulo, Brazil. <sup>138</sup>Andalusian Agency for Healthcare Quality, Seville, Spain. <sup>139</sup>Global Allergy and Asthma Platform GAAPP, Vienna, Austria. <sup>140</sup>Division of Allergy, Department of Pediatric Medicine - The Bambino Gesù Children's Research Hospital Holy See, Rome, Italy. <sup>141</sup>Department of Otorhinolaryngology, Academic Medical Centers, Amsterdam, the Netherlands. <sup>142</sup>CINTESIS, Center for Research in Health Technologies and Information Systems, Faculdade de Medicina da

- Universidade do Porto, Porto, Portugal and MEDIDA, Lda, Porto, Portugal.
- <sup>143</sup>Allergist, Reims, France. <sup>144</sup>Hospital General Regional 1 "Dr Carlos Mc Gregor Sanchez Navarro" IMSS, Mexico City, Mexico. <sup>145</sup>Regional hospital of ISSSTE, Puebla, Mexico. <sup>146</sup>National Center for Disease Control and Public Health of Georgia, Tbilisi, Georgia. <sup>147</sup>Allergologo, Guadalajara, Mexico. <sup>148</sup>Allergy Clinic, National Institute of Respiratory Diseases, Mexico City, Mexico. <sup>149</sup>Department of Pulmonary Diseases, Istanbul University-Cerrahpasa, Cerrahpasa Faculty of Medicine, Istanbul, Turkey. <sup>150</sup>Allergology unit, UHATEM "NIPirogov", Sofia, Bulgaria. <sup>151</sup>Medical University, Faculty of Public Health, Sofia, Bulgaria. <sup>152</sup>Allergy and Immunology Division, Clinica Ricardo Palma, Lima, Peru. <sup>153</sup>Department of Internal Medicine, section of Allergology, Erasmus MC, Rotterdam, The Netherlands. <sup>154</sup>Allergy & Asthma Unit, Hospital San Bernardo Salta, Argentina. <sup>155</sup>Allergy Clinic, Hospital Regional del ISSSTE 'Lic. López Mateos', Mexico City, Mexico. <sup>156</sup>Head and Professor, Centro Regional de Excelencia CONACYT y WAO en Alergia, Asma e Inmunología, Hospital Universitario, Universidad Autónoma de Nuevo León, Monterrey NL, Mexico. <sup>157</sup>Center of Allergy and Immunology, Georgian Association of Allergology and Clinical Immunology, Tbilisi, Georgia. <sup>158</sup>Latvian Association of Allergists, Center of Tuberculosis and Lung Diseases, Riga, Latvia. <sup>159</sup>Federal District Base Hospital Institute, Brasília, Brazil. <sup>160</sup>Institute of Health Policy and Management iBMG, Erasmus University, Rotterdam, The Netherlands. <sup>161</sup>University Hospital Olomouc – National eHealth Centre, Czech Republic. <sup>162</sup>Immunology and Allergy Division, Clinical Hospital, University of Chile, Santiago, Chile. <sup>163</sup>Skin and Allergy Hospital, Helsinki University Hospital, University of Helsinki, Helsinki, Finland. <sup>164</sup>Centich: centre d'expertise national des technologies de l'information et de la communication pour l'autonomie, Gérontopôle autonomie longévité des Pays de la Loire, Conseil régional des Pays de la Loire, Centre d'expertise Partenariat Européen d'Innovation pour un vieillissement actif et en bonne santé, Nantes, France. <sup>165</sup>Autonomous University of Baja California, Ensenada, Baja California, Mexico. <sup>166</sup>Department of Paediatrics and Child Health, University College Cork, Cork, Ireland. <sup>167</sup>Hospital General Regional 1 "Dr. Carlos MacGregor Sánchez Navarro" IMSS, Mexico City, Mexico. <sup>168</sup>Université Paris-Sud; Service de Pneumologie, Hôpital Bicêtre; Inserm UMR\_S999, Le Kremlin Bicêtre, France. <sup>169</sup>Dipartimento di medicina, chirurgia e odontoiatria, università di Salerno, Italy. <sup>170</sup>Division for Health Innovation, Campania Region and Federico II University Hospital Naples (R&D and DISMET) Naples, Italy. <sup>171</sup>Servicio de Alergia e Inmunología, Clínica Santa Isabel, Buenos Aires, Argentina. <sup>172</sup>President, Libra Foundation, Buenos Aires, Argentina. <sup>173</sup>Medical University of Gdańsk, Department of Allergology, Gdansk, Poland. <sup>174</sup>Airway Disease Infection Section, National Heart and Lung Institute, Imperial College; MRC & Asthma UK Centre in Allergic Mechanisms of Asthma, London, UK. <sup>175</sup>Dept of Respiratory Medicine, Ghent University Hospital, Ghent, Belgium. <sup>176</sup>Hallym University College of Medicine, Hallym University Sacred Heart Hospital, Gyeonggi-do, South Korea. <sup>177</sup>Department of Clinical Immunology, Wrocław Medical University, Poland. <sup>178</sup>Ukrainina Medical Stomatological Academy, Poltava, Ukraine. <sup>179</sup>Pediatric Allergy and Asthma Unit, Hacettepe University School of Medicine, Ankara, Turkey. <sup>180</sup>Hacettepe University, School of Medicine, Department of Chest Diseases, Immunology and Allergy Division, Ankara, Turkey. <sup>181</sup>Allergy Centre, Tampere University Hospital, Tampere, Finland. <sup>182</sup>First Department of Family Medicine, Medical University of Lodz, Poland. <sup>183</sup>Institute of Social Medicine, Epidemiology and Health Economics, Charité - Universitätsmedizin Berlin, Berlin, and Institute for Clinical Epidemiology and Biometry, University of Wuerzburg, Germany. <sup>184</sup>Department of Medicine, McMaster University, Health Sciences Centre 3V47, West, Hamilton, Ontario, Canada. <sup>185</sup>National Research Center, Institute of Immunology, Federal Medicobiological Agency, Laboratory of Molecular immunology, Moscow, Russian Federation. <sup>186</sup>GARD Chairman, Geneva, Switzerland. <sup>187</sup>Allergy & Asthma Center Westend, Berlin, Germany. <sup>188</sup>Center for Rhinology and Allergology, Wiesbaden, Germany. <sup>189</sup>Department of Immunology and Allergy, Healthy Ageing Research Center, Medical University of Lodz, Lodz, Poland. <sup>190</sup>Children's Hospital and University of Helsinki, Finland. <sup>191</sup>Department of Clinical Science and Education, Södersjukhuset, Karolinska Institutet, Stockholm and Sachs' Children and Youth Hospital, Södersjukhuset, Stockholm, Sweden. <sup>192</sup>Faculty of Medicine, Vilnius University, Vilnius, Lithuania. <sup>193</sup>Department of Prevention of Environmental Hazards and Allergology, Medical University of Warsaw, Poland. <sup>194</sup>Center of Excellence in Asthma and Allergy, Médica Sur Clinical Foundation and Hospital, México City, Mexico. <sup>195</sup>Presidente CMMC, Milano, Italy. <sup>196</sup>Head of the Allergy Department of Pedro de Elizalde Children's Hospital, Buenos Aires, Argentina. <sup>197</sup>University of Medicine and Pharmacy, Hochiminh City, Vietnam. <sup>198</sup>Federal University of Bahia, Brazil. <sup>199</sup>Sifmed, Milano, Italy. <sup>200</sup>State Key Laboratory of Respiratory Diseases, Guangzhou Institute of Respiratory Disease, the First Affiliated Hospital of Guangzhou Medical University, Guangzhou, China. <sup>201</sup>Departments of Internal Medicine and Pediatrics (Divisions of Allergy and Immunology), University of Tennessee College of Medicine, Germantown, TN, USA. <sup>202</sup>Scottish Centre for Respiratory Research, Cardiovascular & Diabetes Medicine, Medical Research Institute, Ninewells Hospital, University of Dundee, UK. <sup>203</sup>Oslo University Hospital, Department of Paediatrics, Oslo, and University of Oslo, Faculty of Medicine, Institute of Clinical Medicine, Oslo, Norway. <sup>204</sup>Department of Pulmonary Medicine, CHU Sart-Tilman, and GIGA I3 research group, Liege, Belgium. <sup>205</sup>Faculty of Health Sciences and CICS – UBI, Health Sciences Research Centre, University of Beira Interior, Covilhã, Portugal. <sup>206</sup>Department of Philosophical, Methodological and Instrumental Disciplines, CUCS, University of Guadalajara, Guadalajara, Mexico. <sup>207</sup>Department of Pulmonary Medicine, Rashid Hospital, Dubai, UAE. <sup>208</sup>Biomax Informatics AG, Munich, Germany. <sup>209</sup>Director General for Health and Social Care, Scottish Government, Edinburgh, UK. <sup>210</sup>Department of Respiratory Medicine, University of Bratislava, Bratislava, Slovakia. <sup>211</sup>Coimbra Institute for Clinical and Biomedical Research (ICBR), Faculty of Medicine, University of Coimbra, Portugal; Ageing@Coimbra EIP-AHA Reference Site, Coimbra, Portugal. <sup>212</sup>Medical center Iskar Ltd Sofia, Bulgaria. <sup>213</sup>Department of Medicine (RCSI), Bon Secours Hospital, Glasnevin, Dublin, Ireland. <sup>214</sup>Kronikgune, International Centre of Excellence in Chronicity Research Barakaldo, Bizkaia, Spain. <sup>215</sup>Division of Clinical Immunology and Allergy, Laboratory of Behavioral Immunology Research, The University of Mississippi Medical Center, Jackson, Mississippi, USA. <sup>216</sup>Tobacco Control Research Centre/Iranian Anti Tobacco Association, Tehran, Iran. <sup>217</sup>Argentine Association of Allergy and Clinical Immunology, Buenos Aires, Argentina. <sup>218</sup>Hospital de Especialidades, Centro Medico Nacional Siglo XXI, Mexico City, Mexico. <sup>219</sup>University of Southeast Bahia, Brazil. <sup>220</sup>Allergie-Centrum-Charité at the Department of Dermatology and Allergy, Charité - Universitätsmedizin Berlin, Germany. <sup>221</sup>Maputo Central Hospital, Department of Paediatrics, Maputo, Mozambique. <sup>222</sup>Allergologo, Veracruz, Mexico. <sup>223</sup>Sachs' Children and Youth Hospital, Södersjukhuset, Stockholm and Institute of Environmental Medicine, Karolinska Institutet, Stockholm, Sweden. <sup>224</sup>Allergy and Asthma Medical Group and Research Center, San Diego, California, USA. <sup>225</sup>CIRFF, Federico II University, Naples, Italy. <sup>226</sup>Department of Physiology, CHRU, University Montpellier, Vice President for Research, PhyMedExp, INSERM U1046, CNRS UMR 9214, France. <sup>227</sup>Croatian Pulmonary Society. <sup>228</sup>National Institute of Pneumology M Nasta, Bucharest, Romania. <sup>229</sup>Clinic for Pulmonary Diseases, Clinical Center of Serbia, Faculty of Medicine, University of Belgrade, Serbian Association for Asthma and COPD, Belgrade, Serbia. <sup>230</sup>Regione Piemonte, Torino, Italy. <sup>231</sup>Col Jardines de Sta Monica, Tlalneantla, Mexico. <sup>232</sup>National Center for Research in Chronic Respiratory Diseases, Tishreen University School of Medicine, Latakia, Syria. <sup>233</sup>Department of Public health and health products, Paris Descartes University-Sorbonne Paris Cité, EA 4064 and Paris Municipal Department of social action, childhood, and health, Paris, France. <sup>234</sup>Paris municipal Department of social action, childhood, and health, Paris, France. <sup>235</sup>Lead Respiratory Physician Mater Dei Hospital Malta, Academic Head of Dept and Professor of Medicine University of Malta, Deputy Dean Faculty of Medicine and Surgery University of Medicine, La Valette, Malta. <sup>236</sup>Department of Medical Sciences, Allergy and Clinical Immunology Unit, University of Torino & Mauriziano Hospital, Torino, Italy. <sup>237</sup>Instituto de Prevision Social IPS HC, Socia de la SPAAI, Tesorera de la SLAAI, Asuncion, Paraguay. <sup>238</sup>Allergy Center, CUF Descobertas Hospital, Lisbon, Portugal. <sup>239</sup>Universidade de São Paulo, São Paulo, Brazil. <sup>240</sup>Institute of Medical Statistics, and Computational Biology, Medical Faculty, University of Cologne, Germany and CRI-Clinical Research International-Ltd, Hamburg, Germany. <sup>241</sup>General Pathology Institute, Faculty of Medicine, University of Coimbra, Portugal; Ageing@Coimbra EIP-AHA Reference Site, Coimbra, Portugal. <sup>242</sup>Federal University of Bahia, Brazil. <sup>243</sup>Rhinology Unit & Smell Clinic, ENT Department, Hospital Clinic; Clinical & Experimental Respiratory Immunology, IDIBAPS, CIBERES, University of Barcelona, Spain. <sup>244</sup>Danish Committee for Health Education, Copenhagen East, Denmark. <sup>245</sup>Food Allergy Referral Centre Veneto Region, Department of Women and Child Health, Padua General University Hospital, Padua, Italy. <sup>246</sup>Director, Medical Communications Consultant, MedScript Ltd, Dundalk, Co Louth, Ireland and New Zealand, and Honorary Research Fellow, OPC, Cambridge, UK. <sup>247</sup>Johns Hopkins School of Medicine, Baltimore, Maryland, USA. <sup>248</sup>General Manager of COFASER - Pharmacy Services Consortium, Salerno, Italy. <sup>249</sup>Scientific Centre of Children's Health under the MoH, Moscow, Russian National Research Medical University named Pirogov, Moscow, Russia. <sup>250</sup>Director of Center of Allergy, Immunology and Respiratory Diseases, Santa

- Fe, Argentina Center for Allergy and Immunology, Santa Fe, Argentina. <sup>251</sup>Dept of Otorhinolaryngology, Medical University of Vienna, AKH, Vienna, Austria. <sup>252</sup>Hospital of the Hospitaller Brothers in Buda, Budapest, Hungary. <sup>253</sup>Die Hautambulanz and Rothhaar study center, Berlin, Germany. <sup>254</sup>Neumología y Alergología Infantil, Hospital La Fe, Valencia, Spain. <sup>255</sup>Center for Health Technology and Services Research - CINTESIS and Department of Internal Medicine, Centro Hospitalar Sao Joao, Porto, Portugal. <sup>256</sup>Caisse d'assurance retraite et de la santé au travail du Languedoc-Roussillon (CARSAT-LR), Montpellier, France. <sup>257</sup>Director of Department of Pharmacy of University of Naples Federico II, Naples, Italy. <sup>258</sup>ENT Department, University Hospital of Kinshasa, Kinshasa, Congo. <sup>259</sup>Department of Allergy, Immunology and Respiratory Medicine, Alfred Hospital and Central Clinical School, Monash University, Melbourne, Victoria, Australia; Department of Immunology, Monash University, Melbourne, Victoria, Australia. <sup>260</sup>Medical center "Research expert", Varna, Bulgaria. <sup>261</sup>National Hospital Organization, Tokyo National Hospital, Tokyo, Japan. <sup>262</sup>Dept of Otorhinolaryngology, Chiba University Hospital, Chiba, Japan. <sup>263</sup>Dept of Otolaryngology, Nippon Medical School, Tokyo, Japan. <sup>264</sup>Allergologo, Jalisco, Guadalajara, Mexico. <sup>265</sup>Centre Hospitalier Universitaire Pédiatrique Charles de Gaulle, Ouagadougou, Burkina Faso. <sup>266</sup>Dept of Comparative Medicine; Messerli Research Institute of the University of Veterinary Medicine and Medical University, Vienna, Austria. <sup>267</sup>Department of Immunology and Allergology, Faculty of Medicine and Faculty Hospital in Pilsen, Charles University in Prague, Pilsen, Czech Republic. <sup>268</sup>Division of Infection, Immunity & Respiratory Medicine, Royal Manchester Children's Hospital, University of Manchester, Manchester, UK, and Allergy Department, 2nd Pediatric Clinic, Athens General Children's Hospital "P&A Kyriakou," University of Athens, Athens, Greece. <sup>269</sup>Department of Allergy and Clinical Immunology, Ajou University School of Medicine, Suwon, South Korea. <sup>270</sup>Respiratory Medicine, Department of Medical Sciences, University of Ferrara, Ferrara, Italy. <sup>271</sup>Allergy and Respiratory Diseases, Ospedale Policlinico San Martino - University of Genoa, Italy. <sup>272</sup>Farmacias Holon, Lisbon, Portugal. <sup>273</sup>Department of Pediatrics, Nippon Medical School, Tokyo, Japan. <sup>274</sup>University of Southern Denmark, Kolding, Denmark. <sup>275</sup>Université Grenoble Alpes, Laboratoire HP2, Grenoble, INSERM, U1042 and CHU de Grenoble, France. <sup>276</sup>Allergy Unit, CUF-Porto Hospital and Institute; Center for Research in Health Technologies and information systems CINTESIS, Universidade do Porto, Portugal. <sup>277</sup>Sociologist, municipality area n33, Sorrento, Italy. <sup>278</sup>Center for Rhinology and Allergology, Wiesbaden, Germany. <sup>279</sup>Department of Otorhinolaryngology, Head and Neck Surgery, Universitätsmedizin Mannheim, Medical Faculty Mannheim, Heidelberg University, Mannheim, Germany. <sup>280</sup>Centre for empowering people and communities, Dublin, UK. <sup>281</sup>Conseil Général de l'Economie Ministère de l'Economie, de l'Industrie et du Numérique, Paris, France. <sup>282</sup>Société de Pneumologie de Langue Française, Espace francophone de Pneumologie, Paris, France. <sup>283</sup>Département de pédiatrie, CHU de Grenoble, Grenoble France. <sup>284</sup>Medical School, University of Cyprus, Nicosia, Cyprus. <sup>285</sup>Children's Hospital Srebrnjak, Zagreb, School of Medicine, University J.J. Strossmayer, Osijek, Croatia. <sup>286</sup>Karl Landsteiner Institute for Clinical and Experimental Pneumology, Hietzing Hospital, Vienna, Austria. <sup>287</sup>University Hospital "Sv. Ivan Rilski", Sofia, Bulgaria. <sup>288</sup>Allergy Diagnostic and Clinical Research Unit, University of Cape Town Lung Institute, Cape Town, South Africa. <sup>289</sup>Vice-Presidente of IML, Milano, Italy. <sup>290</sup>Centre of Academic Primary Care, Division of Applied Health Sciences, University of Aberdeen, Aberdeen, United Kingdom; Observational and Pragmatic Research Institute, Singapore, Singapore. <sup>291</sup>Department of Otorhinolaryngology University of Crete School of Medicine, Heraklion, Greece. <sup>292</sup>European Forum for Research and Education in Allergy and Airway Diseases (EUFOREA), Brussels, Belgium. <sup>293</sup>Allergologo, Cancun Quintana Roo, Mexico. <sup>294</sup>Lungen-Clinic Grosshansdorf, Airway Research Center North, Member of the German Center for Lung Research (DZL), Grosshansdorf, Germany Department of Medicine, Christian Albrechts University, Airway Research Center North, Member of the German Center for Lung Research (DZL), Kiel, Germany. <sup>295</sup>Department of Nephrology and Endocrinology, Karolinska University Hospital, Stockholm, Sweden. <sup>296</sup>Farmácia São Paio, Vila Nova de Gaia, Porto, Portugal. <sup>297</sup>St Vincent's Hospital and University of Sydney, Sydney, New South Wales, Australia. <sup>298</sup>Allergologo, Mexico City, Mexico. <sup>299</sup>Serviço de Pneumologia-Hosp das Clinicas UFPE-EBSEERH, Recife, Brazil. <sup>300</sup>Universidade Federal de São Paulo, São Paulo, Brazil. <sup>301</sup>Centre of Pneumology, Coimbra University Hospital, Portugal. <sup>302</sup>Polibienestar Research Institute, University of Valencia, Valencia, Spain. <sup>303</sup>Pediatric Allergy and Clinical Immunology, Hospital Angeles Pedregal, Mexico City, Mexico. <sup>304</sup>Getafe University Hospital Department of Geriatrics, Madrid, Spain. <sup>305</sup>Association Asthme et Allergie, Paris, France. <sup>306</sup>Universidade Federal do Rio de Janeiro, Rio de Janeiro, Brazil. <sup>307</sup>Primary Care Respiratory Research Unit Instituto de Investigação Sanitaria de Palma IdisPa, Palma de Mallorca, Spain. <sup>308</sup>Allergy Unit, Presidio Columbus, Rome, Catholic University of Sacred Heart, Rome and IRCCS Oasi Maria SS, Troina, Italy. <sup>309</sup>Hospital General, Mexico City, Mexico. <sup>310</sup>Regione Piemonte, Torino, Italy. <sup>311</sup>Medical University of Graz, Department of Internal Medicine, Graz, Austria. <sup>312</sup>Serviço de Imunoalergologia Hospital da Luz, Lisboa, Portugal. <sup>313</sup>Hospital de Clinicas, University of Parana, Brazil. <sup>314</sup>Division of Allergy Asthma and Clinical Immunology, Emek Medical Center, Afula, Israel. <sup>315</sup>Honorary Clinical Research Fellow, Allergy and Respiratory Research Group, The University of Edinburgh, Edinburgh, UK. <sup>316</sup>Showa University School of Medicine, Tokyo, Japan. <sup>317</sup>Association of Finnish Pharmacies, Helsinki, Finland. <sup>318</sup>Allergy and Clinical Immunology Department, Centro Médico-Docente la Trinidad and Clínica El Avila, Caracas, Venezuela. <sup>319</sup>Faculty of Medicine, Autonomous University of Madrid, Spain. <sup>320</sup>The Royal National TNE Hospital, University College London, São Paulo, Brazil. <sup>321</sup>DIBIMIS, University of Palermo, Italy. <sup>322</sup>Allergy Unit, Department of Dermatology, University Hospital of Zurich, Zürich, Switzerland. <sup>323</sup>Asthma Reference Center, Escola Superior de Ciências da Santa Casa de Misericórdia de Vitória - Esperido Santo, Brazil. <sup>324</sup>The Usher Institute of Population Health Sciences and Informatics, The University of Edinburgh, Edinburgh, UK. <sup>325</sup>Department of Pediatrics & Child Health, Department of Immunology, Faculty of Medicine, University of Manitoba, Winnipeg, Manitoba, Canada. <sup>326</sup>INSERM, Université Grenoble Alpes, IAB, U 1209, Team of Environmental Epidemiology applied to Reproduction and Respiratory Health, Université Joseph Fourier, Grenoble, France. <sup>327</sup>Sociedad Paraguaya de Alergia Asma e Inmunología, Paraguay. <sup>328</sup>Division of Allergy, Clinical Immunology and Rheumatology, Department of Pediatrics, Federal University of São Paulo, São Paulo, Brazil. <sup>329</sup>European Health Futures Forum (EHFF), Dromahair, Ireland. <sup>330</sup>ENT, Aachen, Germany. <sup>331</sup>Kyrgyzstan National Centre of Cardiology and Internal medicine, Euro-Asian respiratory Society, Bishkek, Kyrgyzstan. <sup>332</sup>University Hospital Olomouc, Czech Republic. <sup>333</sup>Department of Paediatric and Adolescent medicine, University Hospital of North Norway, Tromsø, Paediatric Research Group, Department of Clinical Medicine, Faculty of Health Sciences, UiT The Arctic University of Norway, Tromsø, Norway. <sup>334</sup>Presidente, IML (Lombardy Medical Initiative), Bergamo, Italy. <sup>335</sup>Pulmonary Division, Heart Institute (InCor), Hospital da Clinicas da Faculdade de Medicina da Universidade de Sao Paulo, Sao Paulo, Brazil. <sup>336</sup>Public Health Institute of Vilnius University, Vilnius, Lithuania. <sup>337</sup>Universidade Federal do Estado do Rio de Janeiro, Rio de Janeiro, Brazil. <sup>338</sup>RNSA (Réseau National de Surveillance Aérobiologique), Brussieu, France. <sup>339</sup>The Hospital for Sick Children, Dalla Lana School of Public Health, University of Toronto, Canada. <sup>340</sup>Imunoalergologia, Centro Hospitalar Universitário de Coimbra and Faculty of Medicine, University of Coimbra, Portugal. <sup>341</sup>Department of ENT, Medical University of Graz, Austria. <sup>342</sup>Campania Region, Division on Pharmacy and devices policy, Naples, Italy. <sup>343</sup>Department of Respiratory Medicine, Hvidovre Hospital & University of Copenhagen, Denmark. <sup>344</sup>Universidade Federal dos Pampas, Uruguaiana, Brazil. <sup>345</sup>Division of Immunopathology, Department of Pathophysiology and Allergy Research, Center for Pathophysiology, Infectiology and Immunology, Medical University of Vienna, Vienna, Austria. <sup>346</sup>Pneumology and Allergy Department CIBERES and Clinical & Experimental Respiratory Immunoallergy, IDIBAPS, University of Barcelona, Spain. <sup>347</sup>Vilnius University Institute of Clinical Medicine, Clinic of Children's Diseases, and Institute of Health Sciences, Department of Public Health, Vilnius, Lithuania; European Academy of Paediatrics (EAP/UEMS-SP), Brussels, Belgium. <sup>348</sup>Department of Lung Diseases and Clinical Immunology Allergology, University of Turku and Turveystalo allergy clinic, Turku, Finland. <sup>349</sup>PELyon; HESPER 7425, Health Services and Performance Research - Université Claude Bernard Lyon, France. <sup>350</sup>Immunology and Allergy Unit, Department of Medicine Solna, Karolinska Institutet and University Hospital, Stockholm. <sup>351</sup>Department of Chest Medicine, Centre Hospitalier Universitaire UCL Namur, Université Catholique de Louvain, Yvoir, Belgium. <sup>352</sup>University of Bari Medical School, Unit of Geriatric Immunoallergology, Bari, Italy. <sup>353</sup>Pulmonary Unit, Department of Medical Specialties, Arcispedale S.Maria Nuova/IRCCS, AUSL di Reggio Emilia, Italy. <sup>354</sup>FILHA, Finnish Lung Association, Helsinki, Finland. <sup>355</sup>Pulmonary Environmental Epidemiology Unit, CNR Institute of Clinical Physiology, Pisa, Italy; and CNR Institute of Biomedicine and Molecular Immunology "A Monroy", Palermo, Italy. <sup>356</sup>Medical University, Plovdiv, Bulgaria. Department of Otorhinolaryngology, Plovdiv, Bulgaria. <sup>357</sup>Sotiria Hospital, Athens, Greece. <sup>358</sup>Dept of Otorhinolaryngology, Universitätsklinikum Düsseldorf, Germany. <sup>359</sup>Asthma UK, Mansell street, London, UK. <sup>360</sup>Nova Southeastern University, Fort Lauderdale, Florida, USA. <sup>361</sup>Department of

Otolaryngology, Yong Loo Lin School of Medicine, National University of Singapore, Singapore, Singapore. <sup>362</sup>Department of Medicine, Clinical Immunology and Allergy, McMaster University, Hamilton, Ontario, Canada. <sup>363</sup>Division of Immunodermatology and Allergy Research, Department of Dermatology and Allergy, Hannover Medical School, Hannover, Germany. <sup>364</sup>Department of Medicine Solna, Immunology and Allergy Unit, Karolinska Institutet and Department of ENT diseases, Karolinska University Hospital, Stockholm, Sweden. <sup>365</sup>Eshelman School of Pharmacy, University of North Carolina, Chapel Hill, NC, USA. <sup>366</sup>International Primary Care Respiratory Group IPCRG, Aberdeen, Scotland. <sup>367</sup>Bradford Institute for Health Research, Bradford Royal Infirmary, Bradford, UK. <sup>368</sup>Allergologist - Medical College of Medical Faculty, Thracian University, Stara Zagora, Bulgaria. <sup>369</sup>Department of Research, Olmsted Medical Center, Rochester, Minnesota, USA. <sup>370</sup>Cyprus International Institute for Environmental & Public Health in Association with Harvard School of Public Health, Cyprus University of Technology, Limassol, Cyprus; Department of Pediatrics, Hospital "Archbishop Makarios III", Nicosia, Cyprus. <sup>371</sup>Celal Bayar University Department of Pulmonology, Manisa, Turkey. <sup>372</sup>The Allergy and Asthma Institute, Islamabad, Pakistan. <sup>373</sup>Department of Paediatrics and Child Health, Red Cross Children's Hospital, and MRC Unit on Child & Adolescent Health, University of Cape Town, Cape Town, South Africa. <sup>374</sup>Department of Otolaryngology Head and Neck Surgery, Beijing TongRen Hospital and Beijing Institute of Otolaryngology, Beijing, China. <sup>375</sup>Universidad Católica de Córdoba, Córdoba, Argentina. <sup>376</sup>University Clinic of Respiratory and Allergic Diseases, Golnik, Slovenia. <sup>377</sup>Gesundheitsregion KölnBonn - HRCB Projekt GmbH, Kohn, Germany. <sup>378</sup>Akershus University Hospital, Department of Otorhinolaryngology, Akershus, Norway. <sup>379</sup>Chief of Staff, the Northern Health Science Alliance (NHSA) and Director and Founder of Northern Health Matters Ltd, Manchester, UK. <sup>380</sup>President of Kazakhstan Association of Allergology and Clinical Immunology, Department of Allergology and Clinical Immunology of the Kazakh National Medical University, Kazakhstan. <sup>381</sup>Division of Respiratory and Allergic Diseases, Hospital 'A Cardarelli', University of Naples Federico II, Naples, Italy.

### Competing interests

Dr. Ansotegui reports personal fees from Mundipharma, Roxall, Sanofi, MSD, Faes Farma, Hikma, UCB, Astra Zeneca, outside the submitted work. Dr. Bosnic-Anticevich reports grants from TEVA, personal fees from TEVA, Boehringer Ingelheim, AstraZeneca, Sanofi, Mylan, outside the submitted work. Dr. Bousquet reports personal fees and others from Chiesi, Cipla, Hikma, Menarini, Mundipharma, Mylan, Novartis, Sanofi-Aventis, Takeda, Teva, Uriach, others from Kyomed, outside the submitted work. Dr. Boulet reports and Disclosure of potential conflicts of interest—last 3 years research grants for participation to multicentre studies, AstraZeneca, Boston Scientific, GlaxoSmithKline, Hoffman La Roche, Novartis, Ono Pharma, Sanofi, Takeda. Support for research projects introduced by the investigator AstraZeneca, Boehringer-Ingelheim, GlaxoSmithKline, Merck, Takeda. Consulting and advisory boards Astra Zeneca, Novartis, Methapharm. Royalties Co-author of "Up-To-Date" (occupational asthma). Nonprofit grants for production of educational materials Astra-Zeneca, Boehringer-Ingelheim, GlaxoSmithKline, Merck Frosst, Novartis. Conference fees AstraZeneca, GlaxoSmithKline, Merck, Novartis. Support for participation in conferences and meetings Novartis, Takeda. Other participations Past president and Member of the Canadian Thoracic Society Respiratory Guidelines Committee; Chair of the Board of Directors of the Global Initiative for Asthma (GINA). Chair of Global Initiative for Asthma (GINA) Guidelines Dissemination and Implementation Committee; Laval University Chair on Knowledge Transfer, Prevention and Education in Respiratory and Cardiovascular Health; Member of scientific committees for the American College of Chest Physicians, American Thoracic Society, European Respiratory Society and the World Allergy Organization; 1st Vice-President of the Global Asthma Organization "InterAsma". Dr. Casale reports grants and non-financial support from Stallergenes, outside the submitted work. Dr. Cruz reports grants and personal fees from GlaxoSmithKline, personal fees from Boehringer Ingelheim, AstraZeneca, Novartis, Merk, Sharp & Dohme, MEDA Pharma, EUROFARMA, Sanofi Aventis, outside the submitted work. Dr. Ebisawa reports personal fees from DBV Technologies, Mylan EPD maruho, Shionogi & CO., Ltd., Kyorin Pharmaceutical Co., Ltd., Thermofisher Diagnostics, Pfizer, Beyer, Nippon Chemifar, Takeda Pharmaceutical Co., Ltd., MSD, outside the submitted work. Dr. Ivancevich reports personal fees from Euro Farma Argentina, Faes Farma, non-financial support from Laboratorios Casasco, outside the submitted work. Dr. Haahela reports personal fees from Mundipharma, Novartis, and Orion Pharma, outside

the submitted work. Dr. Klimek reports grants and personal fees from ALK Abelló, Denmark, Novartis, Switzerland, Allergopharma, Germany, Bionorica, Germany, GSK, Great Britain, Lofarma, Italy, personal fees from MEDA, Sweden, Boehringer Ingelheim, Germany, grants from Biomay, Austria, HAL, Netherlands, LETI, Spain, Roxall, Germany, Bencard, Great Britain, outside the submitted work. V.K.V has received payment for consultancy from GSK and for lectures from StallergenesGreer, Berlin-CHemie and sponsorship from MYLAN for in the following professional training: ARIA masterclass in allergic rhinitis participation. Dr. Larenas Linnemann reports personal fees from GSK, AstraZeneca, MEDA, Boehringer Ingelheim, Novartis, Grunenthal, UCB, Armstrong, Siegfried, DBV Technologies, MSD, Pfizer., grants from Sanofi, AstraZeneca, Novartis, UCB, GSK, TEVA, Chiesi, Boehringer Ingelheim, outside the submitted work. Dr. Mösges reports personal fees from ALK, grants from ASIT biotech, Leti, BitopAG, Hulka, Ursapharm, Optima; personal fees from allergopharma, Nuvo, Meda, Friulchem, Hexal, Servier, Bayer, Johnson&Johnson, Klosterfrau, GSK, MSD, FAES, Stada, UCB, Allergy Therapeutics; grants and personal fees from Bencard, Stallergenes; grants, personal fees and non-financial support from Lofarma; non-financial support from Roxall, Atmos, Bionorica, Otonomy, Ferrero; personal fees and non-financial support from Novartis; Dr. Okamoto reports personal fees from Eizai Co., Ltd., Shionogi Co., Ltd., Torii Co., Ltd., GSK, MSD, Kyowa Co., Ltd., grants and personal fees from Kyorin Co., Ltd., Tiho Co., Ltd., grants from Yakuruto Co., Ltd., Yamada Bee Farm, outside the submitted work. Dr. Papadopoulos reports grants from Gerolymatos, personal fees from Hal Allergy B.V., Novartis Pharma AG, Menarini, Hal Allergy B.V., outside the submitted work. Dr. Pépin reports grants from AIR LIQUIDE FOUNDATION, AGIR à dom, ASTRA ZENECA, FISHER & PAYKEL, MUTUALIA, PHILIPS, RESMED, VITALAIRE, other from AGIR à dom, ASTRA ZENECA, BOEHRINGER INGELHEIM, JAZZ PHARMACEUTICAL, NIGHT BALANCE, PHILIPS, RESMED, SEFAM, outside the submitted work. Dr. Pfaar reports grants and personal fees from ALK-Abelló, Allergopharma Stallergenes Greer, HAL Allergy Holding B.V./HAL Allergie GmbH, Bencard Allergie GmbH/Allergy Therapeutics, Lofarma, grants from Biomay, ASIT Biotech Tools S.A, Laboratorios LETI/LETI Pharma, Anergis S.A., grants from Nuvo, Circassia, Glaxo Smith Kline, personal fees from Novartis Pharma, MEDA Pharma, Mobile Chamber Experts (a GA<sup>2</sup>LEN Partner), Pohl-Boskamp, Indoor Biotechnologies, grants from, outside the submitted work. Dr. Todo-Bom reports grants and personal fees from Novartis, Mundipharma, GSK Teva Pharma, personal fees from AstraZeneca, grants from Leti, outside the submitted work. Dr. Tsiligianni reports advisory boards from Boehringer Ingelheim and Novartis and a grant from GSK, outside the submitted work. Dr. Wallace reports and Indicates that she is the co-chair of the Joint Task Force on Practice Parameters, a task force composed of 12 members of the American Academy of Allergy, Asthma, and Immunology and the American College of Allergy, Asthma, and Immunology. Dr. Wasserman reports other from CSL Behring, Shire, AstraZeneca, Teva, Meda, Merck, outside the submitted work. Dr. Zuberbier reports and Organizational affiliations: Committee member: WHO-Initiative "Allergic Rhinitis and Its Impact on Asthma" (ARIA). Member of the Board: German Society for Allergy and Clinical Immunology (DGAKI). Head: European Centre for Allergy Research Foundation (ECARF) Secretary General: Global Allergy and Asthma European Network (GA<sup>2</sup>LEN). Member: Committee on Allergy Diagnosis and Molecular Allergology, World Allergy Organization (WAO).

### Availability of data and materials

Not applicable.

### Consent for publication

Not applicable.

### Ethics approval and consent to participate

Not applicable.

### Funding

FMC VIA LR.

### Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.

Received: 11 January 2019 Accepted: 4 February 2019

Published online: 11 March 2019



## References

- Bousquet J, Arnavielhe S, Bedbrook A, Bewick M, Laune D, Mathieu-Dupas E, et al. MASK 2017: ARIA digitally-enabled, integrated, person-centred care for rhinitis and asthma multimorbidity using real-world-evidence. *Clin Transl Allergy*. 2018;8:45.
- Bousquet J, Van Cauwenberge P, Khaltaev N. Allergic rhinitis and its impact on asthma. *J Allergy Clin Immunol*. 2001;108(5 Suppl):S147–334.
- Bousquet J, Schunemann HJ, Samolinski B, Demoly P, Baena-Cagnani CE, Bachert C, et al. Allergic rhinitis and its impact on asthma (ARIA): achievements in 10 years and future needs. *J Allergy Clin Immunol*. 2012;130(5):1049–62.
- Bousquet J, Anto JM, Annesi-Maesano I, Dedeu T, Dupas E, Pepin JL, et al. POLLAR: impact of air pollution on asthma and rhinitis; a European Institute of Innovation and Technology Health (EIT Health) project. *Clin Transl Allergy*. 2018;8:36.
- Bousquet J, Hellings PW, Agache I, Amat F, Annesi-Maesano I, Ansotegui IJ, et al. ARIA Phase 4 (2018): Change management in allergic rhinitis and asthma multimorbidity using mobile technology. *J Allergy Clin Immunol*. 2018;<https://doi.org/10.1016/j.jaci.2018.08.049>.
- Bousquet J, Addis A, Adcock I, Agache I, Agustí A, Alonso A, et al. Integrated care pathways for airway diseases (AIRWAYS-ICPs). *Eur Respir J*. 2014;44(2):304–23.
- Bousquet J, Barbara C, Bateman E, Bel E, Bewick M, Chavannes NH, et al. AIRWAYS-ICPs (European Innovation Partnership on Active and Healthy Ageing) from concept to implementation. *Eur Respir J*. 2016;47(4):1028–33.
- Bousquet J, Hellings PW, Agache I, Bedbrook A, Bachert C, Bergmann KC, et al. ARIA 2016: care pathways implementing emerging technologies for predictive medicine in rhinitis and asthma across the life cycle. *Clin Transl Allergy*. 2016;6:47.
- Courbis AL, Murray RB, Arnavielhe S, Caimmi D, Bedbrook A, Van Eerd M, et al. Electronic clinical decision support system for allergic rhinitis management: MASK e-CDSS. *Clin Exp Allergy*. 2018;48(12):1640–53.
- Caimmi D, Baiz N, Tanno LK, Demoly P, Arnavielhe S, Murray R, et al. Validation of the MASK-rhinitis visual analogue scale on smartphone screens to assess allergic rhinitis control. *Clin Exp Allergy*. 2017;47(12):1526–33.
- Bousquet J, Bewick M, Arnavielhe S, Mathieu-Dupas E, Murray R, Bedbrook A, et al. Work productivity in rhinitis using cell phones: The MASK pilot study. *Allergy*. 2017;72(10):1475–84.
- Bousquet J, Caimmi DP, Bedbrook A, Bewick M, Hellings PW, Devillier P, et al. Pilot study of mobile phone technology in allergic rhinitis in European countries: the MASK-rhinitis study. *Allergy*. 2017;72(6):857–65.
- Bousquet J, Arnavielhe S, Bedbrook A, Fonseca J, Morais Almeida M, Todo Bom A, et al. The ARIA score of allergic rhinitis using mobile technology correlates with quality-of-life: The MASK study. *Allergy*. 2017;73(2):505–10.
- Bousquet J, Onorato GL, Bachert C, Barbolini M, Bedbrook A, Bjerner L, et al. CHRODIS criteria applied to the MASK (MACVIA-ARIA Sentinel Network) Good Practice in allergic rhinitis: a SUNFRAIL report. *Clin Transl Allergy*. 2017;7:37.
- Hellings PW, Borrelli D, Pietikainen S, Agache I, Akdis C, Bachert C, et al. European summit on the prevention and self-management of chronic respiratory diseases: report of the European Union Parliament Summit (29 March 2017). *Clin Transl Allergy*. 2017;7:49.
- Cingi C, Gevaert P, Mosges R, Rondon C, Hox V, Rudenko M, et al. Multi-morbidities of allergic rhinitis in adults: European Academy of Allergy and Clinical Immunology Task Force Report. *Clin Transl Allergy*. 2017;7:17.
- Bousquet J, Schunemann HJ, Fonseca J, Samolinski B, Bachert C, Canonica GW, et al. MACVIA-ARIA Sentinel Network for allergic rhinitis (MASK-rhinitis): the new generation guideline implementation. *Allergy*. 2015;70(11):1372–92.
- Bousquet J, Khaltaev N. Global surveillance, prevention and control of chronic respiratory diseases. a comprehensive approach. *Global Alliance against Chronic Respiratory Diseases*. World Health Organization. ISBN 978 92 4 156346 8. 2007:148 p.
- Bousquet J, Khaltaev N, Cruz AA, Denburg J, Fokkens WJ, Togias A, et al. Allergic rhinitis and its impact on asthma (ARIA) 2008 update (in collaboration with the World Health Organization, GA(2)LEN and AllerGen). *Allergy*. 2008;63(Suppl 86):8–160.
- Vandenplas O, Vinnikov D, Blanc PD, Agache I, Bachert C, Bewick M, et al. Impact of rhinitis on work productivity: a systematic review. *J Allergy Clin Immunol Pract*. 2018;6(4):1274–86.
- Bousquet J, Anto JM, Berkouk K, Gergen P, Antunes JP, Auge P, et al. Developmental determinants in non-communicable chronic diseases and ageing. *Thorax*. 2015;70(6):595–7.
- Fonseca JA, Nogueira-Silva L, Morais-Almeida M, Azevedo L, Sa-Sousa A, Branco-Ferreira M, et al. Validation of a questionnaire (CARAT10) to assess rhinitis and asthma in patients with asthma. *Allergy*. 2010;65(8):1042–8.
- Bousquet J, Agache I, Aliberti MR, Angles R, Annesi-Maesano I, Anto JM, et al. Transfer of innovation on allergic rhinitis and asthma multimorbidity in the elderly (MACVIA-ARIA) - Reference Site Twinning (EIP on AHA). *Allergy*. 2017;73(1):77–92.
- Agache I, Deleanu D, Khaltaev N, Bousquet J. Allergic rhinitis and its impact upon asthma—update (ARIA 2008). Romanian perspective. *Pneumologia*. 2009;58(4):255–8.
- Bachert C, Jorissen M, Bertrand B, Khaltaev N, Bousquet J. Allergic Rhinitis and its impact on asthma update (ARIA 2008). The Belgian perspective. *B-ENT*. 2008;4(4):253–7.
- Bousquet J, Farrell J, Crooks G, Hellings P, Bel EH, Bewick M, et al. Scaling up strategies of the chronic respiratory disease programme of the European Innovation Partnership on Active and Healthy Ageing (Action Plan B3: Area 5). *Clin Transl Allergy*. 2016;6:29.
- Cagnani CE, Sole D, Diaz SN, Zernotti ME, Sisul JC, Borges MS, et al. Allergic rhinitis update and its impact on asthma (ARIA 2008). Latin American perspective. *Rev Alerg Mex*. 2009;56(2):56–63.
- Kalayci O, Yorgancioglu A, Kalyoncu F, Khaltaev AN, Bousquet J. Allergic rhinitis and its impact on asthma update (ARIA 2008): The Turkish perspective. *Turk J Pediatr*. 2008;50(4):307–12.
- Mullol J, Valero A, Alobid I, Bartra J, Navarro AM, Chivato T, et al. Allergic rhinitis and its impact on asthma update (ARIA 2008): the perspective from Spain. *J Investig Allergol Clin Immunol*. 2008;18(5):327–34.
- Pali-Scholl I, Pohl W, Aberer W, Wantke F, Horak F, Jensen-Jarolim E, et al. Allergic rhinitis and its impact on asthma (ARIA update 2008) The Austrian perspective. *Wien Med Wochenschr*. 2009;159(3–4):87–92.
- Pawankar R, Bunnag C, Chen Y, Fukuda T, Kim YY, Le LT, et al. Allergic rhinitis and its impact on asthma update (ARIA 2008)—western and Asian-Pacific perspective. *Asian Pac J Allergy Immunol*. 2009;27(4):237–43.
- Yorgancioglu A, Kalayci O, Kalyoncu AF, Khaltaev N, Bousquet J. Allergic rhinitis and its impact on asthma update (ARIA 2008). The Turkish perspective. *Tuberk Toraks*. 2008;56(2):224–31.
- Bousquet J, Schunemann HJ, Zuberbier T, Bachert C, Baena-Cagnani CE, Bousquet PJ, et al. Development and implementation of guidelines in allergic rhinitis - an ARIA-GA2LEN paper. *Allergy*. 2010;65(10):1212–21.
- Brozek JL, Akl EA, Alonso-Coello P, Lang D, Jaeschke R, Williams JW, et al. Grading quality of evidence and strength of recommendations in clinical practice guidelines. Part 1 of 3. An overview of the GRADE approach and grading quality of evidence about interventions. *Allergy*. 2009;64(5):669–77.
- Brozek JL, Akl EA, Compalati E, Kreis J, Terracciano L, Fiocchi A, et al. Grading quality of evidence and strength of recommendations in clinical practice guidelines part 3 of 3. The GRADE approach to developing recommendations. *Allergy*. 2011;66(5):588–95.
- Brozek JL, Akl EA, Jaeschke R, Lang DM, Bossuyt P, Glasziou P, et al. Grading quality of evidence and strength of recommendations in clinical practice guidelines: part 2 of 3. The GRADE approach to grading quality of evidence about diagnostic tests and strategies. *Allergy*. 2009;64(8):1109–16.
- Brozek JL, Baena-Cagnani CE, Bonini S, Canonica GW, Rasi G, van Wijck RG, et al. Methodology for development of the Allergic Rhinitis and its Impact on Asthma guideline 2008 update. *Allergy*. 2008;63(1):38–46.
- Brozek JL, Bousquet J, Baena-Cagnani CE, Bonini S, Canonica GW, Casale TB, et al. Allergic rhinitis and its impact on asthma (ARIA) guidelines: 2010 revision. *J Allergy Clin Immunol*. 2010;126(3):466–76.
- Padjas A, Kehar R, Aleem S, Mejza F, Bousquet J, Schunemann HJ, et al. Methodological rigor and reporting of clinical practice guidelines in patients with allergic rhinitis: QuGAR study. *J Allergy Clin Immunol*. 2014;133(3):777–83.
- Caimmi D, Baiz N, Tanno LK, Demoly P, Arnavielhe S, Murray R, et al. Validation of the MASK-rhinitis visual analogue scale on

- smartphone screens to assess allergic rhinitis control. *Clin Exp Allergy*. 2017;47(12):1526–33.
41. Bousquet J, Bewick M, Arnavielhe S, Mathieu-Dupas E, Murray R, Bedbrook A, et al. Work productivity in rhinitis using cell phones: the MASK pilot study. *Allergy*. 2017;72(10):1475–84.
  42. Bousquet J, VandenPlas O, Bewick M, Arnavielhe S, Bedbrook A, Murray R, et al. The Work Productivity and Activity Impairment Allergic Specific (WPAI-AS) Questionnaire Using Mobile Technology: the MASK Study. *J Investig Allergol Clin Immunol*. 2018;28(1):42–4.
  43. Bousquet J, Arnavielhe S, Bedbrook A, Fonseca J, Morais Almeida M, Todo Bom A, et al. The Allergic Rhinitis and its impact on Asthma (ARIA) score of allergic rhinitis using mobile technology correlates with quality of life: the MASK study. *Allergy*. 2018;73(2):505–10.
  44. Bousquet J, Devillier P, Anto JM, Bewick M, Haahela T, Arnavielhe S, et al. Daily allergic multimorbidity in rhinitis using mobile technology: a novel concept of the MASK study. *Allergy*. 2018;73(8):1622–31.
  45. Bousquet J, Devillier P, Arnavielhe S, Bedbrook A, Alexis-Alexandre G, van Eerd M, et al. Treatment of allergic rhinitis using mobile technology with real-world data: the MASK observational pilot study. *Allergy*. 2018;73(9):1763–74.
  46. Brozek JL, Bousquet J, Agache I, Agarwal A, Bachert C, Bosnic-Anticevich S, et al. Allergic Rhinitis and its impact on asthma (ARIA) guidelines—2016 revision. *J Allergy Clin Immunol*. 2017;140(4):950–8.
  47. Bousquet J, Meltzer EO, Couroux P, Koltun A, Kopietz F, Munzel U, et al. Onset of action of the fixed combination intranasal azelastine-fluticasone propionate in an allergen exposure chamber. *J Allergy Clin Immunol Pract*. 2018;6(5):1726–32.
  48. Garcia-Aymerich J, Benet M, Saeyes Y, Pinart M, Basagana X, Smit HA, et al. Phenotyping asthma, rhinitis and eczema in MeDALL population-based birth cohorts: an allergic comorbidity cluster. *Allergy*. 2015;70(8):973–84.
  49. Amaral R, Bousquet J, Pereira AM, Araujo LM, Sa-Sousa A, Jacinto T, et al. Disentangling the heterogeneity of allergic respiratory diseases by latent class analysis reveals novel phenotypes. *Allergy*. 2018. <https://doi.org/10.1111/all.13670>.
  50. Siroux V, Ballardini N, Soler M, Lupinek C, Boudier A, Pin I, et al. The asthma-rhinitis multimorbidity is associated with IgE polysensitization in adolescents and adults. *Allergy*. 2018;73(7):1447–58.
  51. Siroux V, Boudier A, Nadif R, Lupinek C, Valenta R, Bousquet J. Association between asthma, rhinitis and conjunctivitis multimorbidities with molecular IgE sensitization in adults. *Allergy*. 2018. <https://doi.org/10.1111/all.13676>.
  52. Bousquet J, Samolinski B. Allergy and active and healthy ageing. In: Akdis C, Agache I, Demoly P, Hellinbgs P, Muraro A, Papadopoulos N, et al., editors. *Global atlas of allergy* European Academy of Allergy and Clinical Immunology 2014. p. 379–81.
  53. Morais-Almeida M, Pite H, Pereira AM, Todo-Bom A, Nunes C, Bousquet J, et al. Prevalence and classification of rhinitis in the elderly: a nationwide survey in Portugal. *Allergy*. 2013;68(9):1150–7.
  54. Baptist AP, Nyenhuis S. Rhinitis in the elderly. *Immunol Allergy Clin North Am*. 2016;36(2):343–57.
  55. Ventura MT, Gelardi M, D'Amato A, Buquicchio R, Tummolo R, Misciagna G, et al. Clinical and cytologic characteristics of allergic rhinitis in elderly patients. *Ann Allergy Asthma Immunol*. 2012;108(3):141–4.
  56. Ohta K, Bousquet PJ, Aizawa H, Akiyama K, Adachi M, Ichinose M, et al. Prevalence and impact of rhinitis in asthma. SACRA, a cross-sectional nation-wide study in Japan. *Allergy*. 2011;66(10):1287–95.
  57. Samolinski B, Fronczak A, Włodarczyk A, Bousquet J. Council of the European Union conclusions on chronic respiratory diseases in children. *Lancet*. 2012;379(9822):e45–6.
  58. Samolinski B, Fronczak A, Kuna P, Akdis CA, Anto JM, Bialoszewski AZ, et al. Prevention and control of childhood asthma and allergy in the EU from the public health point of view: Polish Presidency of the European Union. *Allergy*. 2012;67(6):726–31.
  59. Council conclusions on Healthy Ageing across the Lifecycle. 3206th Employment, social policy, health and consumer affairs Council meeting. Brussels, 7 December 2012. [http://www.consilium.europa.eu/uedocs/cms\\_data/docs/pressdata/en/lsa/134097.pdf](http://www.consilium.europa.eu/uedocs/cms_data/docs/pressdata/en/lsa/134097.pdf). 2012.
  60. Bousquet J, Tanasescu C, Camuzat T, Anto J, Blasi F, Neou A, et al. Impact of early diagnosis and control of chronic respiratory diseases on active and healthy ageing: a debate at the European Union Parliament. *Allergy*. 2013;68(5):555–61.
  61. Muraro A, Fokkens WJ, Pietikainen S, Borrelli D, Agache I, Bousquet J, et al. European symposium on precision medicine in allergy and airways diseases: report of the European Union parliament symposium (October 14, 2015). *Allergy*. 2016;71(5):583–7.
  62. Muraro A, Steelant B, Pietikainen S, Borrelli D, Childers N, Callebaut I, et al. European symposium on the awareness of allergy: report of the promotional campaign in the European Parliament (26–28 April 2016). *Allergy*. 2017;72(2):173–6.
  63. Bousquet J, Dahl R, Khaltaev N. Global alliance against chronic respiratory diseases. *Allergy*. 2007;62(3):216–23.
  64. Yorgancioglu A, Cruz AA, Bousquet J, Khaltaev N, Mendis S, Chuchalin A, et al. The global alliance against respiratory diseases (GARD) country report. *Prim Care Respir J*. 2014;23(1):98–101.
  65. Bousquet J, Bachert C, Canonica GW, Casale TB, Cruz AA, Lockey RJ, et al. Unmet needs in severe chronic upper airway disease (SCUAD). *J Allergy Clin Immunol*. 2009;124(3):428–33.
  66. Bousquet J, Mantzouranis E, Cruz AA, Ait-Khaled N, Baena-Cagnani CE, Bleecker ER, et al. Uniform definition of asthma severity, control, and exacerbations: document presented for the World Health Organization Consultation on Severe Asthma. *J Allergy Clin Immunol*. 2010;126(5):926–38.
  67. De Greve G, Hellings PW, Fokkens WJ, Pugin B, Steelant B, Seys SF. Endotype-driven treatment in chronic upper airway diseases. *Clin Transl Allergy*. 2017;7:22.
  68. Hellings PW, Fokkens WJ, Bachert C, Akdis CA, Bieber T, Agache I, et al. Positioning the principles of precision medicine in care pathways for allergic rhinitis and chronic rhinosinusitis—an EUFOREA-ARIA-EPOS-AIRWAYS ICP statement. *Allergy*. 2017;72(9):1297–305.
  69. Hellings PW, Fokkens WJ, Akdis C, Bachert C, Cingi C, Dietz de Loos D, et al. Uncontrolled allergic rhinitis and chronic rhinosinusitis: where do we stand today? *Allergy*. 2013;68(1):1–7.
  70. Spencer G, Corbin JH, Miedema E. Sustainable development goals for health promotion: a critical frame analysis. *Health Promot Int*. 2018. <https://doi.org/10.1093/heapro/day036>.
  71. Morton S, Pencheon D, Squires N. Sustainable Development Goals (SDGs), and their implementation: a national global framework for health, development and equity needs a systems approach at every level. *Br Med Bull*. 2017;124(1):81–90.
  72. Bousquet J, Anto JM, Demoly P, Schunemann HJ, Togiias A, Akdis M, et al. Severe chronic allergic (and related) diseases: a uniform approach—a MeDALL–GA2LEN–ARIA position paper. *Int Arch Allergy Immunol*. 2012;158(3):216–31.
  73. Ait-Khaled N, Enarson D, Bousquet J. Chronic respiratory diseases in developing countries: the burden and strategies for prevention and management. *Bull World Health Organ*. 2001;79(10):971–9.
  74. Bousquet J, VanCauwenberge P, Khaltaev N. Allergic rhinitis and its impact on asthma (ARIA)—executive summary. *Allergy*. 2002;57(9):841–55.
  75. Bachert C. Allergic rhinitis and its impact on asthma (ARIA)—what does it mean for the future of SIT? *Arb Paul Ehrlich Inst Bundesamt Sera Impfstoffe Frankf A M*. 2003;94:229–35.
  76. Bachert C, van Cauwenberge P. The WHO ARIA (allergic rhinitis and its impact on asthma) initiative. *Chem Immunol Allergy*. 2003;82:119–26.
  77. Bousquet J, Van Cauwenberge P, Bachert C, Canonica GW, Demoly P, Durham SR, et al. Requirements for medications commonly used in the treatment of allergic rhinitis. *European Academy of Allergy and Clinical Immunology (EAACI), Allergic Rhinitis and its Impact on Asthma (ARIA)*. *Allergy*. 2003;58(3):192–7.
  78. Demoly P, Allaert FA, Lecasble M, Bousquet J. Validation of the classification of ARIA (allergic rhinitis and its impact on asthma). *Allergy*. 2003;58(7):672–5.
  79. ARIA in the pharmacy: management of allergic rhinitis symptoms in the pharmacy. *Allergic rhinitis and its impact on asthma*. *Allergy*. 2004;59(4):373–87.
  80. Bousquet J, Bindslev-Jensen C, Canonica GW, Fokkens W, Kim H, Kowalski M, et al. The ARIA/EAACI criteria for antihistamines: an assessment of the efficacy, safety and pharmacology of desloratadine. *Allergy*. 2004;59(Suppl 77):4–16.

81. Plavec D. ARIA—one airway, one disease: what links our research to the concept? *Arh Hig Rada Toksikol*. 2004;55(2–3):135–40.
82. Up-to-date Mexican consensus in Allergic Rhinitis and its Impact on Asthma, 2005. ARIA. *Rev Alerg Mex*. 2005;52(1):51–64.
83. Bonini S, Bonini M, Bousquet J, Brusasco V, Canonica GW, Carlsen KH, et al. Rhinitis and asthma in athletes: an ARIA document in collaboration with GA2LEN. *Allergy*. 2006;61(6):681–92.
84. Bousquet J, van Cauwenberge P, Ait Khaled N, Bachert C, Baena-Cagnani CE, Bouchard J, et al. Pharmacologic and anti-IgE treatment of allergic rhinitis ARIA update (in collaboration with GA2LEN). *Allergy*. 2006;61(9):1086–96.
85. Passalacqua G, Bousquet PJ, Carlsen KH, Kemp J, Lockey RF, Niggemann B, et al. ARIA update: I-Systematic review of complementary and alternative medicine for rhinitis and asthma. *J Allergy Clin Immunol*. 2006;117(5):1054–62.
86. Antonicelli L, Micucci C, Voltolini S, Senna GE, Di Blasi P, Visona G, et al. Relationship between ARIA classification and drug treatment in allergic rhinitis and asthma. *Allergy*. 2007;62(9):1064–70.
87. Bousquet PJ, Bousquet-Rouanet L, Co Minh HB, Urbinelli R, Allaert FA, Demoly P. ARIA (Allergic Rhinitis and Its Impact on Asthma) Classification of Allergic Rhinitis Severity in Clinical Practice in France. *Int Arch Allergy Immunol*. 2007;143(3):163–9.
88. Bousquet PJ, Combescurre C, Neukirch F, Klossek JM, Mechin H, Daures JP, et al. Visual analog scales can assess the severity of rhinitis graded according to ARIA guidelines. *Allergy*. 2007;62(4):367–72.
89. Baiardini I, Braido F, Tarantini F, Porcu A, Bonini S, Bousquet PJ, et al. ARIA-suggested drugs for allergic rhinitis: what impact on quality of life? A GA2LEN review. *Allergy*. 2008;63(6):660–9.
90. Mendez NH, Velazquez AC, del Rivero HL, Hernandez VL, Espinola RG, Mondragon GR. Increased knowledge of ARIA and GINA guides 2006 to general physicians by an educational intervention. *Rev Alerg Mex*. 2008;55(5):201–5.
91. Singh AB, Shahi S. Aeroallergens in clinical practice of allergy in India—ARIA Asia Pacific Workshop report. *Asian Pac J Allergy Immunol*. 2008;26(4):245–56.
92. Zhang L, Han DM. An introduction of allergic rhinitis and its impact on asthma (ARIA) 2008 update. *Zhonghua Er Bi Yan Hou Tou Jing Wai Ke Za Zhi*. 2008;43(7):552–7.
93. Shah A, Pawankar R. Allergic rhinitis and co-morbid asthma: perspective from India—ARIA Asia-Pacific Workshop report. *Asian Pac J Allergy Immunol*. 2009;27(1):71–7.
94. del Cuvillo A, Montoro J, Barra J, Valero A, Ferrer M, Jauregui I, et al. Validation of ARIA duration and severity classifications in Spanish allergic rhinitis patients: the ADRIAL cohort study. *Rhinology*. 2010;48(2):201–5.
95. Van Hoesche H, Van Cauwenberge P, Thas O, Watelet JB. The ARIA guidelines in specialist practice: a nationwide survey. *Rhinology*. 2010;48(1):28–34.
96. Jauregui I, Davila I, Sastre J, Barra J, del Cuvillo A, Ferrer M, et al. Validation of ARIA (Allergic Rhinitis and its Impact on Asthma) classification in a pediatric population: the PEDRIAL study. *Pediatr Allergy Immunol*. 2011;22(4):388–92.
97. Yorgancioglu A, Ozdemir C, Kalayci O, Kalyoc AF, Bachert C, Baena-Cagnani CE, et al. ARIA (Allergic rhinitis and its impact on asthma) achievements in 10 years and future needs. *Tuberk Toraks*. 2012;60(1):92–7.
98. Hellings PW, Fokkens WJ, Bachert C, Akdis CA, Bieber T, Agache I, et al. Positioning the principles of precision medicine in care pathways for allergic rhinitis and chronic rhinosinusitis: a EUFOREA-ARIA-EPOS-AIRWAYS ICP statement. *Allergy*. 2017;72(9):1297–305.
99. Ivancevich JC, Neffen H, Zernotti ME, Asayag E, Blua A, Ciceran A, et al. ARIA 2016 executive summary: integrated care pathways for predictive medicine throughout the life cycle in Argentina. *Rev Alerg Mex*. 2017;64(3):298–308.
100. Yorgancioglu AA, Kalayci O, Cingi C, Gemicioglu B, Kalyoncu AF, Agache I, et al. ARIA 2016 executive summary: integrated care pathways for predictive medicine across the life cycle. *Tuberk Toraks*. 2017;65(1):32–40.
101. Amaral R, Fonseca JA, Jacinto T, Pereira AM, Malinovsky A, Janson C, et al. Having concomitant asthma phenotypes is common and independently relates to poor lung function in NHANES 2007–2012. *Clin Transl Allergy*. 2018;8:13.
102. Bousquet J, Bodez T, Gehano P, Klossek JM, Liard F, Neukirch F, et al. Implementation of guidelines for allergic rhinitis in specialist practices: a randomized pragmatic controlled trial. *Int Arch Allergy Immunol*. 2009;150(1):75–82.
103. Summary of product characteristics. Acarizax 12 SQ-HDM oral lyophilisate. European Medicines Agency. [https://mriacts-mrpeu/Human/Downloads/DE\\_H\\_1947\\_001\\_FinalSPCpdf](https://mriacts-mrpeu/Human/Downloads/DE_H_1947_001_FinalSPCpdf). 2016.
104. Bousquet J, Bullinger M, Fayol C, Marquis P, Valentin B, Burtin B. Assessment of quality of life in patients with perennial allergic rhinitis with the French version of the SF-36 Health Status Questionnaire. *J Allergy Clin Immunol*. 1994;94(2 Pt 1):182–8.
105. Samreth D, Arnavielhe S, Ingenrieth F, Bedbrook A, Onorato GL, Murray R, et al. Geolocation with respect to personal privacy for the Allergy Diary app: a MASK study. *World Allergy Organ J*. 2018;11(1):15.
106. Bousquet J, Anto JM, Akdis M, Auffray C, Keil T, Momas I, et al. Paving the way of systems biology and precision medicine in allergic diseases: The MeDALL success story. *Allergy*. 2016;71(11):1513–25.
107. Bousquet J, Burney PG, Zuberbier T, Cauwenberge PV, Akdis CA, Bindslev-Jensen C, et al. GA2LEN (Global Allergy and Asthma European Network) addresses the allergy and asthma 'epidemic'. *Allergy*. 2009;64(7):969–77.
108. Yorgancioglu AA, Gemicioglu B, Kalayci O, Kalyoncu AF, Cingi C, Murray R, et al. MASK (Mobile Airways Sentinel network) in Turkey—the ARIA integrated mobile solution for allergic rhinitis and asthma multimorbidity. *Tuberk Toraks*. 2018;66(2):176–81.
109. Gomez RM, Gonzalez-Diaz SN, Urrutia-Pereira M, Valentin-Rostan M, Yanez A, Jares E, et al. 2017 Brussels agreement for Latin America: an initiative of the GARD and Slaai. *Rev Alerg Mex*. 2018;65(3):137–41.
110. Bousquet J, Agache I, Aliberti MR, Angles R, Annesi-Maesano I, Anto JM, et al. Transfer of innovation on allergic rhinitis and asthma multimorbidity in the elderly (MACVIA-ARIA)—EIP on AHA Twinning Reference Site (GARD research demonstration project). *Allergy*. 2018;73(1):77–92.
111. Bousquet J, Schunemann HJ, Hellings PW, Arnavielhe S, Bachert C, Bedbrook A, et al. MACVIA clinical decision algorithm in adolescents and adults with allergic rhinitis. *J Allergy Clin Immunol*. 2016;138(2):367–74.

Ready to submit your research? Choose BMC and benefit from:

- fast, convenient online submission
- thorough peer review by experienced researchers in your field
- rapid publication on acceptance
- support for research data, including large and complex data types
- gold Open Access which fosters wider collaboration and increased citations
- maximum visibility for your research: over 100M website views per year

At BMC, research is always in progress.

Learn more [biomedcentral.com/submissions](https://biomedcentral.com/submissions)

