



Data Article

A thin section micromorphology photomicrographs dataset of the infilling of the Sennacherib Assyrian canal system (Kurdistan Region of Iraq)



Stefano Costanzo^{a,*}, Luca Forti^{a,*}, Daniele Morandi Bonacossi^b,
Andrea Zerboni^a

^aEarth Sciences Department "A. Desio", University of Milan, Milano, Italy

^bDepartment of Humanities and Cultural Heritage, University of Udine, Udine, Italy

ARTICLE INFO

Article history:

Received 5 April 2023

Revised 12 June 2023

Accepted 12 June 2023

Available online 15 June 2023

Dataset link: [A thin section micromorphology photomicrographs dataset of the infilling of the Sennacherib Assyrian canal system \(Kurdistan Region of Iraq\) \(Original data\)](#)

Keywords:

Micromorphology

Geoarchaeology

Late holocene

Mesopotamia

Assyrian empire

Land use

ABSTRACT

Here we present a compendium of 212 photographs of archaeological soils and sediments thin sections (micrographs) from the backfill of the Sennacherib Assyrian canal system of Northern Mesopotamia. The micrographs were produced using an optical petrographic microscope (Olympus BX41) mounting a digital camera (Olympus E420) for image acquisition. The dataset is composed of two folders containing (1) every micrograph in full resolution JPEG, and (2) a PDF file with scale bars and brief captions for each one. The dataset represents a photographic comparison collection for individuals working on similar geoarchaeological contexts and can be used for the composition of figures in novel publications, as well as being the first example of published large compendium for shared use in the field of archaeology.

© 2023 The Author(s). Published by Elsevier Inc.
This is an open access article under the CC BY license (<http://creativecommons.org/licenses/by/4.0/>)

* Corresponding author.

E-mail addresses: stefano.costanzo@unimi.it (S. Costanzo), Luca.forti@unimi.it (L. Forti).

Social media: [@GeoArcheoAbacus](#) (S. Costanzo), [@Luca_Fuertes](#) (L. Forti), [@andzerb](#) (A. Zerboni)

Specifications Table

Subject	Archaeology; Earth-Surface Processes
Specific subject area	Geoarchaeology of arid lands, paleoenvironmental reconstruction, land use, thin section micromorphology
Type of data	Image
How the data were acquired	The soil thin sections were observed employing an optical petrographic microscope (Olympus BX41) mounting a digital camera (Olympus E420) for image acquisition.
Data format	Raw
Description of data collection	Analyzed
Data source location	The original undisturbed samples were collected from sections of archaeological excavations. Microscope observation and micrograph photography were carried out in the laboratory facility of the Earth Sciences Department "A. Desio" of the University of Milan. The data were collected in Kurdistan Region of Iraq from three locations. 1) Khinis canal site 133, 36.737647°N, 43.414882°E 2) Khinis canal site 834, 36.726125°N, 43.433732°E 3) Jerwan aqueduct site 900, 36.670245°N, 43.392145°E The thin sections are stored at the Earth Sciences Department "A. Desio" of the University of Milan.
Data accessibility	Repository name: Zenodo Data identification number: https://doi.org/10.5281/zenodo.7801619
Related research article	Forti, L., Costanzo, S., Compostella, C., Garna, G., Morandi Bonacossi, D., Zerboni, A. (2023). The geoarchaeological investigation on the defunctionalisation of an Assyrian canals system reveals late Holocene land use transitions in Northern Mesopotamia. <i>The Holocene</i> . https://doi.org/10.1177/09596836221145395

Value of the Data

- The dataset is useful because it is a large photographic compendium of microscopic natural and anthropogenic diagnostic micro-pedofeatures from a geographic and archaeological context that has received limited geoarchaeological attention despite the prolific archaeological endeavors in the region.
- Other geoarchaeologists and archaeological scientists may benefit from the dataset, as it provides graphic reference for many identified, explained and dated [1] natural and anthropogenic features and processes connected with the use, abandonment and repurposing of the Assyrian canals of Northern Mesopotamia.
- Data can be reused as a mere study reference or as source of material for the composition of novel images in original manuscripts, textbooks, and teaching courses.

1. Objective

This dataset accompanies research that explores the complexity of the socioeconomic transformations of the human communities in Northern Mesopotamia. Within the project, geoarchaeological fieldwork is carried out to understand the processes involved in the natural and anthropogenic transformations of the landscape [1]. Among these, the creation of extensive canal systems is the most prominent [2].

In this context, the published research [1] tackles the paleoenvironmental significance of the infilling of some traits of the Sennacherib canal system. Therein, it is shown how every stratigraphic feature is the outcome of specific processes tied both ways with climatic/environmental changes and major shifts in land use. Among the analyses employed for the study, thin section soil micromorphology had a prominent role in disclosing pedogenetic peculiarities such as, but not limited to, hydromorphism, bioturbation, colluviation, and traces of pastoralism. Contextu-

ally, a large micrographs dataset was created. Here we present it, in order to provide graphic reference for individuals working on similar topics. We suggest that the sharing of photomicrographs datasets of archaeological soils and sediments will positively support archaeological micromorphological research, because existing atlases do not cover the great variability of observed pedofeatures.

2. Data Description

Data is organized in two main files, plus an additional .txt file containing instructions for navigating them.

2.1. File 1: *Micrographs.zip*

This contains the primary data. It is a .zip compressed folder containing full-resolution photographic JPEG files (micrographs) (Fig. 1A), with folder names corresponding to the name of each subset as they appear in the .pdf file (File 2) containing the interpretation of the data. Each micrograph measures 2560×1920 pixels with a resolution of 314 dpi and occupies approximately 1 MB of storage space. Every shot is presented with a Plane Polarized Light (PPL) and Cross-Polarized Light (XPL) version. PPL micrographs are characterized by a slightly yellow hue caused by the microscope's light source; we present them unmodified in order to avoid compression alteration.

2.2. File 2: *Micrograph captions.pdf*

This is a .pdf file containing scaled-down versions of each micrograph with name and scale bar, subdivided by Site and Stratigraphic Unit (SU) (Fig. 1B). Micrographs are presented in two columns, with each line representing the PPL and XPL version of the same shot. At the end of each group of micrographs belonging to a certain Site and SU, brief descriptions are provided to report highlights and notable features.

2.3. File 3: *Read me.txt*

This is a .txt file containing a plain text brief guide explaining how the two main files are organized and interlaced.

3. Experimental Design, Materials and Methods

Soil samples destined to thin section micromorphology were collected during archaeological fieldwork carried out in the Kurdistan Region of Iraq. Stratigraphic sections cleared during archaeological excavations (Fig. 2) were sampled for micromorphology according to the recorded stratigraphy, addressing notable features that required further investigation. Sampling was carried out by carving the stratigraphic sections to obtain undisturbed and oriented blocks of soil that were later destined for thin section manufacturing. This was carried out by Dr. Massimo Sbrana's "Servizi per la Geologia" laboratory (Piombino, Italy), following the resin consolidation, slicing, mounting and thinning procedure described by Murphy [3]. The finished thin section product is a $30\mu\text{m}$ thick, $55 \times 95\text{mm}$ wide slice of consolidated soil mounted on a glass support and covered with a thin glass protection.




Fig. 1. (A) Example of a full resolution unaltered .jpeg photomicrograph with no scale, as it appears in the dataset. (B) Excerpt example of the .pdf file containing the plane polarized light and cross polarized light photomicrographs with alphabetic reference to the .jpeg dataset, scale, occasional graphic additions and brief captions.




Fig. 2. Example of archaeological excavation. The field photograph and the orthogonal section represent Khinis canal site 133. This picture is adapted from Figure 3 in the original publication; for the full stratigraphic characterization, see [1].

The thin sections were observed employing an optical petrographic microscope (Olympus BX41) mounting a digital camera (Olympus E420) for image acquisition. Observation was carried out at various magnifications (20x, 40x, 100x, 400x) under Plane Polarized Light (PPL) and Cross-Polarized Light (XPL).

Micrographs (Fig. 1A) were taken both as PPL and XPL shots whenever features such as mineral/organic macroscopic components and pedological/sedimentological figures were deemed potentially diagnostic of formation processes for each stratigraphic context that the thin section samples represented.

Captions contained in the “Micrograph captions.pdf” (Fig. 2B) of the produced dataset were created following the guidelines and terminology suggested by Stoops [4], with the aid of the coloured atlases created by Nicosia & Stoops [5], Verrecchia & Trombino [6], and Stoops et al. [7].

Ethics Statements

No human subjects, animal experiments or data collections from social media platforms were involved in the creation of this dataset. Archaeological fieldwork permits were issued by the General Directorate of Antiquities of the Kurdistan Regional Government, the Directorate of Antiquities of Dohuk, and the State Board of Antiquities and Heritage in Baghdad.

Declaration of Competing Interest

The authors declare that they have no known competing financial interests or personal relationships that could have appeared to influence the work reported in this paper.

Data Availability

[A thin section micromorphology photomicrographs dataset of the infilling of the Sennacherib Assyrian canal system \(Kurdistan Region of Iraq\) \(Original data\)](#) (Zenodo).

CRediT Author Statement

Stefano Costanzo: Conceptualization, Methodology, Data curation, Visualization, Writing – original draft; **Luca Forti:** Conceptualization, Writing – review & editing; **Daniele Morandi Bonacossi:** Supervision, Funding acquisition; **Andrea Zerboni:** Conceptualization, Methodology, Writing – review & editing, Supervision.

Acknowledgments

We are grateful to the General Directorate of Antiquities of the Kurdistan Regional Government, the Directorate of Antiquities of Dohuk, and the State Board of Antiquities and Heritage in Baghdad for granting all necessary fieldwork permits and their continuous support. Funding for fieldwork and archaeological excavation was provided by the Italian Ministry of Foreign Affairs and International Cooperation, the University of Udine, The Friuli Venezia Giulia Regional Government, and the Friuli Banking Foundation, all supporting the *Land of Niniveh Archaeological Project* of the University of Udine (Italy). Funding for analyses was provided by the Università degli Studi di Milano (project [CTE_NAZPR19AZERB_01](#), entrusted to A.Z.). Part of this research was supported by the Italian Ministry of University and Research (MUR) through the project “Dipartimenti di Eccellenza 2023–2027” awarded to the Dipartimento di Scienze della Terra “A.

Desio” of the Università degli Studi di Milano. Part of this research was carried out under the umbrella of the Cultural Heritage Active Innovation for Sustainable Society (CHANGES) Project, funded by the European Union – NextGenerationEU, under the National Recovery and Resilience Plan (NRRP) Mission 4 Component 2 Investment Line 1.3. The authors also acknowledge the support of the APC central fund of the University of Milan.

References

- [1] L. Forti, S. Costanzo, C. Compostella, G. Garna, D. Morandi Bonacossi, A. Zerboni, The geoarchaeological investigation on the defunctionalisation of an Assyrian canals system reveals late Holocene land use transitions in Northern Mesopotamia, *Holocene* (2023), doi:[10.1177/09596836221145395](https://doi.org/10.1177/09596836221145395).
- [2] D. Morandi Bonacossi, Water for Nineveh. The Nineveh Irrigation System in the regional context of the ‘Assyrian Triangle’: a first geoarchaeological assessment, *Water Assyria Stud. Chaburensia* (2018) 77–116, doi:[10.2307/j.ctvc4m4fg3.9](https://doi.org/10.2307/j.ctvc4m4fg3.9).
- [3] C.P. Murphy, *Thin Section Preparation of Soils and Sediments*, AB Academic Publishers, Berkhamsted, 1986.
- [4] G. Stoops, *Guidelines for Analysis and Description of Soil and Regolith Thin Sections*, (second ed.), Soil Science Society of America Inc., Madison, Wiley, 2021.
- [5] C. Nicosia, G. Stoops, *Archaeological Soil and Sediment Micromorphology*, John Wiley & Sons, Hoboken, 2017.
- [6] E.P. Verrecchia, L. Trombino, *A Visual Atlas for Soil Micromorphologists*, Springer Nature, 2021.
- [7] G. Stoops, V. Marcelino, F. Mees, *Interpretation of Micromorphological Features of Soils and Regoliths*, (second ed.), Elsevier, Amsterdam, 2018.