

Unexpected Decoupling of Stretching and Bending Modes in Protein Gels

Thomas Gibaud,^{1,*} Alessio Zaccone,² Emanuela Del Gado,³ Véronique Trappe,⁴ and Peter Schurtenberger⁵

¹*Laboratoire de Physique, ENS Lyon, Université de Lyon I, CNRS/UMR 5672, 46 Allée d'Italie, 69007 Lyon, France*

²*Cavendish Laboratory, University of Cambridge, JJ Thomson Avenue, Cambridge CB3 0HE, United Kingdom*

³*Institute of Building Materials, ETH Zürich, CH-8093 Zürich, Switzerland*

⁴*Department of Physics, University of Fribourg, CH-1700 Fribourg, Switzerland*

⁵*Division of Physical Chemistry, Lund University, SE-22100 Lund, Sweden*

(Received 23 July 2012; published 30 January 2013)

We show that gels formed by arrested spinodal decomposition of protein solutions exhibit elastic properties in two distinct frequency domains, both elastic moduli exhibiting a remarkably strong dependence on volume fraction. Considering the large difference between the protein size and the characteristic length of the network we model the gels as porous media and show that the high and low frequency elastic moduli can be respectively attributed to stretching and bending modes. The unexpected decoupling of the two modes in the frequency domain is attributed to the length scale involved: while stretching mainly relates to the relative displacement of two particles, bending involves the deformation of a strand with a thickness of the order of a thousand particle diameters.

DOI: [10.1103/PhysRevLett.110.058303](https://doi.org/10.1103/PhysRevLett.110.058303)

PACS numbers: 83.80.Kn, 82.70.Gg

One of the overarching goals in soft condensed matter physics is to establish a rigorous connection between structural and mechanical properties of a material, and to relate those properties to control parameters such as the volume fraction, ϕ , and the interaction strength, U , in a colloidal suspension. Particular attention has been given to the dynamical arrest transition from a fluid to a solidlike state [1]. It has been shown that weakly attractive colloids ($U \sim k_B T$) at intermediate values of ϕ (~ 0.1 – 0.4) can form stress-bearing networks as a result of the interplay between spinodal decomposition and structural arrest [2–13]. This represents an unconventional route to gelation, where the arrest occurs when the dense domains formed during spinodal decomposition undergo structural arrest and phase separation can no longer proceed, the system being arrested as a self-supporting network. In spite of the interest towards spinodal networks for many applications, there is still very little understanding of their mechanical behavior. An example of such systems is the solution of the globular protein lysozyme [14], where the effective attraction between the proteins depends on temperature, which allows one to continuously explore the transition from homogeneous liquid to phase separated and arrested states [15]. This makes lysozyme a convenient system to investigate the interplay between structural evolution and arrest mechanisms. Previous studies showed that the gel states display correlation lengths much larger than the particle size [15] but how such feature determines the mechanics remained unclear.

In this Letter, we show that the rheological response of arrested lysozyme systems displays two distinct elastic plateaus that are well separated in time. Both moduli exhibit a dramatic dependence on volume fraction. Starting from these observations, we formulate a simple

model where the two distinct moduli arise from stretching and bending modes of the coarse network structure, consisting of strands that are significantly bigger than the constituent particles. Our results provide guidance for the design of amorphous colloidal systems with elastic moduli that are remarkably sensitive to changes in ϕ .

Our samples consist of hen egg white lysozyme (Fluka, L7651) with a radius $r \simeq 1.7$ nm that are suspended in 20 mM HEPES buffer at $pH = 7.8$, where lysozyme carries a net charge of $+8e$. To screen the electrostatic repulsion we add salt, $[NaCl] = 500$ mM [6]. The total volume fraction ϕ is obtained from the protein concentrations c measured by UV absorption spectroscopy using $\phi = c/\rho$, where $\rho = 1.351$ g/cm³ is the protein density. As shown in previous work the phase behavior of our systems is determined by temperature [6,15]: the liquid-liquid phase boundary found at lower temperatures is metastable with respect to the liquid-crystal coexistence curve observed at higher temperatures. The spinodal decomposition is found to be arrested for quenches below the arrest tie line at $T = 15$ °C, which leads to a bicontinuous state with a protein-poor fluid network and a protein-dense glassy network, whose features depend on ϕ and T .

We measure the rheological properties of such glassy networks with a commercial rheometer using a cone and plate geometry where the temperature is controlled by a Peltier element. In a typical experiment we load a sample in the rheometer at a temperature well above the binodal line at $T = 25$ °C. The temperature is then lowered to the final quench temperature at $T = 10$ °C, below the arrest tie line. The samples are left to rest for 300 s during which the structures stabilize [15]. This procedure enables us to reach reproducible steady states with negligible aging. We explore different arrested states by varying the initial

volume fraction ϕ ; any experiment where crystals form is disregarded. The viscoelastic properties of the arrested states are characterized in the linear response regime using two rheology experiments: (i) oscillatory strain experiments yielding the elastic modulus G' and the loss modulus G'' as a function of the frequency f , and (ii) creep tests yielding the compliance J , as a function of time t , in response to a step stress.

The results of both experiments compare well with each other, as shown for $\phi = 0.11$ after a quench to $T = 10^\circ\text{C}$ in Fig 1; the full squares and the open circles denote respectively G' and G'' obtained in oscillatory strain experiment, while the lines correspond to G' and G'' obtained by converting the data obtained in creep experiments [16]. Strikingly, the mechanical response function of our system is characterized by two frequency domains where the elastic component G' becomes dominant; these are marked by G_∞ and G_0 at respectively the high and low frequency end of the spectrum shown in Fig. 1. Both characteristic elasticities are strong functions of the volume fraction, as shown in Fig. 2, where we display representative examples of the spectra obtained for different ϕ in creep experiments. Varying ϕ by only a factor of three leads to a variation of G_∞ of four orders of magnitudes. To determine both characteristic elasticities with reasonable accuracy we use the scaling procedure described in the Supplemental Material [17] and report the results obtained in Fig. 3. Surprisingly, G_∞ and G_0 increase nearly exponentially with ϕ , where G_∞ increases more quickly with ϕ than G_0 , such that the two moduli appear to reach the same magnitude at large enough volume fractions. Such exponential dependence is atypical for colloidal gels, where the ϕ dependence is generally well described by power laws [5,8,12,18–20]. By contrast, stronger than power law dependencies of the elastic moduli on ϕ have been observed in ceramics and other porous media [21].




FIG. 1. Frequency dependence of the storage G' and loss modulus G'' obtained for a lysozyme system with $\phi = 0.11$ after a quench to $T = 10^\circ\text{C}$. Symbols denote the data obtained in oscillatory strain experiments, G' (filled square) and G'' (open circle). Lines correspond to G' and G'' obtained by the conversion of the inverse compliance J^{-1} measured in a creep experiments under identical conditions. J^{-1} (filled downward triangle) is displayed in Fig. 2.

To rationalize our findings we thus consider the possibility to describe our systems as porous media. The structure of our systems has been probed in various scattering experiments [15,22], from which we can infer that the arrested states are coarse network structures that are characterized by a correlation length of the order of $\xi \sim 2.5 \mu\text{m}$. At somewhat smaller length scales, larger scattering vectors q , we find the hallmarks of the Porod regime, consistent with the gel being a bicontinuous network with a sharp interface between the dilute phase and the dense glassy phase. For $q \geq 0.15 \text{ nm}^{-1}$, $S(q)$ follows a different regime, compatible with the presence of heterogeneities at small length scales. Clearly, while the coarse network is characterized by a length scale that is ~ 1000 times larger than the particle size the internal heterogeneities extend only over a few particle diameters. This large difference in size indicates that the system may be considered as almost homogeneous within the strand, being mainly characterized by large length scale heterogeneities, which is reminiscent of porous media.

We then may conceive that the large mismatch between length scales is also at the origin of the unusual elastic response observed. Let us consider that the mechanical deformation results in an elastic response where both stretching and bending modes are involved [23]. In principle, the response should be dominated by the softer modes, which are the bending modes. However, unbending a strand requires the cooperative displacement of several hundreds of particles, which may be delayed as compared to stretching modes which only involve the relative displacement of two particles. It is thus conceivable that we probe stretching modes at high f , while probing the bending modes at low f .

To test this assumption we consider that the stretching modulus G_s is the main contribution to the high frequency response G_∞ . We start from G_m the shear modulus of a




FIG. 2. Representative examples of the time evolution of the inverse compliance $J(t)^{-1}$ obtained in creep experiments using stresses that are well within the linear regime. The responses are measured after a quench to $T = 10^\circ\text{C}$ for $\phi = 0.171$ (filled square), 0.149 (filled circle), 0.13 (filled upward triangle), 0.11 (filled downward triangle), 0.093 (filled diamond), and 0.075 (filled left side triangle).




FIG. 3. Volume fraction dependence of high G_∞ (filled square) and low frequency modulus G_0 (open circle). Lines are fits to the data using Eqs. (1) and (2) with $g_a = 77 \pm 5$.

homogeneous assembly of proteins and estimate the correction due to the presence of pores. Given the length scale separation between the protein size (nm) and the strand size (μm) we can use an effective medium theory to account for the effect of the pores on the elastic properties [24]. Starting from the stress contribution of a single inclusion to a homogeneous material, the effective medium theory allows us to calculate the elastic constants of a porous medium in analogy to Einstein's method for calculating the viscosity of a dilute suspension of spheres [25] and later extended by Arrhenius to higher ϕ [26]. Because of the assumption of dilute and noninteracting pores, one first obtains a linear dependence of the properties of the porous material on those in absence of porosity: $G_s = G_m(1 - g\epsilon)$, with ϵ the volume fraction occupied by the pores and g a geometric pre-factor related in general to the pore geometry; it can vary from $g = 5/3$ for spherical pores up to 15 for ellipsoidal pores upon increasing the ellipsoid's anisotropy [21,27]. A small increment in the porosity leads to an increment of G_s : $dG_s = -gG_s d\epsilon$. Upon integration with the condition $G_s = G_m$ at $\epsilon = 0$, one obtains $G_s \approx G_m e^{-g\epsilon}$ [21]. The porosity ϵ is obtained from the volume fraction occupied by the dense network phase h , $\epsilon = 1 - h$. In our system h increases linearly with ϕ , as shown in Fig. 4(a) where $h \approx a\phi$ and $a \approx 3.5$ [6]. We thus expect that G_s scales as

$$G_s \approx e^{ga\phi}. \quad (1)$$

For the elastic response at the low-frequency end of the spectrum we assume that elasticity is dominated by the strand elasticity and hence, because of the strand anisotropy, by the bending modes [23,28]. If we consider the strand as an elastic rod of length ξ and diameter m [29], its bending energy is $K_b x^2$, where x is the bending displacement and K_b the bending constant. The bending energy can be also expressed in term of the bending moment A , i.e., the moment of forces due to internal stresses on a given cross section of the rod. For small, pure bending deformations, $A = (E/R)(\pi/4)(m/2)^4$ [29], where E is the Young modulus and R the curvature of the bent rod, that is $R \sim \xi$.




FIG. 4. Volume fraction dependence of the volume fraction occupied by the glassy network h and the strand dimensions (ξ , m). (a) h increases linearly with ϕ , $h = a\phi + b$ with $a = 3.5 \pm 0.3$ and $b = -0.15 \pm 0.03$. (b) ξ (filled square) is independent of ϕ , while m (open circle) increases with ϕ as $m \sim \phi^\alpha$, with $\alpha = 0.55 \pm 0.05$.

Moreover, by schematizing the strand as a chain of connected springs with an overall radius of gyration $\approx \xi$, the bending displacement due to a force applied to the end of the chain is also of the order of $x \approx \xi$ [30]. As a consequence, the bending modulus is $G_b \approx K_b/\xi \approx A/\xi^3 \approx (m/\xi)^4 E$. Using the shear modulus of the strand G_s and Eq. (1) one obtains

$$G_b \approx (m/\xi)^4 G_s \approx (m/\xi)^4 e^{ga\phi}. \quad (2)$$

For our system ξ is almost independent of ϕ , as shown in Fig. 4(b). However, since h linearly depends on ϕ the strand thickness m must depend on ϕ . Considering that the volume fraction occupied by one strand is $V \approx \xi m^2$ and assuming that the number density of strands is $1/\xi^3$, from the volume fraction occupied by the dense phase $h \approx V/\xi^3$ we obtain the thickness of the network strands $m \approx \sqrt{h}\xi$ [5], as reported in Fig. 4(b).

With these experimental parameters we now can test the validity of our assumptions, $G_\infty = G_s$ and $G_0 = G_b$. With $g = 22.0 \pm 3.5$ we find that Eqs. (1) and (2) describe the volume fraction dependence of both moduli remarkably well, as shown in Fig. 3 where the lines correspond to the theoretical prediction according Eqs. (1) and (2). The remarkable agreement between prediction and experimental data supports the idea that G_∞ is actually dominated by the contribution of the stretching modes, while G_0 is dominated by the bending modes of the network strands. However, we note that the value we obtain for the parameter $g \approx 22$ is larger than what is typically estimated in theory [21,27]. This large value for g reflects the remarkable strong dependence of the moduli on ϕ . Such increased dependence in comparison to that theoretically expected for porous media is most likely due to the structural differences between our very course networks and a porous medium comprising dilute and noninteracting pores, as assumed in our modeling. Moreover, we also neglected the heterogeneities inside the stands. Assuming that their contribution to the elastic modulus would linearly depend on ϕ , this would lead to an enhanced dependence of G_s on ϕ and to a value g that is not only due to the pore, i.e., strands geometry.

Nonetheless, the good agreement between the mechanical properties of the arrested spinodal network and the scaling behavior predicted by our simple model supports the condition that stretching and bending modes are decoupled because of a delayed response of the bending mode. This feature is difficult to understand, but as denoted before could be related to the large differences in the length scales involved in the mesoscale organization of the network. Indeed, the bending of the thick strands may entail structural rearrangements of a large number of particles, which is a slow process. In contrast, stretching only involves local stretching of particle-particle bonds, which occurs instantaneously upon application of a stress.

Note, that the difference between particle and strand size also dictates the unusually strong dependence of the elastic modulus on volume fraction. Because of this difference the gels exhibit features of porous media, the elasticity increasing exponentially with ϕ instead of the typical power law increases observed in classical colloidal gels. Indeed, for colloidal systems, where spinodal decomposition is for instance induced by depletion [4,5,9,10,12,18,20], the arrest of the phase separation process generally leads to gels where the ratio between particle and strand size barely exceeds one order of magnitude. Both, bending and stretching modes should here still contribute to the elasticity of the system; however, it is unlikely that both modes will be as clearly separated in time, as this is the case in the lysozyme gels. For other protein gels that are formed by spinodal decomposition, it appears likely that the mechanical response function will exhibit features similar to those observed here. Indeed, studies exploring the phase behavior of a series of different proteins [11] indicate that a large difference between protein and strand size may be a general feature of protein systems that are deeply quenched into the liquid-liquid coexistence range. If this is indeed the case the resulting mechanical properties should be similar to those of the deeply quenched lysozyme systems. To make a definite assessment, however, further investigations of the volume fraction dependence of the structural and mechanical properties of deeply quenched protein systems are required.

In conclusion, we have investigated the rheology of the complex network structure that forms as a result of an arrested spinodal decomposition in solutions of the globular protein lysozyme. For these systems the characteristic correlation length of the network is found to be remarkably large as compared to the particle size. The mechanical response are characterized by two distinct moduli, G_0 and G_∞ that are well separated in time, G_0 and G_∞ being, respectively, associated to the long and short time response of the system. Using a porous medium approximation, we develop a simple model that links the structural features of the network to its rheological properties and their ϕ dependence. The remarkable agreement between theoretical prediction and experiment indicates that G_0 and G_∞ are dominated by, respectively, the bending and the stretching

modes of the arrested network. The two moduli are distinct and measurable because of the hierarchical mesoscale organization separating the network characteristic length (μm) and the protein size (nm): this length scale difference appears responsible for the separation of the time scales over which bending and stretching occurs. Our combination of experiments and modeling creates a framework for understanding the relation between rheology and structure. Our results may provide new guidelines to design amorphous solidlike network with specifically defined and controlled characteristic structural and mechanical properties with potential applications in materials and food science [22,31,32].

This work was supported by the Swiss National Science Foundation (Grants No. PP002_126483/1, No. 200020-117755 and No. 200021-127192), the State Secretariat for Education and Research of Switzerland, the Marie Curie Network on Dynamical Arrest of Soft Matter and Colloids (MRTN-CT-2003-504712) and the Agence Nationale de la Recherche française (ANR-11-PDOC-027).

*Corresponding author.

thomas.gibaud@ens-lyon.fr

- [1] V. Trappe and P. Sandkuhler, *Curr. Opin. Colloid Interface Sci.* **18**, 494-500 (2005); E. Zaccarelli, *J. Phys. Condens. Matter* **19**, 323 101 (2007); A. Zaccone, H. Wu, and E. Del Gado, *Phys. Rev. Lett.* **103**, 208301 (2009).
- [2] P. N. Pusey, A. D. Pirie, and W. C. K. Poon, *Physica (Amsterdam)* **201A**, 322 (1993).
- [3] N. A. M. Verhaegh, D. Asnaghi, H. N. W. Lekkerkerker, M. Giglio, and L. Cipelletti, *Physica (Amsterdam)* **242A**, 104 (1997).
- [4] S. Manley, H. M. Wyss, K. Miyazaki, J. C. Conrad, V. Trappe, L. J. Kaufman, D. R. Reichman, and D. A. Weitz, *Phys. Rev. Lett.* **95**, 238302 (2005).
- [5] J. C. Conrad, H. M. Wyss, S. Manley, D. A. Weitz, V. Trappe, K. Miyazaki, L. J. Kaufman, D. R. Reichman, and A. B. Schofield, *J. Rheol.* **54**, 421 (2010).
- [6] F. Cardinaux, T. Gibaud, A. Stradner, and P. Schurtenberger, *Phys. Rev. Lett.* **99**, 118301 (2007).
- [7] T. Gibaud, F. Cardinaux, J. Bergenholtz, A. Stradner, and P. Schurtenberger, *Soft Matter* **7**, 857 (2011).
- [8] S. Buzzaccaro, R. Rusconi, and R. Piazza, *Phys. Rev. Lett.* **99**, 098301 (2007).
- [9] P. J. Lu, E. Zaccarelli, F. Ciulla, A. B. Schofield, F. Sciortino, and D. A. Weitz, *Nature (London)* **453**, 499 (2008).
- [10] L. J. Teecea, M. A. Faersb, and P. Bartlett, *Soft Matter* **7**, 1341 (2011).
- [11] A. Dumetz, A. M. Chockla, E. W. Kaler, and A. M. Lenhoff, *Biophys. J.* **94**, 570 (2008).
- [12] M. Laurati, G. Petekidis, N. Koumakis, F. Cardinaux, A. B. Schofield, J. M. Brader, M. Fuchs, and S. U. Egelhaaf, *J. Chem. Phys.* **130**, 134907 (2009).
- [13] V. Testard, L. Berthier, and W. Kob, *Phys. Rev. Lett.* **106**, 125702 (2011).

- [14] C. Gogelein, G. Nagele, R. Tuinier, T. Gibaud, A. Stradner, and P. Schurtenberger, *J. Chem. Phys.* **129**, 085102 (2008).
- [15] T. Gibaud and P. Schurtenberger, *J. Phys. Condens. Matter* **21**, 322201 (2009).
- [16] M. L. Evans, M. Tassieri, D. Auhl, and T. A. Waigh, *Phys. Rev. E* **80**, 012501 (2009).
- [17] See Supplemental Material at <http://link.aps.org/supplemental/10.1103/PhysRevLett.110.058303> for determination of G_0 and G_∞ using the scaling behavior of J^{-1} .
- [18] S. Ramakrishnan, Y.-L. Chen, K. S. Schweizer, and C. F. Zukoski, *Phys. Rev. E* **70**, 040401 (2004).
- [19] V. Trappe and D. A. Weitz, *Phys. Rev. Lett.* **85**, 449 (2000).
- [20] K. van Gruijthuijsen, V. Herle, R. Tuinier, P. Schurtenberger, and A. Stradner, *Soft Matter* **8**, 1547 (2012).
- [21] R. Pal, *J. Compos. Mater.* **39**, 1147 (2005).
- [22] T. Gibaud, N. Mahmoudi, J. Oberdisse, P. Lindner, J. S. Pedersen, C. L. P. Oliveira, A. Stradner, and P. Schurtenberger, *Faraday Discuss.* **158**, 267 (2012).
- [23] C. Heussinger and E. Frey, *Phys. Rev. Lett.* **97**, 105501 (2006).
- [24] S. Torquato, *Random Heterogeneous Materials: Microstructure and Macroscopic Properties* (Springer, New York, 2002).
- [25] A. Einstein, *Ann. Phys. (Berlin)* **324**, 289 (1906); **339**, 591 (1911).
- [26] S. Arrhenius, *Biochem. J.* **11**, 112 (1917).
- [27] L. D. Landau and I. M. Lifshitz, *Fluid Mechanics* (Butterworth-Heinemann, London, 1987).
- [28] A. Zaccone and E. Scossa-Romano, *Phys. Rev. B* **83**, 184205 (2011).
- [29] L. D. Landau and I. M. Lifshitz, *Theory of Elasticity* (Butterworth-Heinemann, London, 1985), Chap. 2.
- [30] Y. Kantor and I. Webman, *Phys. Rev. Lett.* **52**, 1891 (1984).
- [31] E. R. Dufresne, H. Noh, V. Saranathan, S. G. J. Mochrie, H. Cao, and R. O. Prum, *Soft Matter* **5**, 1792 (2009).
- [32] R. Mezzenga, P. Schurtenberger, A. Burbidge, and M. Michel, *Nat. Mater.* **4**, 729 (2005).